

**CASEMIS EQUIPMENT CODE REFERENCE LISTING  
BY EQUIP CODE FOR SHORE ACTIVITIES**

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 006100    | BUS, MOTOR, BOC, 20 PASSENGER,<br>4X2,(NONSTANDARD)<br>KKK-B-1579, TYPE I   | XA1A               | 91,366           | 92,782                              | 08                    | B                  | N<br>N<br>N           |
| 006101    | BUS, MOTOR, BOC, 20 PASSENGER, 4X2, DED,<br>AUTOMATIC TRANSMISSION, POWER STEERING,<br>14,000 GVW<br>KKK-B-1579, TYPE I             | XA1A               | 42,844           | 43,508                              | 08                    | B                  | A<br>A<br>A<br>A      |
| 006102    | BUS, MOTOR, BOC, 20 PASSENGER, 4X2, DED,<br>AUTOMATIC TRANSMISSION, POWER STEERING,<br>AIR CONDITIONING<br>KKK-B-1579, TYPE I       | XA1A               | 48,463           | 49,214                              | 08                    | B                  | N<br>N<br>N<br>N      |
| 006103    | BUS, SHUTTLE, 24 PASSENGER, 4X2,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>PERIMETER SEATING                                   | XA1A               | 54,205           | 55,045                              | 08                    | B                  | S<br>S<br>S           |
| 0061AF    | BUS, MOTOR, BOC, 20 PASSENGER<br>4X2, AUTOMATIC TRANSMISSION,<br>AIR CONDITIONING, ALTERNATIVE FUEL                                 | XA1A               | 43,000           | 43,667                              | 08                    | B                  | S<br>S<br>S           |
| 0061RH    | BUS, MOTOR, 20 PASSENGER, 4X2,<br>AUTOMATIC TRANSMISSION, POWER<br>STEERING, RIGHT HAND DRIVE                                       | XA1A               | 48,987           | 49,746                              | 08                    | B                  | S<br>S<br>S           |
| 006300    | BUS, MOTOR, BOC, 36 PASSENGER,<br>4X2 (NONSTANDARD)<br>KKK-B-1579, TYPE III   | XA1A               | 50,000           | 50,775                              | 08                    | B                  | N<br>N<br>N           |
| 006301    | BUS, MOTOR, BOC, 36 PASSENGER, 4X2, DED,<br>AUTOMATIC TRANSMISSION, POWER STEERING<br>KKK-B-1579, TYPE III                          | XA1A               | 49,103           | 49,864                              | 08                    | B                  | N<br>N<br>N           |
| 006302    | BUS, MOTOR, BOC, 60 PASSENGER (SCHOOL<br>CHILDREN), 4X2, DED, AUTOMATIC<br>TRANSMISSION, POWER STEERING, SEAT<br>KKK-B-1579, TYPE V | XA1A               | 52,185           | 52,994                              | 08                    | B                  | S<br>S<br>S<br>S      |
| 006303    | BUS, MOTOR, BOC, 36 PASSENGER, 4X2, DED,<br>AUTOMATIC TRANSMISSION, POWER STEERING,<br>AIR CONDITIONING<br>KKK-B-1579, TYPE III     | XA1A               | 54,205           | 55,045                              | 08                    | B                  | N<br>N<br>N<br>N      |
| 0063AF    | BUS, MOTOR, BOC, 36 PASSENGER,<br>4X2 AUTOMATIC TRANSMISSION,<br>AIR CONDITIONING, ALTERNATIVE FUEL                                 | XA1A               | 50,283           | 51,062                              | 08                    | B                  | S<br>S<br>S           |

*Tuesday, April 29, 2003*

*Page 1 of 93*

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 0063RH    | BUS, MOTOR, BOC, 36 PASSENGER,<br>4X2, AUTOMATIC TRANSMISSION, POWER<br>STEERING, RIGHT HAND DRIVE   | XA1A               | 63,509           | 64,493                              | 08                    | B                  | N<br>N<br>N           |
| 006500    | BUS, MOTOR, BOC, 44 PASSENGER,<br>4X2, FORWARD CONTROL,<br>(NONSTANDARD)<br>MIL-B-62261, TYPE III  | XA1A               | 61,203           | 62,152                              | 10                    | C                  | S<br>S<br>S<br>S      |
| 0065AF    | BUS, MOTOR, BOC, 44 PASSENGER, 4X2,<br>FORWARD CONTROL, AIR CONDITIONING,<br>OEM ALTERNATIVE FUEL: DEDICATED CNG<br>MODEL D12B                                     | XA1A               | 84,321           | 85,628                              | 10                    | C                  | S<br>S<br>S<br>S      |
| 006600    | AMBULANCE BUS CONVERSION, 4X2, DED,<br>FORWARD CONTROL, 8-12 LITTER, REAR<br>LOADING CAPABILITY, (NONSTANDARD)<br>MIL-B-45367, TYPE IV                             | XA1C               | 85,293           | 86,615                              | 10                    | F                  | S<br>S<br>S<br>S      |
| 006601    | AMBULANCE BUS CONVERSION, 4X2, DED,<br>FORWARD CONTROL, 12 LITTER, REAR LOADING<br>CAPABILITY, AIR CONDITIONING, AUTOMATIC<br>TRANSMISSION<br>MIL-B-45367, TYPE IV | XA1C               | 85,717           | 87,046                              | 10                    | F                  | S<br>S<br>S<br>S<br>S |
| 0066AF    | AMBULANCE BUS CONVERSION, 4X2,<br>FORWARD CONTROL, 6-12 LITTER,<br>REAR LOADING CAPABILITY AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>ALTERNATIVE FUEL        | XA1C               | 86,000           | 87,333                              | 10                    | F                  | S<br>S<br>S<br>S<br>S |
| 007000    | BUS, MOTOR, INTERCITY, 44-49 PASSENGER,<br>6X2, DED (NONSTANDARD)<br>MIL-B-45371, TYPE II  | XA1A               | 297,098          | 301,703                             | 12                    | D                  | N<br>N<br>N           |
| 007001    | BUS, MOTOR, INTERCITY, 49 PASSENGER,<br>6X2, DED, WITHOUT LAVATORY<br>MIL-B-45371, TYPE II   | XA1A               | 247,896          | 251,738                             | 12                    | D                  | A<br>A<br>A           |
| 0070AF    | BUS, MOTOR, INTERCITY, 44-49 PASSENGER,<br>6X2, AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, ALTERNATIVE FUEL  | XA1A               | 240,000          | 243,720                             | 12                    | D                  | S<br>S<br>S           |
| 009000    | SEMITRAILER, PASSENGER CONVERSION 14,000<br>GVW (NONSTANDARD)  | XB2C               | 37,273           | 37,851                              | 15                    | P                  | I<br>I                |
| 009001    | SEMITRAILER, PERSONNEL, 100 PASSENGER,<br>SINGLE AXLE, 18,000 LB PAYLOAD, 40 FT<br>MIL-S-45344, TYPE II, CLASS B, SIZE 35  | XB2C               | 38,544           | 39,141                              | 15                    | P                  | I<br>I<br>I           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 010200    | AUTOMOBILE, SEDAN, MIDSIZE, 4X2,<br>5 PASSENGER, 4 DOOR.<br>(FOR LEASE PURPOSE ONLY)  | XA1B               | 12,000           | 12,186                              | 06                    | A                  | S<br>S<br>S           |
| 0102AF    | AUTOMOBILE, SEDAN, MIDSIZE, 4X2,<br>5 PASSENGER, 4 DOOR, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>ALTERNATIVE FUEL   | XA1B               | 15,000           | 15,233                              | 06                    | A                  | S<br>S<br>S<br>S      |
| 010300    | AUTOMOBILE, SEDAN, SUB COMPACT, 4X2,<br>4 PASSENGER, 4 DOOR.<br>(FOR LEASE PURPOSE ONLY)  | XA1B               | 10,000           | 10,155                              | 06                    | A                  | S<br>S<br>S<br>S      |
| 010400    | AUTOMOBILE, SEDAN, COMPACT, 4X2, 5<br>PASSENGER, 4 DOOR (NONSTANDARD)<br>FED STD 122  | XA1B               | 10,112           | 10,269                              | 06                    | A                  | S<br>S<br>S           |
| 010401    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES<br>FED STD 122, ITEM 9C  | XA1B               | 10,673           | 10,838                              | 06                    | A                  | I<br>I<br>I<br>I      |
| 010402    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES,<br>AIR CONDITIONING<br>FED STD 122, IT-9C                                       | XA1B               | 11,824           | 12,007                              | 06                    | A                  | N<br>N<br>N<br>N<br>N |
| 01040G    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC OR MANUAL TRANSMISSION,<br>4 PASSENGER MINIMUM, 4 DOOR, 1.6 LITRE<br>ENGINE MINIMUM, CATALYTIC CONVERTER, AIR<br>CONDITIONING (GERMANY PROCUREMENT) | XA1B               | 18,985           | 19,279                              | 06                    | A                  | S<br>S<br>S<br>S<br>S |
| 01040I    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES,<br>AIR CONDITIONING (ITALY PROCUREMENT)   | XA1B               | 12,966           | 13,167                              | 06                    | A                  | S<br>S<br>S<br>S      |
| 01040J    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES,<br>AIR CONDITIONING, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)                    | XA1B               | 17,326           | 17,595                              | 06                    | A                  | S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 01040S    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES<br>(SPAIN PROCUREMENT)   | XA1B               | 12,112           | 12,300                              | 06                    | A                  | S<br>S<br>S<br>S           |
| 01040U    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES,<br>RIGHT HAND DRIVE (UNITED KINGDOM<br>PROCUREMENT)             | XA1B               | 13,639           | 13,850                              | 06                    | A                  | S<br>S<br>S<br>S<br>S      |
| 0104AF    | AUTOMOBILE, SEDAN, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BREAKS,<br>OEM ALTERNATIVE FUEL: BI-FUEL CNG, E85,<br>FED STD 122, IT9C | XA1B               | 14,869           | 15,099                              | 06                    | A                  | S<br>S<br>S<br>S<br>S<br>S |
| 010500    | AUTOMOBILE, SEDAN, FULLSIZE, 4X2,<br>5 PASSENGER, 4 DOOR, FOR LEASE<br>PURPOSE ONLY (NONSTANDARD)<br>FED STD 122  | XA1B               | 17,000           | 17,264                              | 06                    | A                  | S<br>S<br>S<br>S           |
| 0105AF    | AUTOMOBILE, SEDAN, FULLSIZE, 4X2, 5<br>PASSENGER, AUTOMATIC TRANSMISSION,<br>AIR CONDITIONING, ALTERNATIVE FUEL<br>FED STD 122, ITEM 11B  | XA1B               | 20,000           | 20,310                              | 06                    | A                  | S<br>S<br>S<br>S           |
| 011400    | AUTOMOBILE, SEDAN, 4X2, LAW<br>ENFORCEMENT, 5 PASSENGER, 4 DOOR<br>(NONSTANDARD)<br>FED STD 122   | XA1B               | 21,000           | 21,326                              | 06                    | A                  | S<br>S<br>S<br>S           |
| 011401    | AUTOMOBILE, SEDAN, COMPACT, 4X2, AUTO-<br>MATIC TRANSMISSION, LAW ENFORCEMENT<br>TYPE, 5 PASSENGER, 4 DOOR, POWER STEER-<br>ING, POWER BRAKES<br>FED STD 122                      | XA1B               | 18,000           | 18,279                              | 06                    | A                  | I<br>I<br>I<br>I<br>I      |
| 011402    | AUTOMOBILE, SEDAN, 4X2,<br>AUTOMATIC TRANSMISSION, LAW<br>TYPE, 5 PASSENGER, 4 DOOR, POWER<br>STEERING, POWER BRAKES, AIR CONDITIONING<br>FED STD 122, IT-9C                      | XA1B               | 19,016           | 19,311                              | 06                    | A                  | S<br>S<br>S<br>S<br>S      |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 011403    | AUTOMOBILE, SEDAN, COMPACT, 4X2, AUTO-<br>MATIC TRANSMISSION, LAW ENFORCEMENT<br>TYPE, 5 PASSENGER, 4 DOOR, POWER STEER-<br>ING, POWER BRAKES, AIR CONDITIONING,<br>ELECTRIC DOOR LOCKS, CIGARETTE LIGHTER,<br>AM RADIO, ANY MANUFACTURER STANDARD<br>COLORS, EXCEPT WHITE, BLACK OR GRAY,<br>CONCEALED MARKINGS<br>FED STD 122 | XA1B               | 19,000           | 19,295                              | 06                    | A                  | I<br>I<br>I<br>I<br>I<br>I<br>I<br>I |
| 01140G    | AUTOMOBILE, SEDAN, 4X2,AUTOMATIC,<br>OR MANUAL TRANSMISSION, LAW<br>ENFORCEMENT TYPE, 4 PASSENGER MINIMUM,<br>4 DOOR, 1.6 LITRE ENGINE MINIMUM,<br>AIR CONDITIONING<br>(GERMANY PROCUREMENT)  | XA1B               | 17,134           | 17,400                              | 06                    | A                  | S<br>S<br>S<br>S<br>S<br>S           |
| 01140I    | AUTOMOBILE, COMPACT, 4X2, AUTOMATIC<br>TRANSMISSION, LAW ENFORCEMENT TYPE,<br>5 PASSENGER, 4 DOOR, HEAVY DUTY<br>COMPONENTS, AIR CONDITIONING<br>(ITALY PROCUREMENT)  | XA1B               | 15,458           | 15,698                              | 06                    | A                  | S<br>S<br>S<br>S<br>S                |
| 01140J    | AUTOMOBILE, SEDAN, 4X2, AUTOMATIC<br>TRANSMISSION, LAW ENFORCEMENT TYPE,<br>5 PASSENGER, 4 DOOR, HEAVY DUTY<br>COMPONENTS, AIR CONDITIONING, RIGHT HAND<br>DRIVE (JAPAN PROCUREMENT)  | XA1B               | 10,310           | 10,470                              | 06                    | A                  | S<br>S<br>S<br>S<br>S                |
| 01140S    | AUTOMOBILE, SEDAN, 4X2, AUTOMATIC<br>TRANSMISSION, LAW ENFORCEMENT TYPE,<br>5 PASSENGER, 4 DOOR, HEAVY DUTY<br>COMPONENTS (SPAIN PROCUREMENT)   | XA1B               | 13,857           | 14,072                              | 06                    | A                  | S<br>S<br>S<br>S                     |
| 01140U    | AUTOMOBILE, SEDAN, 4X2, AUTOMATIC<br>TRANSMISSION, LAW ENFORCEMENT TYPE,<br>5 PASSENGER, 4 DOOR, HEAVY DUTY<br>COMPONENTS, AIR CONDITIONING, RIGHT HAND<br>DRIVE (UNITED KINGDOM PROCUREMENT)   | XA1B               | 13,639           | 13,850                              | 06                    | A                  | S<br>S<br>S<br>S<br>S                |
| 0114AF    | AUTOMOBILE, SEDAN, 4X2, LAW<br>ENFORCEMENT, 5 PASSENGER, 4<br>DOOR, AUTOMATIC TRANSMISSION,<br>AIR CONDITIONING, ATLERNATIVE<br>FUEL  | XA1B               | 21,000           | 21,326                              | 06                    | A                  | S<br>S<br>S<br>S<br>S                |
| 012600    | AUTOMOBILE, SEDAN, 4X2, 5 PASSENGER<br>ARMOR, (NON-STANDARD)  | XZ01               | 184,000          | 186,852                             | 06                    | O                  | I<br>I                               |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 0126HA    | AUTOMOBILE, SEDAN, 4X2, AUTOMATIC<br>TRANSMISSION, 5 PASSENGER, 4 DOOR, HEAVY<br>DUTY COMPONENTS, AIR CONDITIONING, HEAVY<br>ARMOR  | XZ01               | 220,000          | 223,410                             | 06                    | O                  | S<br>S<br>S<br>S      |
| 0126LA    | AUTOMOBILE, SEDAN, 4X2, AUTOMATIC<br>TRANSMISSION, 5 PASSENGER, 4 DOOR, HEAVY<br>DUTY COMPONENTS, AIR CONDITIONING, LIGHT<br>ARMOR  | XZ01               | 106,638          | 108,291                             | 06                    | O                  | S<br>S<br>S<br>S      |
| 021000    | AUTOMOBILE, STATION WAGON, COMPACT,<br>4X2, 5 PASSENGER, 4 DOOR (NONSTANDARD)<br>FED STD 122  | XA1B               | 14,000           | 14,217                              | 06                    | E                  | S<br>S<br>S           |
| 021001    | AUTOMOBILE, STATION WAGON, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER, 4<br>DOOR, POWER STEERING, POWER BRAKES<br>FED STD 122                                       | XA1B               | 14,016           | 14,233                              | 06                    | E                  | I<br>I<br>I<br>I      |
| 021002    | AUTOMOBILE, STATION WAGON, SUB COMPACT,<br>4X2 AUTOMATIC TRANSMISSION, 4 PASSENGER,<br>4 DOOR, POWER STEERING, POWER BRAKES,<br>AIR CONDITIONING.<br>FED STD 122, IT-12A      | XA1B               | 17,197           | 17,464                              | 06                    | E                  | N<br>N<br>N<br>N<br>N |
| 02100U    | AUTOMOBILE, STATION WAGON, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 5 PASSENGER, 4<br>DOOR, POWER STEERING, POWER BRAKES,<br>RIGHT HAND DRIVE (UNITED KINGDOM<br>PROCUREMENT) | XA1B               | 11,697           | 11,878                              | 06                    | E                  | S<br>S<br>S<br>S<br>S |
| 0210AF    | AUTOMOBILE, STATION WAGON, COMPACT,<br>4X2, 5 PASSENGER, 4 DOOR, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>ALTERNATIVE FUEL   | XA1B               | 20,000           | 20,310                              | 06                    | E                  | S<br>S<br>S<br>S<br>S |
| 030500    | TRUCK, UTILITY, COMMERCIAL, 4X4,<br>4,500 GVW (NONSTANDARD)<br>FED STD 307  | XA1F               | 35,228           | 35,774                              | 06                    | H                  | N<br>N<br>N           |
| 030501    | TRUCK, UTILITY, COMMERCIAL, 4X4, GED,<br>AUTOMATIC TRANSMISSION, FULL HARD TOP,<br>HEAVY-DUTY SUSPENSION, 4,500 GVW<br>FED STD 307, IT-6, TP-I, CL-B                          | XA1F               | 19,952           | 20,261                              | 06                    | H                  | I<br>I<br>I<br>I      |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 030502    | TRUCK, UTILITY. 4X4, GED, AUTOMATIC<br>TRANSMISSION, HEAVY DUTY SUSPENSION,<br>AIR CONDITIONING, 2 DOOR, 4 PASSENGER,<br>5,000 GVW<br>FED STD 307,IT-6  | XA1F               | 20,156           | 20,468                              | 06                    | H                  | N<br>N<br>N<br>N<br>N           |
| 030504    | TRUCK, UTILITY, 4X4, GED,AUTOMATIC<br>TRANSMISSION, HEAVY DUTY SUSPENSION,<br>AIR CONDITIONING, 4 DOOR, 5 PASSENGER,<br>5,000 GVW<br>FED STD 307, IT-105  | XA1F               | 18,780           | 19,071                              | 06                    | H                  | N<br>N<br>N<br>N<br>N           |
| 03050J    | TRUCK, UTILITY, COMMERCIAL, 4X4, GED,<br>AUTOMATIC TRANSMISSION, FULL HARD TOP,<br>HEAVY-DUTY SUSPENSION, 4,500GVW, RIGHT<br>HAND DRIVE (JAPAN PROCUREMENT)   | XA1F               | 26,700           | 27,114                              | 06                    | H                  | S<br>S<br>S<br>S                |
| 030511    |   | XA1F               | 20,000           | 20,310                              | 06                    | H                  | I                               |
| 0305AF    | TRUCK, UTILITY, 4X4, 4,500 GVW,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>ALTERNATIVE FUEL   | XA1F               | 23,000           | 23,357                              | 06                    | H                  | S<br>S<br>S                     |
| 0305LA    | TRUCK, UTILITY, 4X4, GED, AUTOMATIC<br>TRANSMISSION, HEAVY DUTY SUSPENSION,<br>AIR CONDITIONING, 4 DOOR, 5 PASSENGER,<br>LIGHT ARMOR.   | XA1G               | 108,669          | 110,353                             | 06                    | H                  | S<br>S<br>S<br>S                |
| 0305SP    | TRUCK, UTILITY, COMMERCIAL, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 8 CYL ENGINE,<br>FULL HARD TOP, HEAVY-DUTY COMPONENT<br>PACKAGE, EQUIPPED WITH SNOW PLOW AND<br>ATTACHMENTS, AXLE RATED FOR LOW SPEED<br>OPERATION, AIR CONDITIONING, 6,000 GVW<br>FED STD 307, IT-7 | XA1F               | 30,887           | 31,366                              | 06                    | H                  | I<br>I<br>I<br>I<br>I<br>I<br>I |
| 030700    | TRUCK, UTILITY, 4X4, WITH OR WITHOUT<br>WINCH, M38A1, 3,500 GVW (NONSTANDARD)   | XC3A               | 24,000           | 24,372                              | 06                    | O                  | I<br>I                          |
| 030701    |   | XC3A               | 20,000           | 20,310                              | 06                    | O                  | I                               |
| 030731    | TRUCK, UTILITY, COMMERCIAL, 4X4, DED,<br>AUTOMATIC TRANSMISSION, METAL OR<br>FIBERGLASS TOP, 24 VOLT RADIO OUTLET,<br>6,000 GVW<br>FED STD 307, IT-7,TP-I,CL-B  | XC3A               | 23,391           | 23,754                              | 06                    | O                  | A<br>A<br>A<br>A<br>A           |
| 030800    | TRUCK, UTILITY, COMMERCIAL, 4X2, GED,<br>4,400 GVW (NON-STANDARD)<br>FED STD 307  | XA1F               | 18,000           | 18,279                              | 06                    | H                  | S<br>S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 030802    | TRUCK, UTILITY, COMMERCIAL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, HEAVY DUTY<br>SUSPENSION, AIR CONDITIONING, 2 DOOR,<br>FULL HARD TOP, 4,400 GVW<br>FED STD 307, IT-2 | XA1F               | 17,988           | 18,267                              | 06                    | H                  | S<br>S<br>S<br>S<br>S |
| 030804    | TRUCK, UTILITY, 4X2, GED, AUTOMATIC,<br>TRANSMISSION, HEAVY DUTY SUSPENSION,<br>AIR CONDITIONING, 4 DOOR, 5 PASSENGER<br>5,000 GVW<br>FED STD 307, IT-100             | XA1F               | 16,965           | 17,228                              | 06                    | H                  | S<br>S<br>S<br>S<br>S |
| 0308AF    | TRUCK. UTILITY, 4X2, 4,400 GVW,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>ALTERNATIVE FUEL   | XA1F               | 20,000           | 20,310                              | 06                    | H                  | S<br>S<br>S           |
| 031300    | TRUCK, CARGO, PICKUP, 6,050 GVW<br>(NONSTANDARD)<br>FED STD 307   | XC3B               | 15,000           | 15,233                              | 06                    | G                  | N<br>N<br>N<br>N      |
| 031301    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8FT BED,<br>6,050 GVW.<br>FED STD 307, ITEM-41   | XC3B               | 21,644           | 21,979                              | 06                    | G                  | N<br>N<br>N<br>N<br>N |
| 031302    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 8 FT BED, 6,500 GVW<br>FED STD 307, IT-41   | XC3B               | 19,910           | 20,219                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 03130I    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6,000 GVW<br>(ITALY PROCUREMENT)   | XC3B               | 8,100            | 8,226                               | 06                    | G                  | S<br>S<br>S           |
| 03130J    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6,000 GVW, RIGHT<br>HAND DRIVE (JAPAN PROCUREMENT)   | XC3B               | 7,875            | 7,997                               | 06                    | G                  | S<br>S<br>S           |
| 03130S    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6,000 GVW<br>(SPAIN PROCUREMENT)   | XC3B               | 10,075           | 10,231                              | 06                    | G                  | S<br>S<br>S           |
| 03130U    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6,000 GVW, RIGHT<br>HAND DRIVE (UNITED KINGDOM PROCUREMENT)  | XC3B               | 14,597           | 14,823                              | 06                    | G                  | S<br>S<br>S           |



| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 0313AF    | TRUCK, CARGO, PICKUP, 4X2/4, AUTOMATIC TRANSMISSION, 8FT BED, OEM ALTERNATIVE FUEL: CNG, LPG-PROPANE, 6,500 GVW<br>FED STD 307, IT-41 | XC3B               | 19,910           | 20,219                              | 06                    | G                  | S<br>S<br>S           |
| 031600    | TRUCK, CARGO, PICKUP, 4X4, GED, 5,900 GVW (NONSTANDARD)<br>FED STD 292  | XC3B               | 14,000           | 14,217                              | 06                    | G                  | I<br>I<br>I           |
| 031601    | TRUCK, CARGO, PICKUP, 4X4, GED, AUTOMATIC TRANSMISSION 8FT BED, 6,000 GVW<br>FED STD 307, IT-46, TP-IV, CL-C                          | XC3B               | 19,074           | 19,370                              | 06                    | G                  | N<br>N<br>N<br>N      |
| 031700    | TRUCK, SPORT UTILITY, 6 PASSENGER, 7,000 GVW (NONSTANDARD)<br>FED STD 307   | XA1F               | 29,333           | 29,788                              | 06                    | H                  | N<br>N<br>N           |
| 031701    | TRUCK, SPORT UTILITY, 4X4, GED AUTOMATIC TRANSMISSION, 6 PASSENGER 8,600 GVW, FED STD 307, IT-108                                     | XA1F               | 27,556           | 27,983                              | 06                    | H                  | I<br>I<br>I           |
| 031702    | TRUCK, SPORT UTILITY, 4X4, GED, AUTOMATIC TRANSMISSION, 6 PASSENGER, 8,600 GVW, AIR CONDITIONING<br>FED STD 307, IT-108               | XA1F               | 34,787           | 35,326                              | 06                    | H                  | N<br>N<br>N<br>N      |
| 03170J    | TRUCK, SPORT UTILITY, 4X4, GED, AUTOMATIC TRANSMISSION, 6 PASSENGER, 7000 GVW, RIGHT HAND DRIVE, (JAPAN PROCUREMENT)                  | XA1F               | 15,815           | 16,060                              | 06                    | H                  | S<br>S<br>S<br>S      |
| 0317AF    | TRUCK, SPORT UTILITY, 6 PASSENGER, 7,000 GVW, AUTOMATIC TRANSMISSION, AIR CONDITIONING, ALTERNATIVE FUEL.                             | XA1F               | 37,000           | 37,574                              | 06                    | H                  | S<br>S<br>S           |
| 0317HA    | TRUCK, SPORT UTILITY, 4X4, GED, AUTOMATIC TRANSMISSION, 6 PASSENGER, 4 DOOR, DUAL AIR CONDITIONING, HEAVY ARMOR.                      | XA1G               | 150,000          | 152,325                             | 06                    | H                  | S<br>S<br>S<br>S      |
| 0317LA    | TRUCK, SPORT UTILITY, 4X4, GED, AUTOMATIC TRANSMISSION, 6 PASSENGER, 4 DOOR, DUAL AIR CONDITIONING, LIGHT ARMOR.                      | XA1G               | 110,193          | 111,901                             | 06                    | H                  | S<br>S<br>S<br>S      |
| 031900    | TRUCK, CARGO, PICKUP, COMPACT, 4,200 GVW (NONSTANDARD)<br>FED STD 307   | XC3B               | 17,974           | 18,253                              | 06                    | G                  | N<br>N<br>N           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 031901    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6 FT BED, 4,200<br>GVW<br>FED STD 307, IT-60                                | XC3B               | 14,087           | 14,305                              | 06                    | G                  | N<br>N<br>N<br>N      |
| 031902    | TRUCK, CARGO, PICKUP, COMPACT, EXTENDED<br>CAB,4X2, GED, AUTOMATIC TRANSMISSION,AIR<br>CONDITIONING, 6 FT BED, 4,600 GVW<br>FED STD 307, IT-60C | XC3B               | 10,737           | 10,903                              | 06                    | G                  | N<br>N<br>N<br>N      |
| 031903    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6.5 FT BED MIN,<br>6,000 GVW<br>FED STD 307, IT-62                          | XC3B               | 20,476           | 20,793                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 031904    | TRUCK, CARGO, PICKUP, COMPACT, 4X2,<br>GED AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 6.5 FT BED MIN,<br>6,300 GVW<br>FED STD 307, IT-61      | XC3B               | 13,506           | 13,715                              | 06                    | G                  | S<br>S<br>S<br>S<br>S |
| 031905    | TRUCK, CARGO, PICKUP, 4X2,<br>GED, AUTOMATIC TRANSMISSION,<br>4 FOOT BED, 4 DOOR CREW CAB,<br>5,700 GVW, STD 307, ITEM 61E                      | XC3B               | 20,009           | 20,319                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 03190I    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 4,000 GVW<br>(ITALY PROCUREMENT)  | XC3B               | 8,467            | 8,598                               | 06                    | G                  | S<br>S<br>S           |
| 03190J    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 4,000 GVW, RIGHT<br>HAND DRIVE (JAPAN PROCUREMENT)                          | XC3B               | 13,742           | 13,955                              | 06                    | G                  | N<br>N<br>N           |
| 03190S    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 4,000 GVW<br>(SPAIN PROCUREMENT)  | XC3B               | 7,642            | 7,760                               | 06                    | G                  | S<br>S<br>S<br>S      |
| 03190U    | TRUCK, CARGO, PICKUP, COMPACT, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 4,000 GVW, RIGHT<br>HAND DRIVE (UNITED KINGDOM PROCUREMENT)                 | XC3B               | 17,670           | 17,944                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 0319AF    | TRUCK, CARGO, PICKUP, COMPACT, 4X2,<br>AUTOMATIC TRANSMISSION, 6 FT BED, 4,200<br>GVW, ALTERNATIVE FUEL E85<br>FED STD 307, IT-60C              | XC3B               | 10,737           | 10,903                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 0319MJ    | TRUCK, CARGO, PICKUP, MINI-COMPACT, 4X2,<br>GED, 2-PASSENGER, HIGH ROOF, DROP SIDES,<br>RIGHT HAND DRIVE (JAPAN PROCUREMENT)                    | XC3B               | 5,095            | 5,174                               | 06                    | G                  | S<br>S<br>S           |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 032000    | TRUCK, AIRCRAFT MAINTENANCE, 4000 GVW<br>(NONSTANDARD)   | XC3B               | 17,000           | 17,264                              | 06                    | Q                  | I<br>I                |
| 032001    | TRUCK, AIRCRAFT MAINTENANCE, 4X2, GED,<br>PANEL VAN, WINDOW AND NO SEATS, FLIGHT-<br>LINE YELLOW, 4,000 GVW (FLIGHT-LINE USE<br>ONLY)<br>FED STD 307 | XC3B               | 17,000           | 17,264                              | 06                    | Q                  | I<br>I<br>I<br>I<br>I |
| 032100    | TRUCK, CARGO, PICKUP, COMPACT, 4X4,<br>3,800 GVW (NONSTANDARD)<br>FED STD 292  | XC3B               | 16,000           | 16,248                              | 06                    | G                  | S<br>S<br>S           |
| 032101    | TRUCK, CARGO, PICKUP, COMPACT, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 6 FT BED, 5,050<br>GVW<br>FED STD 307, IT-66C                                    | XC3B               | 16,078           | 16,327                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 032102    | TRUCK, CARGO, PICKUP, COMPACT, 4X4, GED,<br>AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 6 FT BED, 5,050 GVW<br>FED STD 307, IT-66C                  | XC3B               | 15,713           | 15,957                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 032103    | TRUCK, CARGO, 4X4, GED,<br>AUTOMATIC TRANSMISSION,<br>4 FOOT BED, 4 DOOR CREW CAB,<br>5,800 GVW, FED STD 307, 67E                                    | XC3B               | 22,414           | 22,761                              | 06                    | G                  | S<br>S<br>S<br>S      |
| 032107    | TRUCK, CARGO, PICKUP, COMPACT, 4X4, GED,<br>6 FT BED, AUTOMATIC TRANSMISSION, 3,800<br>GVW<br>FED STD 292  | XC3B               | 17,000           | 17,264                              | 06                    | G                  | I<br>I<br>I<br>I      |
| 0321AF    | TRUCK, CARGO, PICKUP, 4X4, 3,800 GVW,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>ALTERNATIVE FUEL  | XC3B               | 18,000           | 18,279                              | 06                    | G                  | S<br>S<br>S           |
| 032700    | TRUCK, CARGO, PICKUP, 4 DOOR, 9,000 GVW<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 17,044           | 17,308                              | 06                    | H                  | N<br>N<br>N           |
| 032701    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, CREW CAB, 6<br>PASSENGER, 4 DOOR, 8 FT BED, 9,900 GVW<br>FED STD 307, IT-52               | XC3B               | 21,404           | 21,736                              | 06                    | H                  | N<br>N<br>N<br>N      |
| 032702    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>6 PASSENGER, 4 DOOR, 8 FT BED, 9,900 GVW<br>FED STD 307, IT-52        | XC3B               | 22,109           | 22,452                              | 06                    | H                  | S<br>S<br>S<br>S      |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 03270I    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 6 PASSENGER,<br>4 DOOR, 9,000 GVW (ITALY PROCUREMENT)   | XC3B               | 16,314           | 16,567                              | 06                    | H                  | S<br>S<br>S           |
| 03270J    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, CREW CAB, 6<br>PASSENGER, 4 DOOR, 9,000 GVW, RIGHT<br>HAND DRIVE (JAPAN PROCUREMENT)                                    | XC3B               | 11,677           | 11,858                              | 06                    | H                  | N<br>N<br>N<br>N      |
| 03270S    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, CREW CAB, 6<br>PASSENGER, 4 DOOR, 8 FT BED, 9,000<br>GVW (SPAIN PROCUREMENT)  | XC3B               | 23,746           | 24,114                              | 06                    | H                  | S<br>S<br>S<br>S      |
| 0327AF    | TRUCK, CARGO, PICKUP, 4X2, AUTOMATIC<br>TRANSMISSION, 6 PASSENGER, 4 DOOR, 8 FT<br>BED, 9,000 GVW, ALTERNATIVE FUEL<br>FED STD 307, IT-52  | XC3B               | 27,772           | 28,202                              | 06                    | H                  | S<br>S<br>S<br>S      |
| 032900    | TRUCK, PANEL, FORWARD CONTROL<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 18,754           | 19,045                              | 06                    | H                  | N<br>N<br>N           |
| 032901    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, WINDOWS IN REAR<br>DOORS ONLY, HINGED CARGO DOORS SIDE AND<br>REAR, 9,900 GVW<br>FED STD 307, IT-34            | XC3B               | 14,836           | 15,066                              | 06                    | H                  | N<br>N<br>N<br>N<br>N |
| 032902    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION,AIR CONDITIONING,<br>WINDOWS IN REAR DOORS ONLY, HINGED<br>DOORS SIDE AND REAR, 9,900 GVW<br>FED STD 307, IT-34 | XC3B               | 17,296           | 17,564                              | 06                    | H                  | S<br>S<br>S<br>S<br>S |
| 032907    | TRUCK, PANEL, FORWARD CONTROL, COMPACT,<br>4X2, GED, AUTOMATIC TRANSMISSION,<br>WINDOWS IN REAR DOORS ONLY, 5,300 GVW<br>FED STD 307, IT-30  | XC3B               | 16,737           | 16,996                              | 06                    | H                  | S<br>S<br>S<br>S      |
| 032908    | TRUCK, PANEL, FORWARD CONTROL, COMPACT,<br>4X2, GED, AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, WINDOWS IN REAR DOORS<br>ONLY, 5,800 GVW<br>FED STD 307, IT-30                   | XC3B               | 16,467           | 16,722                              | 06                    | H                  | S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 03290I    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, WINDOWS IN REAR<br>DOORS ONLY, 6,000 GVW<br>(ITALY PROCUREMENT)  | XC3B               | 15,370           | 15,608                              | 06                    | H                  | S<br>S<br>S<br>S           |
| 03290J    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, WINDOWS IN REAR<br>DOORS ONLY, 6,000 GVW, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)  | XC3B               | 18,456           | 18,742                              | 06                    | H                  | S<br>S<br>S<br>S           |
| 03290S    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, WINDOWS IN REAR<br>DOORS ONLY, 6,000 GVW<br>(SPAIN PROCUREMENT)  | XC3B               | 11,625           | 11,805                              | 06                    | H                  | S<br>S<br>S<br>S           |
| 03290U    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, WINDOWS IN REAR<br>DOORS ONLY, 6,000 GVW, RIGHT HAND DRIVE<br>(UNITED KINGDOM PROCUREMENT)   | XC3B               | 13,760           | 13,973                              | 06                    | H                  | S<br>S<br>S<br>S           |
| 0329AF    | TRUCK, PANEL, FORWARD CONTROL, 4X2,<br>AUTOMATIC TRANSMISSION, HINGED DOORS<br>SIDE AND REAR, 6,400 OR 9,200 GVW,<br>OEM ALTERNATIVE FUEL: DEDICATED CNG,<br>OR BI-FUEL CNG (TECH DATA SHEET<br>REQUIRED)<br>FED STD 307, IT-32/34 | XC3B               | 20,219           | 20,532                              | 06                    | H                  | S<br>S<br>S<br>S<br>S<br>S |
| 0329MJ    | TRUCK, PANEL, FORWARD CONTROL,<br>MINI-COMPACT, 4X2, GED, 2 PASSENGER,<br>HIGH ROOF, RIGHT HAND DRIVE, (JAPAN<br>PROCUREMENT)  | XC3B               | 6,946            | 7,054                               | 06                    | H                  | S<br>S<br>S<br>S           |
| 033000    | TRUCK, VAN, FORWARD CONTROL<br>(NONSTANDARD)<br>FED STD 307  | XA1F               | 22,645           | 22,996                              | 06                    | H                  | N<br>N<br>N                |
| 033001    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>REAR, AIR CONDITIONING, 7,000 GVW<br>FED STD 307, IT-21  | XA1F               | 15,700           | 15,943                              | 06                    | H                  | N<br>N<br>N<br>N<br>N      |
| 033002    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>REAR, 6000 GVW<br>FED STD 307, IT-21, TP-II, CL-C  | XA1F               | 13,474           | 13,683                              | 06                    | H                  | I<br>I<br>I<br>I<br>I      |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 033003    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 12 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>AND REAR, AIR CONDITIONING, 8,550 GVW<br>FED STD 307, IT-22 | XA1F               | 17,592           | 17,865                              | 06                    | H                  | N<br>N<br>N<br>N<br>N |
| 033004    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 12 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>REAR, 8500 GVW<br>FED STD 307, IT-22, TP-II, CL-D           | XA1F               | 19,000           | 19,295                              | 06                    | H                  | I<br>I<br>I<br>I<br>I |
| 033005    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 15 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>AND REAR, AIR CONDITIONING, 9,100 GVW<br>FED STD 307, IT-24 | XA1F               | 18,400           | 18,685                              | 06                    | H                  | N<br>N<br>N<br>N<br>N |
| 033006    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 15 PASSENGER,<br>SEATS AND WINDOWS, HINGED DOORS SIDE<br>REAR<br>FED STD 307   | XA1F               | 21,000           | 21,326                              | 06                    | H                  | I<br>I<br>I<br>I<br>I |
| 033007    | TRUCK, VAN, FORWARD CONTROL, COMPACT,<br>4X2, GED, AUTOMATIC TRANSMISSION, 7<br>PASSENGER, SEATS AND WINDOWS, 4200 GVW<br>FED STD 307, IT-20, TP-II, CL-B                              | XA1F               | 19,840           | 20,148                              | 06                    | H                  | I<br>I<br>I<br>I      |
| 033008    | TRUCK, VAN, FORWARD CONTROL, COMPACT,<br>4X2, GED, AUTOMATIC TRANSMISSION, 7<br>PASSENGER, SEATS AND WINDOWS, AIR<br>CONDITIONING, 5,950 GVW<br>FED STD 307, IT-20                     | XA1F               | 20,256           | 20,570                              | 06                    | H                  | N<br>N<br>N<br>N<br>N |
| 03300I    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8-12 PASSENGER,<br>SEATS AND WINDOWS (ITALY PROCUREMENT)   | XA1F               | 19,823           | 20,130                              | 06                    | H                  | S<br>S<br>S           |
| 03300J    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8-12 PASSENGERS,<br>SEATS AND WINDOWS, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)                                       | XA1F               | 23,047           | 23,404                              | 06                    | H                  | S<br>S<br>S<br>S      |
| 03300S    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8-12 PASSENGER,<br>SEATS AND WINDOWS (SPAIN PROCUREMENT)   | XA1F               | 21,566           | 21,900                              | 06                    | H                  | S<br>S<br>S           |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 03300U    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8-12 PASSENGER,<br>SEATS AND WINDOWS, RIGHT HAND DRIVE<br>(UNITED KINGDOM PROCUREMENT)   | XA1F               | 13,707           | 13,919                              | 06                    | H                  | S<br>S<br>S<br>S           |
| 033040    | TRUCK, VAN, FORWARD CONTROL, COMPACT,<br>4X4, GED, AUTOMATIC TRANSMISSION, 7<br>PASSENGER, SEATS AND WINDOWS, AIR<br>CONDITIONING  | XA1F               | 16,000           | 16,248                              | 06                    | H                  | A<br>A<br>A<br>A           |
| 0330AF    | TRUCK, VAN, FORWARD CONTROL, 4X2,<br>AUTOMATIC TRANSMISSION, SEATS AND<br>WINDOWS, HINGED DOORS SIDE AND REAR,<br>AIR CONDITIONING, 8-15 PASSENGER,<br>OEM ALTERNATIVE FUEL:DEDICATED CNG.<br>(TECH DATA SHEET REQUIRED)<br>FED STD 307, IT-21/22/24 | XA1F               | 19,870           | 20,178                              | 06                    | H                  | S<br>S<br>S<br>S<br>S<br>S |
| 0330MJ    | TRUCK, VAN, FORWARD CONTROL,<br>MINI-COMPACT, 4X2, GED, 4 PASSENGER,<br>HIGH ROOF, RIGHT HAND DRIVE, (JAPAN<br>PROCUREMENT)  | XA1F               | 5,167            | 5,247                               | 06                    | H                  | S<br>S<br>S<br>S           |
| 033100    | TRUCK, AMBULANCE, VAN CONVERSION,<br>PATIENT TRANSPORT (NONSTANDARD)   | XA1C               | 35,000           | 35,543                              | 06                    | F                  | S<br>S                     |
| 033101    | TRUCK, AMBULANCE, VAN CONVERSION,<br>PATIENT TRANSPORT, 4X2, DED/GED, FORWARD<br>CONTROL, AUTOMATIC TRANSMISSION, 2<br>LITTER, HEATING AND AIR CONDITIONING<br>SYSTEM<br>MIL-T-1240, MODEL 1   | XA1C               | 34,952           | 35,494                              | 06                    | F                  | S<br>S<br>S<br>S<br>S<br>S |
| 03310J    | TRUCK, AMBULANCE, VAN CONVERSION,<br>PATIENT TRANSPORT, 4X2, DED/GED, FORWARD<br>CONTROL, AUTOMATIC TRANSMISSION, 2-4<br>LITTER, HEATING AND AIR CONDITIONING<br>SYSTEM, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)                                     | XA1C               | 34,374           | 34,907                              | 06                    | F                  | S<br>S<br>S<br>S<br>S<br>S |
| 033200    | TRUCK, AMBULANCE, FIELD, COMMERCIAL,<br>4X4, 4 LITTER, 10,500 GVW (NONSTANDARD)  | XA1C               | 45,000           | 45,698                              | 08                    | F                  | S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 033201    | TRUCK, AMBULANCE, FIELD, COMMERCIAL,<br>4X4, DED, AUTOMATIC TRANSMISSION,<br>4 LITTER DISS VACUUM OUTLET, PATIENT<br>OXYGEN, PORTABLE SUCTION UNIT, ONE<br>ROTATING WARNING LIGHT, ELECTRONIC<br>SIREN AND PA SYSTEM, HEATING AND AIR<br>CONDITIONING SYSTEM, 10,000 GVW<br>KKK-A-1822 | XA1C               | 65,840           | 66,861                              | 08                    | F                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 03320J    | TRUCK, AMBULANCE, FIELD, COMMERCIAL,<br>4X4, DED/GED, 10,000 GVW (JAPAN<br>PROCUREMENT)  | XA1C               | 32,216           | 32,715                              | 08                    | F                  | S<br>S<br>S                     |
| 033300    | TRUCK, AMBULANCE CONVERSION, 7,500 GVW<br>(NONSTANDARD)  | XA1C               | 44,000           | 44,682                              | 08                    | F                  | S<br>S                          |
| 033301    | TRUCK, VAN, AMBULANCE CONVERSION, 4X2,<br>DED OR GED, AUTOMATIC TRANSMISSION,<br>FORWARD CONTROL, 2 LITTER, 1 ATTENDANT,<br>60 IN INTERIOR HEIGHT, PATIENT OXYGEN,<br>PORTABLE SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM<br>KKK-A-1822                                      | XA1C               | 52,616           | 53,432                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 03330I    | TRUCK, VAN, AMBULANCE CONVERSION, 4X2,<br>DED OR GED, AUTOMATIC TRANSMISSION,<br>FORWARD CONTROL, 2 LITTER, 1 ATTENDANT,<br>60 IN INTERIOR HEIGHT, PATIENT OXYGEN,<br>PORTABLE SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM (ITALY PROCUREMENT)                                | XA1C               | 32,426           | 32,929                              | 08                    | F                  | S<br>S<br>S<br>S<br>S           |
| 03330J    | TRUCK, VAN, AMBULANCE CONVERSION, 4X2,<br>DED OR GED, AUTOMATIC TRANSMISSION,<br>FORWARD CONTROL, 2 LITTER, 1 ATTENDANT,<br>60 IN INTERIOR HEIGHT, PATIENT OXYGEN,<br>PORTABLE SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)           | XA1C               | 23,483           | 23,847                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S      |
| 03330U    | TRUCK, VAN, AMBULANCE CONVERSION, 4X2,<br>DED OR GED, AUTOMATIC TRANSMISSION,<br>FORWARD CONTROL, 2 LITTER, 1 ATTENDANT,<br>60 IN INTERIOR HEIGHT, PATIENT OXYGEN,<br>PORTABLE SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM, RIGHT HAND DRIVE<br>(UNITED KINGDOM PROCUREMENT)  | XA1C               | 34,565           | 35,101                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S      |



| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                          |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--|
| 033400    | TRUCK, AMBULANCE, MODULAR BODY, 2 LITTER (NONSTANDARD)  | XA1C               | 60,000           | 60,930                              | 08                    | F                  | S<br>S   |
| 033401    | TRUCK, AMBULANCE, MODULAR BODY, 4X2, DED<br>AUTOMATIC TRANSMISSION, FORWARD<br>2 LITTER, 1 ATTENDANT, PATIENT OXYGEN,<br>PORTABLE SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM<br>KKK-A-1822  | XA1C               | 62,740           | 63,712                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S                     |
| 033404    | TRUCK, AMBULANCE, MODULAR BODY, 4X4,<br>DED, AUTOMATIC TRANSMISSION, 2 LITTER, 1<br>ATTENDANT, PATIENT OXYGEN, PORTABLE<br>SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM<br>KKK-A-1822   | XA1C               | 66,151           | 67,176                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S                     |
| 03340J    | TRUCK, AMBULANCE, MODULAR BODY, 4X2,<br>DED, AUTOMATIC TRANSMISSION, 2 LITTER,<br>1 ATTENDANT, PATIENT OXYGEN, PORTABLE<br>SUCTION UNIT, HEATING AND AIR<br>CONDITIONING SYSTEM, RIGHT HAND DRIVE,<br>(JAPAN PROCUREMENT)   | XA1C               | 40,778           | 41,410                              | 08                    | F                  | S<br>S<br>S<br>S<br>S<br>S                     |
| 033600    | TRUCK, PANEL, POLICE WAGON, PROCURED<br>AS EC 0329-00 FORWARD CONTROL PANEL<br>TRUCK WITHOUT PRISONER TRANSPORT<br>EQUIPMENT. (NON STANDARD)<br>FED STD 307   | XC3B               | 30,000           | 30,465                              | 06                    | O                  | S<br>S<br>S<br>S<br>S                          |
| 033601    | TRUCK, PANEL, FORWARD CONTROL, 4X2, GED,<br>AUTOMATIC TRANSMISSION, POLICE WAGON,<br>REAR STEP BUMPER, ROOF VENT, ROOF<br>MOUNTED RED WARNING LIGHT, SECURITY<br>PARTITION WITH EMERGENGY ESCAPE HATCH,<br>SIDE BENCHES, EXPANDED METAL SCREEN<br>REAR COMPARTMENT GLASS AREA, CAB/REAR<br>AIR CONDITIONING, PROCURED AS EC 0329-01<br>FORWARD CONTROL PANEL TRUCK WITHOUT<br>PRISONER TRANSPORT EQUIPMENT.<br>FED STD 307, ITEM-34 | XC3B               | 31,370           | 31,856                              | 06                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 0336AF    | TRUCK, PANEL, PADDY WAGON, FORWARD<br>CONTROL, 4X2, WITH PRISONIER TRANSPORT<br>EQUIPMENT, AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, ALTERNATION FUEL | XC3B               | 33,000           | 33,512                              | 06                    | O                  | I<br>I<br>I<br>I      |
| 034200    | TRUCK, CARGO, PICKUP, GED, 4X2,<br>8,500 GVW, (NONSTANDARD)<br>FED STD 307   | XC3B               | 18,000           | 18,279                              | 07                    | I                  | S<br>S<br>S<br>S      |
| 034201    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, 8 FT BED,<br>8,600 GVW.<br>FED STD 307, ITEM-44   | XC3B               | 17,000           | 17,264                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 034202    | TRUCK, CARGO, PICKUP, 4X2, GED,<br>AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 8 FT BED, 8,600 GVW.<br>FED STD 307, ITEM-44                             | XC3B               | 19,475           | 19,777                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 0342AF    | TRUCK, CARGO, PICKUP, 4X2, AUTOMATIC<br>TRANSMISSION, 8 FOOT BED, 8,500 GVW,<br>AIR CONDITIONING. (ATERNATIVE FUEL)<br>FED STD 307, ITEM-44              | XC3B               | 20,000           | 20,310                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 034300    | TRUCK, STAKE, GED, 8,500 GVW<br>(NONSTANDARD)<br>FED STD 307   | XC3B               | 23,524           | 23,889                              | 07                    | I                  | S<br>S<br>S<br>S      |
| 034301    | TRUCK, STAKE, 4X2, GED, AUTOMATIC<br>TRANSMISSION, SINGLE REAR WHEELS,<br>8 FOOT BED, 8600 GVW.<br>FED STD 307, ITEM-122                                 | XC3B               | 18,919           | 19,212                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 034302    | TRUCK, STAKE, 4X2, GED, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>SINGLE REAR WHEELS, 8 FOOT BED,<br>8600 GVW.<br>FED STD 307, ITEM-122            | XC3B               | 22,525           | 22,874                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 034304    | TRUCK, STAKE, 4X2, GED, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>DUAL REAR WHEELS, 9 FOOT BED,<br>11,500 GVW.<br>FED STD 307, ITEM-124                              | XC3B               | 24,500           | 24,880                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 0343AF    | TRUCK, STAKE, 4X2, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING, 8 FT<br>BED, 8,600 GVW. (ALTERNATIVE FUEL)<br>FED STD 307  | XC3B               | 23,871           | 24,241                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 034500    | TRUCK, MULTISTOP, 9,400 GVW<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 31,072           | 31,554                              | 07                    | I                  | S<br>S<br>S           |
| 034501    | TRUCK, MULTISTOP STEP-VAN, 4X2, GED,<br>AUTOMATIC TRANSMISSION, FULL-WIDTH<br>HINGED REAR DOORS, 10 FOOT LOAD SPACE,<br>9,400 GVW<br>FED STD 307, IT-131                   | XC3B               | 29,698           | 30,158                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 034502    | TRUCK, MULTISTOP STEP-VAN, 4X2, GED,<br>AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, FULL-WIDTH HINGED REAR<br>DOORS, 10 FOOT LOAD SPACE, 9,400 GVW<br>FED STD 307, IT-131 | XC3B               | 29,786           | 30,248                              | 07                    | I                  | S<br>S<br>S<br>S<br>S |
| 0345AF    | TRUCK, MULTISTOP, AUTOMATIC TRANSMISSION<br>AIR CONDITIONING, 9,400 GVW, ALTERNATIVE<br>FUEL   | XC3B               | 32,000           | 32,496                              | 07                    | I                  | S<br>S<br>S           |
| 034800    | TRUCK, CARGO, PICKUP, 4X4, 8,600 GVW,<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 18,932           | 19,225                              | 07                    | I                  | N<br>N<br>N           |
| 034801    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 8 FT BED,<br>8,600 GVW<br>FED STD 307, IT-49  | XC3B               | 25,098           | 25,487                              | 07                    | I                  | N<br>N<br>N<br>N      |
| 034802    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 8,600 GVW<br>FED STD 307, IT-49  | XC3B               | 22,158           | 22,501                              | 07                    | I                  | S<br>S<br>S<br>S      |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 03480U    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 8,500 GVW RIGHT<br>HAND DRIVE, (UNITED KINGDOM PROCUREMENT)  | XC3B               | 12,917           | 13,117                              | 07                    | I                  | S<br>S<br>S                |
| 0348AF    | TRUCK, CARGO, PICKUP, 4X4, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING, 8,600<br>GVW, ALTERNATIVE FUEL, CNG,CNG2,LPG<br>FED STD 307, ITEM 47  | XC3B               | 29,174           | 29,626                              | 07                    | I                  | S<br>S<br>S<br>S           |
| 0348SP    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, HEAVY DUTY<br>COMPONENTS PACKAGE, SNOW PLOW AND<br>ATTACHMENTS, AXLE RATED SUITABLE<br>FOR LOW SPEED OPERATION, 8,600 GVW<br>FED SPEC 307, IT-49 | XC3B               | 28,617           | 29,061                              | 07                    | I                  | S<br>S<br>S<br>S<br>S<br>S |
| 035500    | TRUCK, CARGO, PICKUP, 4X4, 6<br>PASSENGER, 4 DOOR, 8,800 GVW<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 31,267           | 31,752                              | 07                    | I                  | N<br>N<br>N<br>N           |
| 035501    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 4 DOOR CREW<br>CAB, 6 PASSENGER, 8 FT BED, 9,200 GVW<br>FED STD 307, IT-57   | XC3B               | 25,959           | 26,361                              | 07                    | I                  | N<br>N<br>N<br>N           |
| 035502    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>4 DOOR, 6 PASSENGER, 8 FT BED, 9,200 GVW<br>FED STD 307, IT-57   | XC3B               | 28,490           | 28,932                              | 07                    | I                  | S<br>S<br>S<br>S           |
| 03550J    | TRUCK, CARGO, PICKUP, 4X4, GED,<br>AUTOMATIC TRANSMISSION, 4 DOOR CREW<br>CAB, 6 PASSENGER, 9,200 GVW, RIGHT HAND<br>DRIVE, (JAPAN PROCUREMENT)   | XC3B               | 17,008           | 17,272                              | 07                    | I                  | N<br>N<br>N<br>N           |
| 035540    | TRUCK, CARGO, PICKUP, 4X4, DED,<br>AUTOMATIC TRANSMISSION, AIR CONDITIONING<br>4 DOOR CREW CAB, 6 PASSENGER, 8 FT BED<br>10,000 GVW, DUAL REAR WHEELS, TOW<br>PACKAGE                                       | XC3B               | 33,541           | 34,061                              | 07                    | I                  | A<br>A<br>A<br>A<br>A      |
| 0355AF    | TRUCK, CARGO, PICKUP, 4X4, 6 PASSENGER,<br>4 DOOR, AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 8,500 GVW, ALTERNATIVE<br>FUEL  | XC3B               | 31,000           | 31,481                              | 07                    | I                  | S<br>S<br>S<br>S           |
| 036000    | TRUCK, CARGO, 4X4, M880 (NONSTANDARD)   | XG9A               | 30,000           | 30,465                              | 07                    | O                  | A                          |
| 036001    |   | XG9A               | 20,000           | 20,310                              | 07                    | O                  | I                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 036031    | TRUCK, CARGO, COMMERCIAL, 4X4, DED,<br>AUTOMATIC TRANSMISSION, 24 VOLT RADIO<br>OUTLET, 8,500 GVW<br>FED STD 307, IT-49, TP-IV, CL-E  | XG9A               | 23,462           | 23,826                              | 07                    | O                  | A<br>A<br>A<br>A      |
| 036032    | TRUCK, CARGO, PICKUP, 4X4, 4 DOOR,<br>6 PASSENGER, 8FT BED, 12/24 VOLT<br>SYSTEM, 9,200 GVW, LSSV   | XG9A               | 42,576           | 43,236                              | 07                    | O                  | A<br>A<br>A           |
| 036041    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>DEEP WATER FORDING, XM998  | XG9A               | 39,945           | 40,564                              | 07                    | O                  | A<br>A<br>A           |
| 036042    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>DEEP WATER FORDING, HMMWV, M998A1  | XG9A               | 37,283           | 37,861                              | 07                    | O                  | A<br>A<br>A           |
| 036043    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24V ELEECTRICAL SYSTEM,<br>DEEP WATER FORDING KIT, FOUR MAN, HMMWV,<br>M998A1  | XG9A               | 36,430           | 36,995                              | 07                    | O                  | A<br>A<br>A<br>A      |
| 036051    | TRUCK, ARMAMENT CARRIER, 4X4, DED,<br>BASIC ARMOR, W/O WINCH, DEEP WATER<br>HMMWV, M1043  | XG9A               | 43,633           | 44,309                              | 07                    | O                  | A<br>A<br>A           |
| 036052    | TRUCK, ARMAMENT CARRIER, 4X4, DED,<br>BASIC ARMOR, W/O WINCH, DEEP WATER,<br>HMMWV, M1043A1   | XG9A               | 46,562           | 47,284                              | 07                    | O                  | A<br>A<br>A           |
| 036053    | TRUCK, ARMAMENT CARRIER, 4X4, DED,<br>BASIC ARMOR, W/O WINCH, DEEP WATER<br>FORDING, 1-1/4T, HMMWV, M1043A2   | XG9A               | 75,516           | 76,686                              | 07                    | O                  | A<br>A<br>A           |
| 036061    | TRUCK, CARGO, UTILITY, HEAVY VARIANT,<br>W/O WINCH, 4X4, DED, 10000 GVW,<br>M1097A1   | XG9A               | 38,493           | 39,090                              | 07                    | O                  | A<br>A<br>A           |
| 036062    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>100 AMP ALTERNATOR, DEEP WATER FORDING,<br>TWO MAN CAB, SOFT TOP, ENCLOSED CARGO,<br>TROOP SEATS, 10000 GVW, M1097A2 | XG9A               | 61,363           | 62,314                              | 07                    | O                  | A<br>A<br>A<br>A<br>A |
| 036063    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>100 AMP ALTERNATOR, DEEP WATER FORDING,<br>FOUR MAN CAB, HARD TOP, FOUR DOORS,<br>10000 GVW, M1097A2                 | XG9A               | 61,663           | 62,619                              | 07                    | O                  | A<br>A<br>A<br>A<br>A |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 036071    | TRUCK, CARGO, 4X4, DED, AUTOMATIC<br>TRANSMISSOIN, 24 VOLT ELECTRICAL SYSTEM,<br>DEEP WATER FORDING, WINCH, HMMWV,<br>M1038A1   | XG9A               | 38,644           | 39,243                              | 07                    | O                  | A<br>A<br>A<br>A           |
| 036081    | TRUCK, UTILITY, EXPANDED CAPACITY,<br>11,500 GVW, 4X4, DED, AUTO TRANSMISSION,<br>24V W/200 AMP ALTERNATOR, WATER FORDING,<br>2 PERSON WITH DOORS, HMMWV XM1113.  | XG9A               | 66,400           | 67,429                              | 07                    | 0                  | A<br>A<br>A<br>A           |
| 036100    | TRUCK, AMBULANCE, 4X4 (NONSTANDARD)   | XG9A               | 40,000           | 40,620                              | 08                    | F                  | A                          |
| 036101    |   | XG9A               | 35,000           | 35,543                              | 08                    | F                  | I                          |
| 036131    | TRUCK, AMBULANCE, FIELD COMMERCIAL,<br>4X4, DED, AUTOMATIC TRANSMISSION, 4<br>LITTER, DISS VACUUM OUTLET, ONE<br>ROTATING WARNING LIGHT, ELECTRONIC<br>SIREN AND PA SYSTEM, HEATING AND AIR<br>CONDITIONING, 10,000 GVW | XG9A               | 36,062           | 36,621                              | 08                    | F                  | A<br>A<br>A<br>A<br>A<br>A |
| 036141    | TRUCK, AMBULANCE, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>DEEP WATER FORDING, 2 LITTER, XM1035   | XG9A               | 55,245           | 56,101                              | 08                    | F                  | A<br>A<br>A                |
| 036142    | TRUCK, AMBULANCE, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>DEEP WATER FORDING, 2 LITTER, HMMWV,<br>M1035A1  | XG9A               | 40,180           | 40,803                              | 08                    | F                  | A<br>A<br>A<br>A           |
| 036143    | TRUCK, AMBULANCE, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 24 VOLT ELECTRICAL SYSTEM,<br>200 AMP ALTERNATOR, DEEP WATER FORDING,<br>2 LITTER, M1035A2   | XG9A               | 64,987           | 65,994                              | 08                    | F                  | A<br>A<br>A<br>A           |
| 036200    | TRUCK, VAN, FORWARD CONTROL, HIGH CUBE<br>(NONSTANDARD)<br>FED STD 307  | XC3B               | 25,248           | 25,639                              | 07                    | I                  | N<br>N<br>N                |
| 036201    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>HIGH CUBE BODY, WALK-THROUGH, FULL-WIDTH<br>HINGED REAR DOORS, 10 FOOT LOAD SPACE,<br>AIR CONDITIONING, 9,200 GVW<br>(MUST ADD OPTION CODE DVS)<br>FED STD 307, IT-92         | XC3B               | 22,525           | 22,874                              | 07                    | I                  | N<br>N<br>N<br>N<br>N<br>N |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 036202    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>HIGH CUBE BODY, WALK-THROUGH, FULL-WIDTH<br>REAR DOORS, 14 FOOT LOAD SPACE,<br>AIR CONDITIONING, 10,000 GVW<br>(MUST ADD OPTION CODE DVS)<br>FED STD 307, IT-94A                          | XC3B               | 23,517           | 23,882                              | 07                    | I                  | N<br>N<br>N<br>N<br>N           |
| 03620J    | TRUCK, VAN, FORWARD CONTROL, 4X2, GED,<br>HIGH CUBE BODY, WALK-THROUGH, FULL<br>WIDTH HINGED REAR DOORS, 9,200 GVW,<br>RIGHT HAND DRIVE (JAPAN PROCUREMENT)   | XC3B               | 28,259           | 28,697                              | 07                    | I                  | S<br>S<br>S                     |
| 0362AF    | TRUCK, VAN, FORWARD CONTROL, HIGH<br>CUBE, AUTOMATIC TRANSMISSION, AIR<br>CONDITIONING, 9,200 GVW, ALTERNATIVE<br>FUEL  | XC3B               | 26,000           | 26,403                              | 07                    | I                  | S<br>S<br>S<br>S                |
| 042000    | TRUCK, MULTISTOP, 14,000 GVW<br>(NONSTANDARD)<br>MIL-T-62318  | XC3B               | 31,000           | 31,481                              | 07                    | J                  | S<br>S<br>S                     |
| 042001    | TRUCK, MULTISTOP, DELIVERY, STEP VAN,<br>4X2, GED OR DED, AUTOMATIC TRANSMISSION,<br>ROLL-UP REAR DOOR, 14 FOOT LOAD SPACE,<br>14,000 GVW (NO AIR CONDITIONING)<br>FED STD 307, IT-134B   | XC3B               | 39,761           | 40,377                              | 07                    | J                  | N<br>N<br>N<br>N<br>N           |
| 04200S    | TRUCK, MULTISTOP, DELIVERY, STEP VAN,<br>4X2, GED OR DED, AUTOMATIC TRANSMISSION,<br>ROLL-UP REAR DOOR, 14,000 GVW (SPAIN<br>PROCUREMENT)   | XC3B               | 26,489           | 26,900                              | 07                    | J                  | S<br>S<br>S<br>S                |
| 0420AF    | TRUCK, STEP VAN, 4X2, AUTOMATIC<br>TRANSMISSION, AIR CONDITIONING,<br>14,000 GVW, ALTERNATIVE FUEL  | XC3B               | 42,000           | 42,651                              | 07                    | J                  | S<br>S<br>S                     |
| 052300    | TRUCK, DUMP, 3 CU YD, DED, 21,000 GVW<br>(NONSTANDARD)  | XVXB               | 30,000           | 30,465                              | 08                    | K                  | N<br>N                          |
| 052301    | TRUCK, DUMP, 4X2, DED, AUTOMATIC<br>TRANSMISSION, 3 CU YD, HYDRAULIC HOISTED<br>DUMP BODY, CAB PROTECTOR, DUMP BODY<br>COVER, DOUBLE-ACTING TAILGATE,<br>MECHANICAL HOIST SAFETY LOCK, 21,000 GVW<br>FED STD 794, ITEM-444, CLASS C | XVXB               | 39,399           | 40,010                              | 08                    | K                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 052500    | TRUCK, STAKE, DED, 21,000 GVW.<br>(NONSTANDARD)   | XVXB               | 30,000           | 30,465                              | 07                    | K                  | N<br>N                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 052501    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS AIR CONDITIONING, 21,000 GVW. FED STD 794, ITEM-434, CLASS C                         | XVXB               | 33,966           | 34,492                              | 07                    | K                  | N<br>N<br>N<br>N      |
| 052502    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS, HYDRAULIC TAILGATE FOLD UNDER, 21,000 GVW. FED STD 794, ITEM-434, CLASS C           | XVXB               | 38,336           | 38,930                              | 07                    | K                  | S<br>S<br>S<br>S<br>S |
| 052503    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT BED WITH STAKE RACKS, 19,000 GVW KKK-T-2107, TYPE III, CLASS C  | XVXB               | 29,000           | 29,450                              | 07                    | K                  | I<br>I<br>I           |
| 052504    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT BED WITH STAKE RACKS, HYDRAULIC TAILGATE, 19,000 GVW KKK-T-2107, TYPE III, CLASS C                        | XVXB               | 31,000           | 31,481                              | 07                    | K                  | I<br>I<br>I           |
| 05250I    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS 21,000 GVW. (ITALY PROCUREMENT)  | XVXB               | 20,909           | 21,233                              | 07                    | K                  | S<br>S<br>S           |
| 05250J    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS 21,000 GVW, RIGHT HAND DRIVE. (JAPAN PROCUREMENT)                                    | XVXB               | 29,297           | 29,751                              | 07                    | K                  | S<br>S<br>S<br>S      |
| 05250S    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS 21,000 GVW. (SPAIN PROCUREMENT)  | XVXB               | 16,792           | 17,052                              | 07                    | K                  | S<br>S<br>S           |
| 05250U    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 12 FT BED WITH STAKE RACKS 21,000 GVW, RIGHT HAND DRIVE. (UNITED KINGDOM PROCUREMENT)                           | XVXB               | 42,930           | 43,595                              | 07                    | K                  | S<br>S<br>S<br>S      |
| 0525AF    | TRUCK, STAKE 4X2, CNG, AUTOMATIC TRANSMISSION, 16/20 FT BED WITH STAKE RACKS, AIR CONDITIONING, ALTERNATE FUEL, CNG, 21,000 GVW. FED STD 794, ITEM-434, CLASS C | XVXB               | 66,231           | 67,258                              | 07                    | K                  | S<br>S<br>S<br>S<br>S |
| 052700    | TRUCK, VAN 21,000 GVW (NONSTANDARD)   | XVXB               | 31,000           | 31,481                              | 07                    | K                  | N                     |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 052701    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, ROLL UP REAR DOOR, AIR CONDITIONING, 21,000 GVW.<br>FED STD 794, ITEM-474, CLASS C  | XVXB               | 42,716           | 43,378                              | 07                    | K                  | N<br>N<br>N<br>N<br>N<br>N      |
| 052702    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, ROLL UP REAR DOOR, 2,000 LB CAPACITY HYDRAULIC TAILGATE FOLD UNDER, AIR CONDITIONING, 21,000 GVW.<br>FED STD 794, ITEM-474, CLASS C | XVXB               | 41,457           | 42,100                              | 07                    | K                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 05270J    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, ROLL-UP REAR DOOR, 21,000 GVW, RIGHT HAND DRIVE (JAPAN PROCUREMENT)   | XVXB               | 31,250           | 31,734                              | 07                    | K                  | S<br>S<br>S<br>S<br>S           |
| 05270S    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, ROLL-UP REAR DOOR, 21,000 GVW<br>(SPAIN PROCUREMENT)  | XVXB               | 29,296           | 29,750                              | 07                    | K                  | S<br>S<br>S<br>S<br>S           |
| 05270U    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, ROLL-UP REAR DOOR, 21,000 GVW, RIGHT HAND DRIVE (UNITED KINGDOM PROCUREMENT)  | XVXB               | 22,882           | 23,237                              | 07                    | K                  | S<br>S<br>S<br>S<br>S           |
| 0527AF    | TRUCK, VAN, 4X2, CNG, AUTOMATIC TRANSMISSION, 16/20 FT ALUMINUM BODY, ROLL-UP REAR DOOR, ALTERNATIVE FUEL CNG, AIR CONDITIONING, 21,000 GVW.<br>FED STD 794, ITEM-474, CLASS C                         | XVXB               | 65,633           | 66,650                              | 07                    | K                  | S<br>S<br>S<br>S<br>S<br>S      |
| 052800    | TRUCK, STAKE, 4X4, DED, 28,000 GVW (NONSTANDARD)   | XVXB               | 52,000           | 52,806                              | 07                    | K                  | N<br>N<br>N                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 052801    | TRUCK, STAKE, 4X4, DED, AUTOMATIC<br>TRANSMISSION, 12 FT BED WITH STAKE<br>RACKS, AIR CONDITIONING, 25,500 GVW.<br>FED STD 794, ITEM-732, CLASS D                    | XVXB               | 63,630           | 64,616                              | 07                    | K                  | N<br>N<br>N<br>N<br>N |
| 053931    | TRUCK, CARGO, 4X4, DED, M1078, LMTV,<br>3 MAN, CAB-OVER-ENGINE, CENTRAL TIRE<br>INFLATION SYSTEM   | XB2A               | 104,987          | 106,614                             | 08                    | O                  | A<br>A<br>A           |
| 057000    | TRUCK, AMPHIBIAN LARC-5, 4X4, 5 TON  | XB2A               | 450,000          | 456,975                             | 08                    | O                  | A                     |
| 057001    | TRUCK, LIGHTER, AMPHIBIOUS, 4X4, LARC-5,<br>5 TON  | XB2A               | 436,212          | 442,973                             | 08                    | O                  | A<br>A                |
| 057002    | TRUCK, LIGHTER, AMPHIBIOUS, 4X4,<br>LARC-15, 15 TON  | XB2A               | 787,605          | 799,813                             | 08                    | O                  | A<br>A                |
| 058200    | TRUCK, STAKE, 6X4, DED 34,500 GVW<br>(NONSTANDARD)   | XVXB               | 54,272           | 55,113                              | 10                    | M                  | A<br>A                |
| 058201    | TRUCK, STAKE, 6X4, DED, AUTOMATIC<br>TRANSMISSION, 16 FT BED WITH STAKE RACKS<br>34,500 GVW<br>KKK-T-2109, TYPE III, CLASS A   | XVXB               | 55,046           | 55,899                              | 10                    | M                  | A<br>A<br>A<br>A      |
| 058700    | TRUCK, DUMP, 6X6, 24 VOLT, 30,000 GVW,<br>M51A2  | XG9B               | 114,000          | 115,767                             | 10                    | O                  | A<br>A                |
| 058701    |  | XG9B               | 117,000          | 118,814                             | 10                    | O                  | I                     |
| 058712    |  | XG9B               | 131,000          | 133,031                             | 10                    | O                  | I                     |
| 058741    | TRUCK, DUMP, 6X6, DED, AUTOMATIC<br>TRANSMISSION, 5 TON, WITHOUT WINCH,<br>ENHANCED MOBILITY SYSTEM, CENTRAL<br>TIRE INFLATION SYSTEM, DEEP WATER<br>FORDING, M929A2 | XG9B               | 84,586           | 85,897                              | 10                    | O                  | A<br>A<br>A<br>A<br>A |
| 058751    | TRUCK, DUMP 5 TON, 6X6, FMTV M1090   | XG9B               | 140,797          | 142,979                             | 10                    | O                  | A                     |
| 058761    | TRUCK, DUMP, 5 TON, MTVR   | XG9B               | 188,450          | 191,371                             | 10                    | O                  | A                     |
| 058800    | TRUCK, CARGO, 6X6, 5 TON, WITHOUT WINCH,<br>M-SERIES (NONSTANDARD)   | XG9B               | 104,000          | 105,612                             | 10                    | O                  | A<br>A                |
| 058801    |  | XG9B               | 88,000           | 89,364                              | 10                    | O                  | I                     |
| 058811    |  | XG9B               | 101,000          | 102,566                             | 10                    | O                  | I                     |
| 058812    |  | XG9B               | 86,000           | 87,333                              | 10                    | O                  | I                     |
| 058813    |  | XG9B               | 86,000           | 87,333                              | 10                    | O                  | I                     |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 058841    | TRUCK, CARGO, 6X6, DED, AUTOMATIC TRANSMISSION, 5 TON, DROPSIDE WITH WINCH, ENHANCED MOBILITY SYSTEM, CENTRAL TIRE INFLATION SYSTEM, DEEP WATER FORDING, M925A2   | XG9B               | 85,006           | 86,324                              | 10                    | O                  | A<br>A<br>A<br>A<br>A                |
| 058851    | TRUCK, CARGO, 5 TON, 6X6, FMTV M1083  | XG9B               | 140,902          | 143,086                             | 10                    | O                  | A                                    |
| 058861    | TRUCK, CARGO, 7 TON, MTVR, MK28 6X6, EXTRA LONG WHEEL BASE W/WINCH  | XG9B               | 169,113          | 171,734                             | 10                    | O                  | A<br>A                               |
| 058862    | TRUCK, CARGO, 7 TON, 6X6, 14 FT BED, WITH WINCH, MTVR MODEL MK25  | XG9B               | 160,000          | 162,480                             | 10                    | O                  | A<br>A                               |
| 059000    | TRUCK, VAN, REFRIGERATOR, 24,000 GVW (NONSTANDARD)  | XVXB               | 55,000           | 55,853                              | 10                    | M                  | N<br>N<br>N                          |
| 059001    | TRUCK, REFRIGERATOR, 4X2, DED, AUTOMATIC TRANSMISSION, 16 FT ALUMINUM BODY, AIR CONDITIONING, 25,500 GVW. FED STD 794, ITEM-581, CLASS D  | XVXB               | 65,141           | 66,151                              | 10                    | M                  | N<br>N<br>N<br>N<br>N                |
| 059100    | TRUCK, CAB AND CHASSIS, 6X6, 30,000 GVW, M-SERIES (NONSTANDARD)   | XB2B               | 82,000           | 83,271                              | 10                    | O                  | A<br>A                               |
| 060100    | TRUCK, CAB AND CHASSIS, DED, 24,000 GVW (NONSTANDARD) KKK-T-2108, TYPE I, CLASS A   | XVXB               | 35,000           | 35,543                              | 10                    | M                  | I<br>I<br>I                          |
| 060200    | TRUCK, DUMP, DED, 5 CU YD, 28,000 GVW (NONSTANDARD)   | XVXB               | 38,000           | 38,589                              | 10                    | M                  | S<br>S<br>S                          |
| 060201    | TRUCK, DUMP, 4X2, DED, AUTOMATIC TRANSMISSION, 5 CU YD, HYDRAULIC HOISTED DUMP BODY, CAB PROTECTOR, DUMP BED COVER, DOUBLE-ACTING TAILGATE MECHANICAL HOIST SAFETY LOCK, AIR CONDITIONING, 28,000 GVW. FED STD 794, ITEM-542, CLASS E | XVXB               | 46,035           | 46,749                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 06020S    | TRUCK, DUMP, 4X2, DED, AUTOMATIC TRANS-<br>MISSION, 5 CU YD, HYDRAULIC HOISTED DUMP<br>BODY, CAB PROTECTOR, DUMP BED COVER,<br>DOUBLE-ACTING TAILGATE, MECHANICAL HOIST<br>SAFETY LOCK, 28,000 GVW.<br>(SPAIN PROCUREMENT)   | XVXB               | 31,054           | 31,535                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 0602SP    | TRUCK, DUMP, 4X2, DED, AUTOMATIC TRANS-<br>MISSION, 5 CU YD, HYDRAULIC HOISTED DUMP<br>BODY, CAB PROTECTOR, DUMP BED COVER,<br>DOUBLE-ACTING TAILGATE, MECHANICAL HOIST<br>SAFETY LOCK, SNOW PLOW AND<br>AIR CONDITIONING, 28,000 GVW.<br>FED STD 794, ITEM-542, CLASS E | XVXB               | 59,046           | 59,961                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 060300    | TRUCK, STAKE, DED, 25,500 GVW<br>(NONSTANDARD)   | XVXB               | 36,000           | 36,558                              | 10                    | M                  | S<br>S<br>S                     |
| 060301    | TRUCK, STAKE, 4X2, DED, AUTOMATIC<br>TRANSMISSION, 18 FT BED WITH STAKE<br>RACKS, AIR CONDITIONER, 25,500 GVW.<br>FED STD 794, ITEM-531, CLASS D   | XVXB               | 45,072           | 45,771                              | 10                    | M                  | S<br>S<br>S<br>S<br>S           |
| 060302    | TRUCK, STAKE, 4X2, DED, AUTOMATIC<br>TRANSMISSION, 18 FT BED WITH STAKE<br>RACKS, HYDRAULIC TAILGATE FOLD UNDER,<br>AIR CONDITIONING, 25,500 GVW.<br>FED STD 794, ITEM-531, CLASS D  | XVXB               | 43,793           | 44,472                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S      |
| 06030J    | TRUCK, STAKE, 4X2, DED, AUTOMATIC<br>TRANSMISSION, 16 FT BED WITH STAKE<br>RACKS, 24,000 GVW, RIGHT HAND DRIVE<br>(JAPAN PROCUREMENT)  | XVXB               | 45,133           | 45,833                              | 10                    | M                  | S<br>S<br>S<br>S<br>S           |
| 06030S    | TRUCK, STAKE, 4X2, DED, AUTOMATIC<br>TRANSMISSION, 18 FT BED WITH STAKE<br>RACKS, 24,000 GVW. (SPAIN PROCUREMENT)  | XVXB               | 29,709           | 30,169                              | 10                    | M                  | S<br>S<br>S<br>S                |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 06030U    | TRUCK, STAKE, 4X2, DED, AUTOMATIC TRANSMISSION, 18 FT BED WITH STAKE RACKS, 24,000 GVW, RIGHT HAND DRIVE. (UNITED KINGDOM PROCUREMENT)   | XVXB               | 38,751           | 39,352                              | 10                    | M                  | S<br>S<br>S<br>S<br>S           |
| 0603AF    | TRUCK, STAKE, 4X2, CNG, AUTOMATIC TRANSMISSION, 16/20 FT BED WITH STAKE RACKS, ALTERNATIVE FUEL CNG, AIR CONDITIONING, 25,500 GVW. FED STD 794, ITEM-531, CLASS D                                  | XVXB               | 68,451           | 69,512                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S      |
| 060400    | TRUCK, TRACTOR, DED, 24,000 GVW (NONSTANDARD)  | XVXB               | 37,000           | 37,574                              | 10                    | M                  | I<br>I                          |
| 060500    | TRUCK, VAN, DED, 24,000 GVW. (NONSTANDARD)   | XVXB               | 38,000           | 38,589                              | 10                    | M                  | N<br>N<br>N                     |
| 060501    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 18 FT ALUMINUM BODY, ROLL-UP REAR DOOR, AIR CONDITIONING, 25,500 GVW. FED STD 794, ITEM-571, CLASS D   | XVXB               | 44,123           | 44,807                              | 10                    | M                  | N<br>N<br>N<br>N<br>N<br>N      |
| 060502    | TRUCK, VAN, 4X2, DED, AUTOMATIC TRANSMISSION, 18 FT ALUMINUM BODY, ROLL-UP REAR DOOR, 2,000 LB CAPACITY FOLD UNDER HYDRAULIC TAILGATE, AIR CONDITIONER, 25,500 GVW. FED STD 794, ITEM-571, CLASS D | XVXB               | 47,427           | 48,162                              | 10                    | M                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 0605AF    | TRUCK, VAN, 4X2, CNG, AUTOMATIC TRANSMISSION, 16/20 FT ALUMINUM BODY, ROLL-UP REAR DOOR, ALTERNATIVE FUEL, AIR CONDITIONING, 25,500 GVW. FED STD 794, ITEM-571, CLASS D                            | XVXB               | 71,191           | 72,294                              | 10                    | M                  | S<br>S<br>S<br>S<br>S           |
| 060700    | TRUCK, TRACTOR, 6X6, 36,000 GVW, M52A2 (NONSTANDARD)   | XG9B               | 117,000          | 118,814                             | 10                    | M                  | A<br>A                          |
| 060701    |  | XG9B               | 110,000          | 111,705                             | 10                    | M                  | I                               |
| 060712    |  | XG9B               | 85,000           | 86,318                              | 10                    | M                  | I                               |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 060741    | TRUCK, TRACTOR, 6X6, DED, AUTOMATIC TRANSMISSION, 5 TON, WITHOUT WINCH, ENHANCED MOBILITY SYSTEM, CENTRAL TIRE INFLATION SYSTEM, DEEP WATER FORDING, M931A2 MS-52224  | XG9B               | 81,259           | 82,519                              | 10                    | M                  | A<br>A<br>A<br>A<br>A<br>A      |
| 060751    | TRUCK, TRACTOR, 5 TON 6X6 FMTV M1088  | XG9B               | 140,761          | 142,943                             | 10                    | M                  | A                               |
| 060761    | TRUCK, TRACTOR, 5 TON, MTVR   | XG9B               | 138,675          | 140,824                             | 10                    | M                  | A                               |
| 061400    | TRUCK, TRACTOR, 4X2, DED, AUTOMATIC TRANSMISSION, 32,000 GVW, 55,000 GCW.   | XVXB               | 117,951          | 119,779                             | 10                    | M                  | S<br>S<br>S                     |
| 061401    | TRUCK, TRACTOR, 4X2, DED, AUTOMATIC TRANSMISSION, MANUAL SLIDE FIFTH WHEEL, 49 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL HEIGHT, AIR CONDITIONING, 32,000 GVW, 55,000 GCW. FED STD 794, ITEM-523, CLASS F   | XVXB               | 50,902           | 51,691                              | 10                    | M                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 06140J    | TRUCK, TRACTOR, 4X2, DED, AUTOMATIC TRANSMISSION, MANUAL SLIDE FIFTH WHEEL, 49 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL HEIGHT, 32,000 GVW, 55,000 GCW, RIGHT HAND DRIVE. (JAPAN PROCUREMENT)  | XVXB               | 90,292           | 91,692                              | 10                    | M                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 061600    | TRUCK, TRACTOR, YARD SPOTTER, DED (NONSTANDARD)   | XVXB               | 66,000           | 67,023                              | 10                    | O                  | S<br>S<br>S                     |
| 061601    | TRUCK, TRACTOR, YARD SPOTTER WITH HALF CAB, DED, AUTOMATIC TRANSMISSION, HYDRAULIC ELEVATING FIFTH WHEEL, 48 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL HEIGHT IN LOWEST POSITION UP TO 62 IN (PLUS OR MINUS 1 IN) IN HIGHEST ELEVATED POSITION, 32,000 GVW, 55,000 GCW. | XVXB               | 63,717           | 64,705                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 063000    | TRUCK, TRACTOR, 6X4, DED, 43,000 GVW (NONSTANDARD)  | XVXB               | 57,543           | 58,435                              | 12                    | M                  | S<br>S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 063001    | TRUCK, TRACTOR, 6X4, DED, AUTOMATIC<br>TRANSMISSION, SLIDING FIFTH WHEEL,<br>49 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL<br>HEIGHT, AIR CONDITIONING, 43,000 GVW,<br>70,000 GCW.<br>FED STD 807, ITEM-622A, CLASS B | XVXB               | 59,030           | 59,945                              | 12                    | M                  | N<br>N<br>N<br>N<br>N<br>N<br>N |
| 06300J    | TRUCK, TRACTOR, 6X4, DED, AUTOMATIC<br>TRANSMISSION, SLIDING FIFTH WHEEL,<br>49 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL<br>HEIGHT, 43,000 GVW, 70,000 GCW, RIGHT<br>HAND DRIVE (JAPAN PROCUREMENT)                 | XVXB               | 51,668           | 52,469                              | 12                    | M                  | S<br>S<br>S<br>S<br>S           |
| 063600    | TRUCK, STAKE, 6X4, DED, 43,000 GVW<br>(NONSTANDARD)<br>FED STD 807, ITEM 632A, CLASS B   | XVXB               | 56,112           | 56,982                              | 12                    | M                  | S<br>S<br>S                     |
| 06360J    | TRUCK, STAKE, 6X4, DED, AUTOMATIC<br>TRANSMISSION, 18 FT BED WITH STAKE RACKS<br>43,000 GVW, RIGHT HAND DRIVE (JAPAN<br>PROCUREMENT)   | XVXB               | 44,870           | 45,565                              | 12                    | M                  | S<br>S<br>S<br>S                |
| 063800    | TRUCK, TRACTOR, 6X6, DED, 46,000 GVW<br>(NONSTANDARD)  | XVXB               | 91,000           | 92,411                              | 12                    | M                  | I<br>I                          |
| 064300    | TRUCK, STAKE, 6X6, DED, 46,000 GVW   | XB2A               | 75,000           | 76,163                              | 12                    | N                  | A                               |
| 064301    | TRUCK, STAKE, 6X6, DED, AUTOMATIC<br>TRANSMISSION, ISO CONTAINER LOCKS, TROOP<br>SEATS AND CARGO BED COVER, AIR<br>TRANSPORTABLE C-130, 20 FT BED, 46,000<br>GVW   | XB2A               | 114,516          | 116,291                             | 12                    | N                  | A<br>A<br>A<br>A<br>A           |
| 064314    | TRUCK, STAKE, 6X6, 4 DOOR CREW<br>CAB, AUTOMATIC TRANSMISSION,<br>ISO CONTAINER LOCKS, 14 FOOT<br>BED, TROOP SEATS AND BED COVER,<br>AIR TRANSPORTABLE C-130, 46,000 GVW                                       | XVXB               | 110,717          | 112,433                             | 12                    | N                  | A<br>A<br>A<br>A<br>A           |
| 064400    | TRUCK, DUMP, 6X4/6X6, DED, 10 CU YD,<br>52,000 GVW (NONSTANDARD)   | XVXB               | 76,321           | 77,504                              | 12                    | N                  | S<br>S                          |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 064401    | TRUCK, DUMP, 6X4, DED, AUTOMATIC TRANSMISSION, 10 CU YD, HYDRAULIC HOISTED DUMP BODY, CAB PROTECTOR, DUMP BODY COVER, DOUBLE-ACTING TAILGATE, MECHANICAL HOIST SAFETY LOCK, 52,000 GVW FED STD 807, ITEM 644, CLASS D                            | XVXB               | 86,656           | 87,999                              | 12                    | N                  | N<br>N<br>N<br>N<br>N<br>N |
| 064402    | TRUCK, DUMP, 6X6, DED, AUTOMATIC TRANSMISSION, 10 CU YD, HYDRAULIC HOISTED DUMP BODY, CAB PROTECTOR, AIR TRANSPORTABLE C-130, 46,000 GVW   | XB2A               | 83,016           | 84,303                              | 12                    | N                  | A<br>A<br>A<br>A           |
| 0644SP    | TRUCK, DUMP, 6X4, DED, AUTOMATIC TRANSMISSION, 10 CU YD, HYDRAULIC HOISTED DUMP BODY, CAB PROTECTOR, DUMP BODY COVER, DOUBLE-ACTING TAILGATE, MECHANICAL HOIST SAFETY LOCK, SNOW PLOW AND ATTACHMENTS, 52,000 GVW FED STD 807, ITEM 644, CLASS D | XVXB               | 77,319           | 78,517                              | 12                    | N                  | S<br>S<br>S<br>S<br>S<br>S |
| 064500    | TRUCK, TRACTOR, 6X6/6X4, DED, 52,000 GVW (NONSTANDARD) (DATA SHEET REQUIRED)   | XVXB               | 110,614          | 112,329                             | 12                    | N                  | N<br>N                     |
| 064501    | TRUCK, TRACTOR, 6X4, DED, AUTOMATIC TRANSMISSION, SLIDING FIFTH WHEEL, 51 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL HEIGHT, 52,000 GVW, 90,000 GCW (DATA SHEET REQUIRED) FED STD 807, ITEM 624, CLASS D  | XVXB               | 74,624           | 75,781                              | 12                    | N                  | N<br>N<br>N<br>N<br>N<br>N |
| 064511    |  | XVXB               | 72,000           | 73,116                              | 12                    | N                  | I                          |
| 064512    | TRUCK, TRACTOR, 6X6, DED, AUTOMATIC TRANSMISSION, SLIDING FIFTH WHEEL, AIR TRANSPORTABLE C-130, 46,000 GVW (DATA SHEET REQUIRED) KKK-T-2111, TYPE II, CLASS B  | XB2B               | 86,127           | 87,462                              | 12                    | N                  | A<br>A<br>A<br>A<br>A      |
| 064513    | TRUCK, TRACTOR, W/36" SLEEPER CAB, 6X4, DED, AUTOMATIC TRANSMISSION, 15 TON, AIR SLIDE FIFTH WHEEL; HEIGHT 49 IN (PLUS OR MINUS 1 INCH); 52,000 GVW, 80,000 GCWR   | XVXB               | 96,433           | 97,928                              | 12                    | N                  | A<br>A<br>A<br>A           |
| 064521    | TRUCK, TRACTOR, 6X6, DED, AUTOMATIC TRANSMISSION, 55 IN (PLUS OR MINUS 1 IN) FIFTH WHEEL HEIGHT, 60,000 GVW, 90,000 GCW (DATA SHEET REQUIRED) KKK-T-2111, TYPE II, CLASS D   | XB2B               | 100,949          | 102,514                             | 12                    | N                  | A<br>A<br>A<br>A<br>A      |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 064900    | TRUCK, TRACTOR, 6X4, DED (NONSTANDARD)<br>(DATA SHEET REQUIRED)  | XVXB               | 116,503          | 118,309                             | 12                    | N                  | S<br>S                     |
| 064901    | TRUCK, TRACTOR, 6X4, DED, SLIDING FIFTH<br>WHEEL, 51 IN (PLUS OR MINUS 1 IN) FIFTH<br>WHEEL HEIGHT, 62,000 GVW, 100,000 GCW<br>(DATA SHEET REQUIRED)<br>FED STD 807, ITEM 625, CLASS E   | XVXB               | 93,960           | 95,416                              | 12                    | N                  | N<br>N<br>N<br>N<br>N      |
| 070100    | TRUCK, CARGO, SNOW, AMPHIBIOUS<br>CRAWLER/PRT (NONSTANDARD)  | XVXB               | 88,351           | 89,720                              | 07                    | O                  | N<br>N                     |
| 070400    | TRUCK, AMMUNITION, 4X2/4X4, HYDRAULIC<br>CRANE, 24,000 GVW (NONSTANDARD)   | XVXB               | 60,000           | 60,930                              | 10                    | O                  | S<br>S                     |
| 070401    | TRUCK, AMMUNITION HANDLING, PLATFORM,<br>4X2, DED, AUTOMATIC TRANSMISSION, 12 FT<br>BED, HYDRAULIC CRANE MOUNTED REAR OF<br>HAVING 4,000 LB CAPACITY AT 10 FT<br>RADIUS AND 2,000 LB AT 18 FT WORKING<br>RADIUS, 24,000 GVW<br>MIL-T-81098, TYPE I     | XVXB               | 77,946           | 79,154                              | 10                    | O                  | N<br>N<br>N<br>N<br>N<br>N |
| 07040J    | TRUCK, AMMUNITION HANDLING, PLATFORM,<br>4X2, DED, 12 FT BED, HYDRAULIC CRANE<br>MOUNTED REAR OF CAB HAVING 4,000 LBS<br>CAPACITY AT 10 FT RADIUS AND 2,000 LBS<br>AT 18 FT WORKING RADIUS, 24,000 GVW,<br>RIGHT HAND DRIVE, (JAPAN PROCUREMENT)       | XVXB               | 66,106           | 67,131                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S |
| 070421    | TRUCK, AMMUNITION, HANDLING PLATFORM,<br>4X4, DED, AUTOMATIC TRANSMISSION, 12 FT<br>BED, HYDRAULIC CRANE MOUNTED REAR OF<br>CAB, HAVING 4,000 LB CAPACITY AT 10 FT<br>RADIUS AND 2,000 LB AT 18 FT WORKING<br>RADIUS, 24,000 GVW                       | XB2B               | 69,121           | 70,192                              | 10                    | O                  | A<br>A<br>A<br>A<br>A<br>A |
| 070500    | TRUCK, AIRFIELD, MOBILE CONTROL TOWER<br>(NONSTANDARD), PROCURED AS EC 0305-00<br>4X4 SUV  | XVXB               | 31,000           | 31,481                              | 07                    | Q                  | S<br>S<br>S                |
| 070501    | TRUCK, AIRFIELD, MOBILE CONTROL TOWER,<br>CARRYALL, 4X4, GED, AUTOMATIC TRANSMIS-<br>SION, AIR CONDITIONING, FLIGHT-LINE<br>YELLOW, 4,500 GVW (FOR MOUNTING AIRFIELD<br>COMMUNICATIONS EQUIPMENT), PROCURED AS<br>EC 0305-04 4 DOOR SUV<br>FED STD 307 | XVXB               | 38,721           | 39,321                              | 07                    | Q                  | S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 070700    | SCOOTER, AIRFIELD MAINTENANCE<br>(NONSTANDARD)  | XH6B               | 8,000            | 8,124                               | 07                    | Q                  | I<br>I                          |
| 070800    | TRUCK, PLATFORM, UTILITY, GED/EMD,<br>4 WHEEL (NONSTANDARD)<br>MIL-S-45324  | XC3A               | 9,000            | 9,140                               | 04                    | O                  | I<br>I<br>I                     |
| 070900    | TRUCK, FIELD SERVICING, TACTICAL<br>(NONSTANDARD)   | XG9B               | 100,000          | 101,550                             | 08                    | O                  | I<br>I                          |
| 070901    | TRUCK, LUBE AND FUEL SERVICE, 4X2, DED,<br>AUTOMATIC TRANSMISSION, THREE 55 GAL<br>DRUMS, ONE 120 LB DRUM, 500 GAL DIESEL,<br>200 GAL GAS, 7 HOSE REELS, 30 GAL WASTE<br>TANK, 30 GAL WATER TANK, AIR COMPRESSOR,<br>24,000 GVW,<br>MIL-T-82073, STYLE I  | XG9B               | 76,203           | 77,384                              | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 070911    | TRUCK LUBE SERVICING, TACTICAL CHASSIS<br>6X6 DED AUTOMIC TRANSMISSION, 3EA 55G<br>DRUMS, 1EA 120LB DRUM DIESEL AND GAS<br>TANK, 7EA HOSE REELS, 30G WASTE TANK,<br>30G WATER TANK, AIR COMPRESSOR, C-130<br>AIR TRANSPORTABLE  | XG9B               | 114,000          | 115,767                             | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A      |
| 070921    | TRUCK, LUBE AND FUEL SERVICE, 4X4, DED,<br>AUTOMATIC TRANSMISSION, THREE 55 GAL<br>DRUMS, ONE 120 LB DRUM, DIESEL AND GAS<br>TANK, 7 HOSE REELS, 30 GAL WASTE TANK,<br>30 GAL WATER TANK, AIR COMPRESSOR, AIR<br>TRANSPORTABLE C-130, 24,000 GVW  | XG9B               | 114,857          | 116,637                             | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A      |
| 070951    | TRUCK, LUBE AND FUEL SERVICE 6X6, DED,<br>AUTOMATIC TRANSMISSION, THREE 55 GAL<br>DRUMS, ONE 120 LB DRUM, DIESEL FUEL AND<br>GASOLINE TANKS, 7 HOSE REELS, 30 GAL<br>WASTE TANK, 30 GAL WATER TANK, AIR<br>COMPRESSOR, AIR TRANSPORTABLE C-130,<br>FMTV CHASSIS, M1092, THREE MAN CAB-OVER-<br>ENGINE, 24,000 GVW | XG9B               | 130,000          | 132,015                             | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 070961    | TRUCK, FIELD SERVICING, MTRV  | XG9B               | 144,215          | 146,450                             | 08                    | O                  | A                               |
| 071000    | TRUCK, FIELD SERVICING, COMMERCIAL<br>(NONSTANDARD)   | XVXB               | 74,000           | 75,147                              | 08                    | O                  | S<br>S                          |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 071001    | TRUCK, LUBE AND FUEL SERVICE, 4X2, DED<br>AUTOMATIC TRANSMISSION, THREE 55 GAL<br>DRUMS, ONE 120 LB DRUM, 500 GAL DIESEL,<br>200 GAL GAS, 7 HOSE REELS, 30 GAL WASTE<br>TANK, 30 GAL WATER TANK, AIR COMPRESSOR,<br>24, 000 GVW<br>MIL-T-82073, STYLE I  | XVXB               | 92,158           | 93,586                              | 08                    | O                  | S<br>S<br>S<br>S<br>S<br>S      |
| 071300    | TRUCK, TIRE SERVICING<br>(NONSTANDARD)   | XG9B               | 65,000           | 66,008                              | 10                    | O                  | I<br>I                          |
| 071301    | TRUCK, TIRE SERVICING, 4X2, AUTOMATIC<br>TRANSMISSION, HYDRAULIC ARTICULATED<br>BOOM TYPE HOIST AT BACK OF CAB HAVING<br>6,000 LB CAPACITY AT 10 FT RADIUS,<br>AIR COMPRESSOR WITH TOOLS, 24,000 GVW<br>MIL-T-23896, CLASS B, GROUP 6  | XG9B               | 71,810           | 72,923                              | 10                    | O                  | A<br>A<br>A<br>A<br>A           |
| 071302    | TRUCK, TIRE SERVICING, 4X4, DED,<br>AUTOMATIC TRANSMISSION, HYDRAULIC<br>ARTICULATED BOOM TYPE HOIST AT BACK OF<br>CAB HAVING 6,000 LB CAPACITY AT 10 FT<br>RADIUS, AIR COMPRESSOR, WITH TOOLS, AIR<br>TRANSPORTABLE C-130, 24,000 GVW   | XG9B               | 58,312           | 59,216                              | 10                    | O                  | A<br>A<br>A<br>A<br>A           |
| 071321    | TRUCK, TIRE SERVICING, 6X6, DED,<br>AUTOMATIC TRANSMISSION, ARTICULATING<br>HYDRAULIC CRANE, AIR COMPRESSOR, AIR<br>TRANSPORTABLE C-130, 46,000 GVW  | XG9B               | 105,615          | 107,252                             | 10                    | O                  | A<br>A<br>A<br>A                |
| 071361    | TRUCK, TIRE SERVICING, MTRV  | XG9B               | 138,675          | 140,824                             | 10                    | O                  | A                               |
| 071400    | TRUCK, TIRE SERVICING, COMMERCIAL<br>(NONSTANDARD)   | XVXB               | 75,987           | 77,165                              | 10                    | O                  | S<br>S                          |
| 071401    | TRUCK, TIRE SERVICING, 4X2, AUTOMATIC<br>TRANSMISSION, DED, HYDRAULIC ARTICULATED<br>BOOM TYPE HOIST AT BACK OF CAB HAVING<br>4,000 LB CAPACITY AT 10 FT RADIUS, 40<br>CFM AT 175 PSIG AIR COMPRESSOR, TWO HOSE<br>REELS WITH HOSE, (1) 75 FT OF 1/2 IN<br>HOSE, (1) 75 FT OF 3/8 HOSE, 28,000 GVW<br>FED STD 794, ITEM 532, TYPE III, CLASS E | XVXB               | 67,000           | 68,039                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 072011    | TRUCK, EMERGENCY RESPONSE (EOD CONUS),<br>DED 4X4, 2 DOOR, AUTOMATIC TRANSMISSION,<br>A/C, ROBOT STORAGE AND DEPLOYMENT RAMP,<br>INTERIOR AND EXTERIOR STORAGE W/ROLL-UP<br>DOORS, LIGHT TOWER, TRAILER TOW PACKAGE<br>(CLASS III), 31,000 GVW  | XVXB               | 164,156          | 166,700                             | 10                    | O                  | N<br>N<br>N<br>N<br>N<br>N      |
| 072012    | TRUCK, EMERGENCY RESPONSE (EOD<br>GED 4X4, 2 DOOR, AUTOMATIC TRANSMISSION,<br>A/C, INTERIOR AND EXTERIOR STORAGE WITH<br>ROLL-UP DOORS, TRAILER TOW PACKAGE<br>(CLASS III), 17,500 GVW  | XVXB               | 134,792          | 136,881                             | 10                    | O                  | N<br>N<br>N<br>N<br>N           |
| 072200    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2/4X4, 8,400 GVW (NONSTANDARD)<br>FED STD 307   | XC3A               | 26,109           | 26,514                              | 07                    | O                  | S<br>S<br>S                     |
| 072201    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION, 8 FT<br>ALUMINUM BODY, CURB AND STREET CABINETS<br>WITH LADDER RACKS, UTILITY PICKUP,<br>6,000 GVW<br>FED STD 307, IT-80, TP-VIII, CL-C   | XC3A               | 21,080           | 21,407                              | 07                    | O                  | I<br>I<br>I<br>I<br>I<br>I      |
| 072202    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION, 8 FT<br>BODY, CURB AND STREET-SIDE CABINETS WITH<br>LADDER RACK, UTILITY PICKUP, 6,600 GVW<br>FED STD 307, IT-81, TP-VIII, CL-C   | XC3A               | 21,449           | 21,781                              | 07                    | O                  | I<br>I<br>I<br>I<br>I           |
| 072203    | TRUCK, PANEL, FORWARD CONTROL, UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION,<br>UTILITY CABINETS BOTH SIDES OF CARGO<br>SPACE WITH REMOVABLE OVERHEAD LADDER<br>RACK, 6,000 GVW (LIGHT-DUTY APPLICATION)<br>PROCURED AS EC 0329 PANEL VAN WITHOUT<br>CABINETS AND LADDER<br>FED STD 307, IT-31, | XC3A               | 14,957           | 15,189                              | 07                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 072204    | TRUCK, PANEL, FORWARD CONTROL, UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION,<br>UTILITY CABINETS BOTH SIDES OF CARGO<br>SPACE WITH REMOVABLE OVERHEAD LADDER<br>RACKS, PANEL VAN, 9,200 GVW<br>FED STD 307, IT-162,   | XC3A               | 19,884           | 20,192                              | 07                    | O                  | S<br>S<br>S<br>S<br>S           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 072206    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION, 8 FT<br>BODY, CURB AND STREET SIDE CABINETS WITH<br>LADDER RACKS, UTILITY PICKUP, 8,600 GVW<br>FED STD 307, IT-82,  | XC3A               | 20,718           | 21,039                              | 07                    | O                  | S<br>S<br>S<br>S<br>S      |
| 07220S    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION, 80<br>IN CENTER LOAD COMPARTMENT, ALUMINUM<br>BODY, CURB AND STREET-SIDE CABINETS WITH<br>LADDER RACKS, 4,000 GVW (SPAIN<br>PROCUREMENT)                            | XC3A               | 15,000           | 15,233                              | 07                    | O                  | I<br>I<br>I<br>I<br>I<br>I |
| 07220U    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, GED, AUTOMATIC TRANSMISSION, 80<br>IN CENTER LOAD COMPARTMENT, ALUMINUM<br>BODY, CURB AND STREET-SIDE CABINETS WITH<br>LADDER RACKS, 4,000 GVW, RIGHT HAND<br>DRIVE (UNITED KINGDOM PROCUREMENT) | XC3A               | 15,000           | 15,233                              | 07                    | O                  | I<br>I<br>I<br>I<br>I<br>I |
| 072212    |   | XC3A               | 18,000           | 18,279                              | 07                    | O                  | I                          |
| 072231    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X4, DED, AUTOMATIC TRANSMISSION, 8 FT<br>BODY, CURB AND STREET-SIDE CABINETS WITH<br>LADDER RACK, 8,500 GVW<br>FED SPEC 307, IT-87, TP-VIII, CL-D  | XC3A               | 22,706           | 23,058                              | 07                    | O                  | A<br>A<br>A<br>A<br>A      |
| 072242    | TRUCK, MAINTENANCE, UTILITY, CREW CAB,<br>4X2, DED, AUTOMATIC TRANSMISSION, CURB<br>AND STREET SIDE CABINETS, TRAILER TOW<br>PACKAGE, 28,000 GVW<br>FED STD 794K  | XC3A               | 54,859           | 55,709                              | 07                    | O                  | A<br>A<br>A<br>A<br>A      |
| 072244    | TRUCK, MAINTENANCE, UTILITY, CREW CAB,<br>4X4, DED, AUTOMATIC TRANSMISSION, CURB<br>AND STREET SIDE CABINETS, TRAILER TOW<br>PACKAGE, 32,000 GVW<br>FED STD 794K  | XC3A               | 76,034           | 77,213                              | 07                    | O                  | A<br>A<br>A<br>A<br>A      |
| 0722AF    | TRUCK, MAINTENANCE, TELEPHONE/UTILITY,<br>4X2, AUTOMATIC TRANSMISSION, 8 FT BED,<br>CURB AND STREET SIDE CABINETS WITH<br>LADDER RACKS, UTILITY PICKUP, 8,600 GVW,<br>ALTERNATIVE FUEL<br>FED STD 307, IT81, TP-VIII, CL-C                      | XC3A               | 25,765           | 26,164                              | 07                    | O                  | S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 072300    | TRUCK, MAINTENANCE, POLE AND LINE,<br>DED (NONSTANDARD)   | XVXB               | 138,000          | 140,139                             | 10                    | O                  | N<br>N                               |
| 072301    | TRUCK, MAINTENANCE, POLE/LINE,<br>CONSTRUCTION, 4X4, DED, AUTOMATIC TRANS-<br>MISSION, 12 FT CENTER LOAD SPACE BODY,<br>CURB AND STREET-SIDE CABINETS, TELE-<br>SCOPING ROOF, WINCH AT FRONT OF VEHICLE,<br>HYDRAULIC CONTROLLED POLE SETTING ARM,<br>POST HOLE AUGER WITH 12 IN, 18 IN, 24 IN<br>AUGERS BITS<br>MIL-T-62110, TYPE 3, CLASS A | XVXB               | 151,651          | 154,002                             | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 0723AF    | TRUCK, MAINTENANCE, POLE & LINE, 4X4,<br>42 FOOT BOOM, AUTOMATIC TRANSMISSION,<br>ALTERNATIVE FUEL  | XVXB               | 175,000          | 177,713                             | 10                    | O                  | S<br>S<br>S                          |
| 072500    | TRUCK, OVERHEAD MAINTENANCE AERIAL<br>SERVICE (NONSTANDARD)   | XVXB               | 84,000           | 85,302                              | 10                    | O                  | S<br>S                               |
| 072501    | TRUCK, MAINTENANCE, AERIAL SERVICING,<br>4X2, DED, AUTOMATIC TRANSMISSION, 2 MAN<br>500 LB CAPACITY BUCKET INSULATED FOR<br>HIGH VOLTAGE ELECTRICAL WORK, 360 DEGREE<br>ROTATION 2 SEGMENT ARTICULATED BOOM, 55<br>FT VERTICAL REACH, MAINTENANCE BODY,<br>CURB AND STREET-SIDE CABINETS, 28,000<br>GVW<br>MIL-T-62518, TYPE I, CLASS D       | XVXB               | 90,145           | 91,542                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 072502    | TRUCK, OVERHEAD MAINTENANCE VAN, AERIAL<br>SERVICING, 4X2, GED, AUTOMATIC TRANS-<br>MISSION, 1 MAN 300 LB CAPACITY BUCKET<br>WITH INSULATED TELESCOPIC BOOM, 34 FT<br>VERTICAL REACH<br>MIL-T-62355, TYPE I, STYLE 2  | XVXB               | 52,736           | 53,553                              | 10                    | O                  | S<br>S<br>S<br>S<br>S                |
| 072503    | TRUCK, OVERHEAD MAINTENANCE, UTILITY,<br>AERIAL SERVICING, 4X2, GED, AUTOMATIC<br>TRANSMISSION, 1 MAN 300 LB CAPACITY<br>BUCKET WITH INSULATED ARTICULATING<br>35 FT VERTICAL REACH, CURB AND STREET-<br>SIDE CABINETS<br>MIL-T-62355, TYPE II, STYLE 1   | XVXB               | 60,196           | 61,129                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S           |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 07250J    | TRUCK, MAINTENANCE, AERIAL SERVICING,<br>4X2, DED, AUTOMATIC TRANSMISSION, 2 MAN<br>500 LB CAPACITY BUCKET INSULATED FOR<br>HIGH VOLTAGE ELECTRICAL WORK, 360 DEGREE<br>ROTATION 2 SEGMENT ARTICULATED BOOM, 50<br>FT VERTICAL REACH, MAINTENANCE BODY,<br>CURB AND STREET-SIDE CABINETS, 24,000<br>GVW, RIGHT HAND DRIVE (JAPAN<br>PROCUREMENT) | XVXB               | 79,000           | 80,225                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 072521    | TRUCK, MAINTENANCE, AERIAL SERVICING<br>PLATFORM, 6X4, DED, AUTOMATIC<br>TRANSSION, 65 FT PLATFORM, 360 DEGREE<br>ROTATION, 2 MAN INSULATED BASKET, 34,500   | XB2A               | 142,847          | 145,061                             | 10                    | O                  | I<br>I<br>I<br>I                     |
| 0725AF    | TRUCK,OVERHEAD MAINTENANCE, AERIAL<br>SERVICING, 55 FOOT INSULATED BUCKET,<br>AUTOMATIC TRANSMISSION, ALTERNATIVE<br>FUEL  | XVXB               | 108,000          | 109,674                             | 10                    | O                  | S<br>S<br>S<br>S                     |
| 072600    | TRUCK, OVERHEAD MAINTENANCE AERIAL<br>SERVICE, TACTICAL (NONSTANDARD)  | XG9B               | 84,000           | 85,302                              | 10                    | O                  | I<br>I                               |
| 072621    | TRUCK, MAINTENANCE, AERIAL SERVICING<br>PLATFORM, 6X4, DED, AUTOMATIC<br>TRANSMISSION, 65 FT PLATFORM, 360 DEGREE<br>ROTATION, 2 MAN INSULATED BASKET, 34,500<br>GVW   | XG9B               | 118,000          | 119,829                             | 10                    | O                  | A<br>A<br>A<br>A<br>A                |
| 072700    | TRUCK, RESCUE/COMMAND RESPONSE<br>DED, AUTOMATIC TRANSMISSION<br>(NONSTANDARD)   | XVXB               | 222,880          | 226,335                             | 10                    |                    | S<br>S<br>S                          |
| 072800    | TRUCK, HAZARDOUS SPILL RESPON CLEAN UP<br>(NONSTANDARD)  | XVXB               | 151,541          | 153,890                             | 10                    |                    | S<br>S                               |
| 072900    | TRUCK, WRECKER, COMMERCIAL<br>(NONSTANDARD)  | XVXB               | 155,213          | 157,619                             | 08                    | O                  | S<br>S                               |
| 072901    | TRUCK, WRECKER, 4X2, DED, 20 TON, 7,500<br>LB LIFT/TOW CAPACITY, SINGLE WINCH<br>HYDRAULIC BOOM AND HYDRAULIC WHEEL-LIFT<br>BAR<br>MIL-T-62491, TYPE I, CLASS 28   | XVXB               | 93,122           | 94,565                              | 08                    | O                  | S<br>S<br>S<br>S<br>S                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 072902    | TRUCK, WRECKER, 4X2, GED, 7 TON, 1,800<br>LB LIFT/TOW CAPACITY, SINGLE WINCH<br>HYDRAYLIC BOOM AND HYDRAULIC WHEEL-LIFT<br>BAR<br>MIL-T-62491, TYPE I                 | XVXB               | 57,026           | 57,910                              | 08                    | O                  | S<br>S<br>S<br>S<br>S      |
| 073000    | TRUCK, WRECKER (NONSTANDARD)  | XG9B               | 153,000          | 155,372                             | 08                    | O                  | I                          |
| 073001    | TRUCK, WRECKER, 4X2, DED, 20 TON, 7,500<br>LB LIFT/TOW CAPACITY, SINGLE WINCH<br>HYDRAULIC BOOM AND HYDRAULIC WHEEL-LIFT<br>BAR<br>MIL-T-62491, TYPE I, CLASS 28      | XG9B               | 106,320          | 107,968                             | 08                    | O                  | I<br>I<br>I<br>I<br>I      |
| 073011    |   | XG9B               | 230,000          | 233,565                             | 08                    | O                  | I                          |
| 073012    |   | XG9B               | 235,000          | 238,643                             | 08                    | O                  | I                          |
| 073021    | TRUCK, WRECKER, 6X6, DED, AUTOMATIC<br>TRANSMISSION, 25 TON, FRONT AND REAR<br>MOUNTED WINCH, AIR TRANSPORTABLE C-130,<br>46,000 GVW                                  | XG9B               | 204,481          | 207,650                             | 08                    | O                  | A<br>A<br>A<br>A           |
| 073041    | TRUCK, WRECKER, 6X6, DED, AUTOMATIC<br>TRANSMISSION, 5 TON, WITH WINCH,<br>ENHANCED MOBILITY SYSTEM, CENTRAL<br>TIRE INFLATION SYSTEM, DEEP WATER<br>FORDING, M936A2  | XG9B               | 219,445          | 222,846                             | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A |
| 073051    | TRUCK, WRECKER, 5 TON, 6X6, FMTV M1089  | XG9B               | 233,003          | 236,615                             | 08                    | O                  | A                          |
| 073061    | TRUCK, WRECKER, MTRV  | XG9B               | 309,758          | 314,559                             | 08                    | O                  | A                          |
| 073100    | TRUCK, LOADER AIRCRAFT HI-LIFT<br>(NONSTANDARD)   | XVXB               | 78,000           | 79,209                              | 10                    | Q                  | S<br>S                     |
| 073102    | TRUCK, AIRCRAFT HI-LIFT PLATFORM, 4X2,<br>DED, 3 TON LIFTING CAPACITY, 10 FT<br>VERTICAL LIFT HEIGHT, EQUIPPED WITH<br>REMOVABLE EXPANDED METAL PANELS<br>MIL-T-62145 | XVXB               | 91,299           | 92,714                              | 10                    | Q                  | N<br>N<br>N<br>N<br>N      |
| 073401    | TRUCK, UTILITY, GROUNDS MAINTENANCE, 6X4<br>18HP, 1000 LB LOAD CAPACITY, LIFTINGAND<br>TIE DOWN DEVICES, AIR TRANSPORTABLE  | XC3A               | 8,867            | 9,004                               | 06                    | H                  | A<br>A<br>A                |
| 073500    | TRUCK, REEL HANDLING/TENSIONING POWERED<br>(NONSTANDARD)<br>KKK-T-2108, TYPE IV, CLASS C  | XVXB               | 112,000          | 113,736                             | 10                    | O                  | S<br>S<br>S                |
| 074300    | TRUCK, TANK, AVIATION LUBE, 200-599<br>GAL (NONSTANDARD)  | XH6B               | 37,000           | 37,574                              | 07                    | Q                  | I<br>I                     |



| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                          |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--|
| 074600    | TRUCK, TANK, GENERAL PURPOSE,<br>(NONSTANDARD)  | XG9B               | 50,000           | 50,775                              | 08                    | O                  | A<br>A   |
| 074601    | TRUCK, TANK, FUEL SERVICING, 4X2, DED,<br>AUTOMATIC TRANSMISSION, 1,500 GAL,<br>SINGLE STAINLESS STEEL TANK, TOP AND<br>BOTTOM LOADING, HAND REWIND HOSE REEL,<br>100 FT OF 1-1/2 IN ID HOSE, 24,000 GVW<br>MIL-T-62032, TYPE I, CLASS B  | XG9B               | 58,287           | 59,190                              | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A                     |
| 074611    |   | XG9B               | 65,000           | 66,008                              | 08                    | O                  | I  |
| 074621    | TRUCK, TANK, FUEL SERVICING, 4X4, DED,<br>AUTOMATIC TRANSMISSION, 1,500 GAL,<br>SINGLE STAINLESS STEEL TANK, TOP AND<br>BOTTOM LOADING, HAND REWIND HOSE REEL,<br>100 FT OF 1-1/2 IN ID HOSE, 24,000 GVW  | XG9B               | 100,822          | 102,385                             | 08                    | O                  | A<br>A<br>A<br>A<br>A                          |
| 074651    | TRUCK, TANK, FUEL SERVICING, 6X6, DED,<br>AUTOMATIC TRANSMISSION, 1,500 GAL,<br>SINGLE STAINLESS STEEL TANK, TOP AND<br>BOTTOM LOADING, HAND REWIND HOSE REEL,<br>100 FT OF 1-1/2 IN ID HOSE, 24,000 GVW,<br>FMTV M1091, THREE MAN CAB-OVER-ENGINE,<br>SINGLE WHEELS AND TIRES WITH CTIS,<br>SINGLE REDUCTION AXLES WITH OUTBOARD<br>PLANETARIES, AIR TRANSPORTABLE C-130,<br>LIFTING AND TIEDOWNS, EPA COMPLIANT<br>ARMY PD 2131 | XG9B               | 227,320          | 230,843                             | 08                    | O                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 074661    | TRUCK, FUEL/WATER, TANKER, MTRV   | XG9B               | 216,680          | 220,039                             | 08                    | O                  | A  |
| 075100    | TRUCK, TANK FUEL SERVICING, 2,000<br>GALLONS (NONSTANDARD)  | XVXB               | 70,000           | 71,085                              | 10                    | O                  | S<br>S   |
| 075101    | TRUCK, TANK, FUEL SERVICING, 4X2, DED,<br>2,000 GAL SINGLE STAINLESS STEEL COM-<br>PARTMENT, TOP AND BOTTOM LOADING, SINGLE<br>METERED FUEL DISPENSING SYSTEM, HAND<br>REWIND HOSE REEL, 100 FT OF 1 1/2 INCH<br>ID HOSE<br>MIL-T-62032, TYPE I, CLASS C  | XVXB               | 75,987           | 77,165                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S<br>S                |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 075102    | TRUCK, TANK, FUEL SERVICING, 4X2, DED,<br>2,000 GAL DUAL STAINLESS STEEL COMPART-<br>MENT, TOP AND BOTTOM LOADING, DUAL<br>METERED FUEL DISPENSING SYSTEMS, HAND<br>REWIND HOSE REELS, 100 FT OF 1-1/2 IN<br>ID HOSE<br>MIL-T-62032, TYPE II, CLASS C            | XVXB               | 88,410           | 89,780                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S |
| 07510J    | TRUCK, TANK, FUEL SERVICING, 4X2, DED,<br>2,000 GAL SINGLE STAINLESS STEEL COM-<br>PARTMENT, TOP AND BOTTOM LOADING, SINGLE<br>METERED FUEL DISPENSING SYSTEM, HAND<br>REWIND HOSE REEL, 100 FT OF 1-1/2 IN ID<br>HOSE, RIGHT HAND DRIVE, (JAPAN<br>PROCUREMENT) | XVXB               | 91,311           | 92,726                              | 10                    | O                  | S<br>S<br>S<br>S<br>S<br>S |
| 075600    | TRUCK, TANK, AVGAS/JET FUEL<br>(NONSTANDARD)   | XVXB               | 117,278          | 119,096                             | 12                    | Q                  | S<br>S                     |
| 075601    | TRUCK, TANK, AIRCRAFT REFUELING/<br>DEFUELING UNIT, 6X4, DED, AUTOMATIC<br>TRANSMISSION, 5,000 GAL AVGAS OR JET<br>FUEL (JP4 AND JP5), SELF-CONTAINED<br>PUMPING SYSTEM OF 300 GPM<br>MIL-T-62032  | XVXB               | 153,149          | 155,523                             | 12                    | Q                  | N<br>N<br>N<br>N<br>N<br>N |
| 075602    | TRUCK, TANK, AIRCRAFT REFUELING/<br>DEFUELING UNIT, DED, AUTOMATIC<br>TRANSMISSION, 10,000 GAL AVGAS OR<br>JET FUEL (JP4 AND JP5), SELF CONTAINED<br>PUMPING SYSTEM<br>MIL-T-62032   | XVXB               | 243,145          | 246,914                             | 12                    | Q                  | S<br>S<br>S<br>S<br>S<br>S |
| 075800    | TRUCK, TANK WATER POTABLE/GP, 2,000 -<br>2,999 GALLONS (NONSTANDARD)<br>MIL-T-62321  | XVXB               | 123,938          | 125,859                             | 10                    | O                  | S<br>S<br>S                |
| 080201    | TRAILER, CARGO, 3/4 TON, 2 WHEEL, M101A2<br>MIL-T-10579  | XVXB               | 2,646            | 2,687                               | 15                    | P                  | N<br>N                     |
| 080301    | TRAILER, CARGO, 2 WHEEL, 1 TON, 4200GVW,<br>SINGLE AXLE, 24V, LUNETTE COUPLER,<br>TM101A3.   | XVXB               | 8,988            | 9,127                               | 15                    | P                  | A<br>A<br>A                |
| 080401    | TRAILER, CARGO, 1-1/2 TON, 2 WHEEL,<br>M-SERIES<br>MIL-T-10579   | XB2C               | 5,374            | 5,457                               | 15                    | P                  | A<br>A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 080451    | TRAILER, CARGO, 1-1/4 TON 2 WHEEL,<br>REMOVABLE FOLDING TAILGATE/LOADING<br>RAMP, COMPATABLE WITH THE HUMMWV  | XB2C               | 11,000           | 11,171                              | 15                    | P                  | A<br>A<br>A                     |
| 080500    | TRAILER, CARGO, COMMERCIAL, 4,000 LB<br>PAYLOAD, TANDEM AXLE, EQUALIZER HITCH,<br>ELECTRIC BRAKE PACKAGE, WOOD REINFORCE-<br>MENT ON FLOOR AND SIDES 5/16 IN THICK-<br>NESS, WITH HYDRAULIC JACK, 8-PLY ALL<br>SEASON RADIAL TIRES, SIZE COMPATIBLE<br>WITH 15-PASSENGER MAXI VAN (16 IN) |                    | 0                | 0                                   | 00                    | P                  | I<br>I<br>I<br>I<br>I<br>I<br>I |
| 080900    | TRAILER, EQUIPMENT, ELEVATING BODY, 4<br>WHEEL, APPROX 20 FT LONG, 12,000 LB<br>PAYLOAD, WITH ADJUSTABLE LUNETTE RING<br>(NONSTANDARD)  | XVXB               | 28,000           | 28,434                              | 15                    | P                  | I<br>I<br>I<br>I                |
| 080901    | SEMITRAILER, DROP DECK, TANDEM AXLE,<br>40,000 LB PAYLOAD, COMMERCIAL, 40 FT<br>WITH GOOSENECK DECK, LOWER DECK 29 FT,<br>HYDRAULIC REAR LOADING RAMP, 9,000 LB<br>MINIMUM LINE PULL HYDRAULIC WINCH,<br>REMOTE CONTROL UNIT, AIR BRAKES, 12 VOLT<br>ELECTRIC SYSTEM<br>MIL-S-62294       | XB2C               | 29,000           | 29,450                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 081200    | SEMITRAILER, STAKE, 2 AXLE, 24,000 LB<br>PAYLOAD (NONSTANDARD)  | XVXB               | 16,000           | 16,248                              | 15                    | P                  | I<br>I                          |
| 081201    | SEMITRAILER, STAKE, SINGLE AXLE, DUAL<br>WHEELS, 30 FT LONG, AIR SERVICE BRAKES,<br>PARKING BRAKES, FIFTH WHEEL PLATE<br>HEIGHT 48 IN (PLUS OR MINUS 1 IN),<br>24,000 LB PAYLOAD, WITHOUT STAKES<br>MIL-S-45384, STYLE 1, SIZE C  | XVXB               | 16,000           | 16,248                              | 15                    | P                  | I<br>I<br>I<br>I<br>I<br>I      |
| 081211    |   | XB2C               | 15,000           | 15,233                              | 15                    | P                  | I                               |
| 081300    | SEMITRAILER, VAN, 1 AXLE, 24,000 LB<br>PAYLOAD (NONSTANDARD)  | XB2C               | 19,000           | 19,295                              | 15                    | P                  | I<br>I                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 081301    | SEMITRAILER, VAN (FULLY ENCLOSED),<br>SINGLE AXLE, DUAL WHEELS, 30 FT LONG,<br>DOUBLE REAR DOORS, ALUMINUM SKIN, AIR<br>SERVICE BRAKES, PARKING BRAKES, FIFTH<br>WHEEL PLATE HEIGHT 51 IN (PLUS OR MINUS<br>1 IN), MAXIMUM HEIGHT 150 IN, 24,000 LB<br>PAYLOAD<br>MIL-S-45344, TYPE IV, CLASS C | XVXB               | 16,868           | 17,129                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 081600    | SEMITRAILER, STAKE, TANDEM AXLE,<br>WITH/WITHOUT SIDE RACKS   | XVXB               | 26,636           | 27,049                              | 15                    | P                  | N<br>N                          |
| 081601    | SEMITRAILER, STAKE, TANDEM AXLE, DUAL<br>WHEELS, 40 FT LONG, AIR SERVICE BRAKES,<br>PARKING BRAKES, FIFTH WHEEL PLATE<br>HEIGHT 50 IN (PLUS OR MINUS 1 IN),<br>40,000 LB PAYLOAD, WITHOUT SIDE RACKS<br>FED STD 951, ITEM 5P  | XVXB               | 15,593           | 15,835                              | 15                    | P                  | N<br>N<br>N<br>N<br>N<br>N      |
| 081602    | SEMITRAILER, STAKE, TANDEM AXLE,<br>DUAL WHEELS, 40 FT LONG, AIR SERVICE<br>BRAKES, PARKING BRAKES, FIFTH WHEEL<br>PLATE HEIGHT 50 INCH (PLUS OR MINUS 1<br>INCH), 40,000 LB PAYLOAD , WITH SIDE<br>RACKS<br>FED STD 951, ITEM 5P   | XVXB               | 18,433           | 18,719                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 081611    | SEMITRAILER, FLATBED, BREAKBULK/<br>CONTAINER TRANSPORTER, 34 TON, WITH<br>TWIST LOCK FASTENERS, SIDE RACKS, 12/24<br>ELECTRICAL SYSTEM, REDUCIBLE, HINGED<br>FRONT STEEL PANEL, 40 FT<br>MS-52254  | XB2C               | 24,571           | 24,952                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A      |
| 081700    | SEMITRAILER, VAN, 2 AXLE,<br>(NONSTANDARD)  | XVXB               | 22,973           | 23,329                              | 15                    | P                  | S<br>S                          |
| 081701    | SEMITRAILER, VAN (FULLY ENCLOSED),<br>TANDEM AXLE DUAL WHEELS, 40 FT LONG,<br>DOUBLE REAR DOORS, ALUMINUM SKIN, AIR<br>SERVICE BRAKES, PARKING BRAKES, FIFTH<br>WHEEL PLATE HEIGHT 50 IN (PLUS OR MINUS<br>1 IN), MAXIMUM HEIGHT 156 IN, 40,000 LB<br>PAYLOAD<br>FED STD 955, ITEM 13V, SIZE 40 | XVXB               | 21,938           | 22,278                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 081900    | SEMITRAILER, VAN REFRIGERATOR, 2 AXLE,<br>24,000 LB PAYLOAD (NONSTANDARD)   | XVXB               | 38,000           | 38,589                              | 15                    | P                  | I<br>I                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 082000    | SEMITRAILER, VAN REFRIGERATOR, 2 AXLE,<br>(NONSTANDARD)   | XVXB               | 53,000           | 53,822                              | 15                    | P                  | S<br>S                               |
| 082001    | SEMITRAILER, VAN, REFRIGERATOR, TANDEM<br>AXLE DUAL WHEELS, 40 FT LONG, DOUBLE<br>REAR DOORS, ALUMINUM SKIN, AIR SERVICE<br>BRAKES, PARKING BRAKES, FIFTH WHEEL<br>PLATE HEIGHT 50 IN (PLUS OR MINUS 1 IN),<br>MAXIMUM HEIGHT 150 IN, 40,000 LB<br>PAYLOAD<br>FED STD 956, ITEM 5R, SIZE 40   | XVXB               | 49,793           | 50,565                              | 15                    | P                  | N<br>N<br>N<br>N<br>N<br>N<br>N      |
| 082200    | SEMITRAILER, LOWBED, 4 WHEEL, (NON-<br>STANDARD)  | XVXB               | 19,147           | 19,444                              | 15                    | P                  | A<br>A                               |
| 082201    | SEMITRAILER, DROP FRAME, TANDEM AXLE,<br>40,000 LB PAYLOAD, 40 FT LONG (MINIMUM<br>29 FT LOWER DECK), DECKING OVER FULL<br>WIDTH GOOSENECK, AIR SERVICE AND<br>PARKING BREAKS, DISC WHEELS, DETACHABLE<br>LOADING RAMPS, 12 VOLT ELECTRIC SYSTEM<br>MIL-S-28550   | XVXB               | 18,276           | 18,559                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 082500    | SEMITRAILER, LOWBED, 2 AXLE, 70,000 LB<br>PAYLOAD (NONSTANDARD)   | XVXB               | 39,441           | 40,052                              | 15                    | P                  | N<br>N                               |
| 082501    | SEMITRAILER, LOWBED, 3 AXLE, LEVEL DECK,<br>WALKING BEAM OR SPRING SUSPENSION, AIR<br>SERVICE BRAKES, PARKING BRAKES, APPROX<br>40 FT TOTAL LENGTH (MINIMUM 16 FT OF<br>LEVEL DECK BETWEEN FIXED GOOSENECK AND<br>WHEEL WELLS), FIFTH WHEEL PLATE HEIGHT<br>50 IN (PLUS OR MINUS 1 IN), 70,000 LB<br>PAYLOAD<br>FED STD 953, ITEM 7L, SIZE 35 | XVXB               | 21,433           | 21,765                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 082511    | SEMITRAILER, LOWBED, 35 TON, 3 AXLE,<br>FIXED GOOSENECK, LEVEL DECK WITH<br>SWINGOUT ONE FOOT EXTENDERS, MINIMUM 16<br>FT LOAD SPACE, FOLDING LOADING RAMPS,<br>12/24 VOLT ELECTRIC SYSTEM, LIFT AND<br>TIEDOWN ATTACHMENTS. 70,000 LB PAYLOAD,<br>AIR TRANSPORTABLE C-130<br>MIL-S-45152, TYPE V, SIZE 35, CLASS A                           | XVXB               | 29,961           | 30,425                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 082512    | SEMITRAILER, LOWBED, 40 TON, 3 AXLE,<br>HYDRAULIC-POWERED, SELF-CONTAINED,<br>DETACHABLE GOOSENECK, 80,000 GVW  | XVXB               | 33,000           | 33,512                              | 15                    | P                  | I<br>I<br>I                          |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                     |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---|
| 082600    | SEMITRAILER, LOWBED, TRUNNION AXLE,<br>100,000 LB PAYLOAD (NONSTANDARD)  | XVXB               | 47,175           | 47,906                              | 15                    | P                  | A<br>A                                    |
| 082601    | SEMITRAILER, LOWBED, 3 AXLE, LEVEL DECK,<br>WALKING BEAM OR SPRING SUSPENSION, AIR<br>SERVICE BRAKES, PARKING BRAKES, APPROX<br>40 FT TOTAL LENGTH (MINIMUM 16 FT LEVEL<br>DECK BETWEEN FIXED GOOSENECK AND<br>WELLS), FIFTH WHEEL PLATE HEIGHT 52<br>IN (PLUS OR MINUS 1 IN), 100,000 LB<br>PAYLOAD<br>MIL-S-45152,TYPE I,SIZE 50,CLASS A,ST 6W                               | XVXB               | 32,357           | 32,859                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 082605    | SEMITRAILER, LOWBED, 3 AXLE, DROP DECK,<br>50 TON, DED, SELF-CONTAINED DETACHABLE<br>HYDRAULIC GOOSENECK, WALKING BEAM OR<br>SPRING SUSPENSION, AIR SERVICE BREAKS,<br>APPROX 40 FT TOTAL LENGTH (MINIMUM OF 16<br>FT OF LEVEL DECK BETWEEN GOOSENECK AND<br>WHEEL WELL KICK UP), FIFTH WHEEL PLATE<br>HEIGHT 54 IN (PLUS OR MINUS 1 IN),<br>100,000 LB PAYLOAD<br>FED STD 954 | XVXB               | 42,837           | 43,501                              | 15                    | P                  | N<br>N<br>N<br>N<br>N<br>N<br>N<br>N<br>N |
| 082655    | SEMITRAILER, LOWBED, 3 AXLE, DROP DECK,<br>AIR RIDE SUSPENSION, AIR SERVICE BRAKES,<br>PARKING BRAKES, DED HYDRAULIC POWERED<br>SELF CONTAINED, DETACHABLE GOOSENECK,<br>SLIDING KING PIN, 24/12 VOLT ELECTRICAL<br>SYSTEM, AIR TRANSPORTABLE  | XVXB               | 52,621           | 53,437                              | 15                    | P                  | A<br>A<br>A<br>A<br>A                     |
| 082700    | SEMITRAILER, LOWBED, TRUNNION AXLE,<br>(NONSTANDARD)   | XVXB               | 61,096           | 62,043                              | 15                    | P                  | S<br>S                                    |
| 082701    | SEMITRAILER, LOWBED, 3 AXLE, LEVEL DECK,<br>WITH WALKING BEAM OR SPRING SUSPENSION,<br>AIR SERVICE BRAKES, PARKING BRAKES,<br>APPROXIMATELY 40 FT TOTAL LENGTH<br>(MINIMUM 16 FT LEVEL DECK BETWEEN FIXED<br>GOOSENECK AND WHEEL WELLS), 8 FT WIDE,<br>FIFTH WHEEL PLATE HEIGHT 52 PLUS OR<br>MINUS 1 IN), 120,000 LB PAYLOAD<br>FED STD 953,ITEM 13L,SZ 60,CLASS A,ST 6W      | XVXB               | 46,321           | 47,039                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S      |
| 082900    | DOLLY, TRAILER, CONVERTER<br>(NONSTANDARD)   | XVXB               | 8,000            | 8,124                               | 15                    | P                  | I<br>I                                    |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                               |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---|
| 082902    | DOLLY, TRAILER, CONVERTER, 18,000 LB<br>PAYLOAD, SINGLE AXLE, COMMERCIAL<br>MIL-D-45394  | XVXB               | 8,130            | 8,256                               | 15                    | P                  | A<br>A<br>A   |
| 082911    |  | XVXB               | 10,000           | 10,155                              | 15                    | P                  | I   |
| 083001    | DOLLY JACK SYSTEM ISO LIFTING/LOADING<br>CONSISTING OF FOUR CORNER POST JACKS,<br>CASTERS AND TOWING ASSEMBLY. ISO<br>LIFTING JACK SYSTEM (ILJS)   |                    | 60,053           | 60,984                              | 05                    |                    | A<br>A<br>A<br>A                                    |
| 083200    | TRAILER, EQUIPMENT, ELEVATING BODY<br>(NONSTANDARD)  | XVXB               | 26,000           | 26,403                              | 15                    | P                  | S<br>S  |
| 083201    | TRAILER, LOWBED, FORKLIFT TRUCK<br>TRANSPORTER, ADJUSTABLE LUNETTE RING,<br>2 AXLE, 4 WHEEL, FENDERS, ELECTRIC<br>BRAKES, BEAVERTAIL AND HINGED LOADING<br>RAMPS, APPROXIMATE DIMENSIONS: OVERALL<br>LENGTH 20 FT, DECK HEIGHT 37 IN,<br>BEAVERTAIL LENGHT 30 IN, TWO 34 IN WIDE<br>AND 48 IN LONG RAMPS, OVERALL DECK WIDTH<br>95 IN, DECK 12-15 BEAVERTAIL AND RAMP<br>ANGLE, 10,000 LB MINIMUM LINE PULL WINCH<br>12,000 LB PAYLOAD<br>KKK-S-2766, TYPE VII       | XVXB               | 16,134           | 16,384                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 083202    | TRAILER, LOWBED, FORKLIFT TRUCK<br>TRANSPORTER, ADJUSTABLE LUNETTE RING,<br>TANDEM AXEL, 4 WHEEL, ELECTRIC<br>BRAKES, BEAVERTAIL AND HINGED LOADING<br>RAMPS, APPROXIMATE DIMENSIONS: OVERALL<br>LENGTH 22 FT, DECK HEIGHT 37 IN<br>BEAVERTAIL LENGHT 30 IN. TWO 34 IN WIDE<br>RAMPS, OVERALL DECK WIDTH BETWEEN<br>FENDERS 74 IN. 12-15 DEGREE BEAVERTAIL<br>AND RAMP ANGLE, 12,000 LB MINIMUM LINE<br>PULL WINCH, 18,000 LB PAYLOAD<br>KKK-S-2766, SIZE 9, TYPE VI | XVXB               | 13,743           | 13,956                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 083203    | TRAILER, EQUIPMENT, ELEVATING BODY, 4<br>WHEEL, 12 VOLT ELECTRIC HYDRAULIC PUMP<br>UNIT, APPROX 15 FT LOAD SPACE, 15,000 LB<br>PAYLOAD, WITH ADJUSTABLE LUNETTE RING<br>MIL-T-29233  | XVXB               | 19,950           | 20,259                              | 15                    | P                  | S<br>S<br>S<br>S<br>S                               |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 083204    | SEMITRAILER, DROP DECK, TANDEM AXLE,<br>40,000 LB PAYLOAD, COMMERCIAL, 40 FT<br>WITH GOOSENECK DECK, LOWER DECK 29 FT,<br>HYDRAULIC REAR LOADING RAMP, 18,000 LB<br>MINIMUM LINE PULL HYDRAULIC WINCH,<br>FIFTH WHEEL PLATE HEIGHT 50 IN (PLUS OR<br>MINUS 1 IN), REMOTE CONTROL UNIT, AIR<br>BRAKES, 12 VOLT ELECTRIC SYSTEM<br>MIL-S-62294 | XVXB               | 47,577           | 48,314                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 084200    | TRAILER, BOLSTER PIPE/POLE,<br>(NONSTANDARD)   | XVXB               | 23,000           | 23,357                              | 15                    | P                  | S<br>S                               |
| 084201    | TRAILER, BOLSTER, 26,000 LB PAYLOAD,<br>TANDEM AXLE, ADJUSTABLE SINGLE TONGUE<br>OR TELESCOPING TOWBAR, AIR SERVICE<br>BRAKES<br>MIL-T-45386, TYPE II, CLASS E, STYLE 3  | XVXB               | 22,070           | 22,412                              | 15                    | P                  | A<br>A<br>A<br>A<br>A                |
| 084300    | TRAILER, CABLE REEL (NONSTANDARD)  | XVXB               | 20,848           | 21,171                              | 15                    | P                  | S                                    |
| 084302    | TRAILER, CABLE REEL, COMMERCIAL, 14,000<br>LB PAYLOAD, POWER LOADING, 2 WHEELED,<br>SINGLE REEL, ELECTRIC SERVICE BRAKES,<br>PARKING BRAKES<br>MIL-T-45381   | XVXB               | 24,298           | 24,675                              | 15                    | P                  | N<br>N<br>N<br>N<br>N                |
| 084800    | TRAILER OR SEMITRAILER, DUMP REFUSE<br>(NONSTANDARD)   | XVXB               | 34,957           | 35,499                              | 15                    | T                  | S<br>S                               |
| 084801    | SEMITRAILER, BOTTOM DUMP, 18 CU YD<br>CAPACITY, TANDEM AXLE, AIR SERVICE<br>BRAKES AND PARKING BRAKE, FIFTH WHEEL<br>PLATE 52 IN (PLUS OR MINUS 1 IN)<br>MIL-S-29217   | XVXB               | 51,812           | 52,615                              | 15                    | T                  | A<br>A<br>A<br>A<br>A                |
| 084802    | SEMITRAILER, REAR DUMP, DEMOLITION,<br>34 CU YD CAPACITY, TANDEM AXLE, SIDE<br>HINGED, BARN DOOR TYPE TAILGATE, DUMP<br>BODY COVER, AIR SERVICE, PARKING<br>BRAKES, FIFTH WHEEL PLATE HEIGHT 52 IN<br>(PLUS OR MINUS 1 IN), FULLY SELF-<br>CONTAINED HYDRAULIC SYSTEM<br>MIL-S-28611, TYPE III   | XVXB               | 56,400           | 57,274                              | 15                    | T                  | S<br>S<br>S<br>S<br>S<br>S<br>S      |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 084803    | SEMITRAILER, REAR DUMP, SAND AND GRAVEL,<br>18 CU YD CAPACITY, TANDEM AXLE, DOUBLE<br>ACTING TAILGATE, HINGED AT BOTH TOP AND<br>BOTTOM, DUMP BODY COVER, AIR SERVICE,<br>PARKING BREAKS, FIFTH WHEEL PLATE HEIGHT<br>52 IN (PLUS OR MINUS 1 IN), FULLY SELF-<br>CONTAINED HYDRAULIC SYSTEM<br>MIL-S-28611, TYPE II                      | XVXB               | 49,515           | 50,282                              | 15                    | T                  | S<br>S<br>S<br>S<br>S<br>S<br>S      |
| 085341    | TRAILER, CARGO, TANDEM AXLE, POWER VENT,<br>96 IN BODY WIDTH, FULLY ENCLOSED BODY,<br>ENCLOSED WHEEL WELLS,<br>EXTERIOR BODY, 12 VOLT SYSTEM, SIDE<br>VENTS, INTAKE FAN, DOME LIGHTS,<br>BALL-TYPE HITCH, 4,000 LB PAYLOAD<br>MIL-T-29182  | XVXB               | 5,741            | 5,830                               | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 086020    | TRAILER, DRASH UTILITIES SHELTER<br>TRANSPORTER (UST), 6100 GVWR, SINGLE<br>AXLE W/8 TON ECU, 20KW DIESEL GENERATOR,<br>96,000 BTU/HR. (DESIGNED TO CARRY 2-3<br>DRASH SHELTERS DEPENDING ON SIZE/<br>ACCESSORIES.) AIR TRANSPORTABLE IN C130.   |                    | 91,640           | 93,060                              | 00                    | P                  | A<br>A<br>A<br>A<br>A<br>A           |
| 086035    | TRAILER, UTILITY, HVAC MPHT, DED, 2 WH,<br>1 TON, 5500 GVW, SINGLE AXLE, W/8 TON<br>ECU, 35KW DIESEL GENERATOR, 96,000<br>BTU/HR, 24 VOLT, LUNETTE COUPLER, AIR<br>TRANSPORTABLE IN C130.  |                    | 71,018           | 72,119                              | 00                    | P                  | I<br>I<br>I<br>I<br>I                |
| 086200    | TRAILER, LOWBED, TILT DECK 2 OR 4 WHEEL<br>(NONSTANDARD)   | XVXB               | 12,033           | 12,220                              | 15                    | P                  | S<br>S                               |
| 086201    | TRAILER, TILT DECK, LOWBED, TANDEM AXLE<br>SINGLE WHEELS, ADJUSTABLE LUNETTE RING,<br>DECK DROPPED BETWEEN WHEELS, FENDERS,<br>ELECTRIC BRAKES, APPROXIMATE<br>DIMENSIONS: OVERALL LENGHT 20 FT, DECK<br>LENGHT 16 FT, DECK HEIGHT LOADED 25 IN,<br>DECK WIDTH 76 IN, TILT ANGLE 9 DEGREES,<br>12,000 LB PAYLOAD<br>MIL-T-46738, TYPE IV | XVXB               | 13,744           | 13,957                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 086211    | TRAILER, FLATBED, TILT DECK, ADJUSTABLE<br>LUNETTE RING, 2 AXLE, 12 TON, 12/24<br>VOLT ELECTRIC SYSTEM<br>MIL-T-46738, TYPE II   | XVXB               | 9,672            | 9,822                               | 15                    | P                  | A<br>A<br>A<br>A                     |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 086221    | SEMITRAILER, LOWBED, TILT DECK WITH<br>5 FT BEAVERTAIL, TANDEM AXLE, 4 WHEEL,<br>38 FT MAXIMUM LENGTH, 8 FT WIDE, FIFTH<br>WHEEL PLATE HEIGHT 52 IN (PLUS OR MINUS<br>1 IN) AIR BRAKES, 50,000 LB PAYLOAD<br>MIL-S-62101, SIZE 25 | XVXB               | 61,097           | 62,044                              | 15                    | P                  | S<br>S<br>S<br>S<br>S      |
| 086231    | SEMITRAILER, LOWBED, TILT DECK, FULL<br>WIDTH GOOSENECK, LEVEL PLATFORM<br>BEAVERTAIL, SWING-OUT WIDTH EXTENDERS,<br>SPRING SUSPENSION, OIL LUBRICATED AXLES,<br>60,000 LB PAYLOAD<br>MIL-S-62101, SIZE 30                        | XVXB               | 25,308           | 25,700                              | 15                    | P                  | A<br>A<br>A<br>A<br>A<br>A |
| 087901    | TRAILER, ELECTRONICS ANTENNA, PORTABLE<br>SENSOR PLATFORM (PSP), SINGLE AXLE, HYD<br>SURGE BRAKE  |                    | 0                | 0                                   | 00                    |                    | I<br>I<br>I                |
| 088002    | TRAILER, TANK, 400 GAL, STAINLESS STEEL<br>TANK, POTABLE WATER, 2 WHEEL, M-SERIES<br>M149A2<br>MIL-T-45316  | XB2C               | 12,391           | 12,583                              | 15                    | P                  | A<br>A<br>A<br>A           |
| 088100    | TRAILER, TANK, GENERAL PURPOSE<br>(NONSTANDARD)   | XVXB               | 15,000           | 15,233                              | 15                    | P                  | S<br>S                     |
| 088101    | TRAILER, TANK, 2 WHEEL, 500 GAL, GENERAL<br>PURPOSE (WATER, DIESEL FUEL, OIL,<br>GASOLINE), GRAVITY DISCHARGE, ELECTRIC<br>SERVICE BRAKES, PARKING BRAKES<br>MIL-T-62357, TYPE II   | XVXB               | 13,980           | 14,197                              | 15                    | P                  | N<br>N<br>N<br>N<br>N      |
| 088102    | TRAILER, TANK, 2 WHEEL, 500 GAL<br>POTABLE WATER, STAINLESS STEEL TANK,<br>ELECTRIC SERVICE BRAKES, PARKING BRAKES<br>MIL-T-62357, TYPE I   | XVXB               | 11,252           | 11,426                              | 15                    | P                  | S<br>S<br>S<br>S           |
| 088200    | TRAILER, TANK, 2 OR 4 WHEEL, 600 GAL<br>(NONSTANDARD)<br>MIL-T-62357  | XVXB               | 13,869           | 14,084                              | 15                    | P                  | A<br>A<br>A                |
| 088600    | SEMITRAILER, TANK, 2,000 - 4,000 GAL,<br>POTABLE/GENERAL PURPOSE (NONSTANDARD)<br>MIL-S-62095, TYPE II, SIZE 2  | XVXB               | 49,961           | 50,735                              | 15                    | P                  | S<br>S<br>S                |
| 089000    | SEMITRAILER, TANK, 5,000 GAL AND UP,<br>GENERAL PURPOSE (NONSTANDARD)<br>MIL-S-62095, TYPE II, SIZE 5   | XVXB               | 92,591           | 94,026                              | 15                    | P                  | S<br>S<br>S                |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                     |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---|
| 089001    | SEMITRAILER, TANK, FUEL SERVICING,<br>TANDEM AXLE, 5,500 GAL, DUAL WHEELS,<br>SINGLE COMPARTMENT STAINLESS STEEL<br>TOP AND BOTTOM LOADING FACILITY, 200 GPM<br>PUMP, TOTALIZING METER, MANUAL REWIND<br>HOSE REEL, 100 FT OF 1-1/2 IN ID<br>SYNTHETIC RUBBER HOSE, AIR SERVICE<br>BRAKES, PARKING BRAKES, FIFTH WHEEL<br>PLATE HEIGHT 52 IN (PLUS OR MINUS 1 IN)<br>MIL-S-45310, TYPE I, SIZE D | XVXB               | 88,785           | 90,161                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 089002    | SEMITRAILER, TANK, 5,500 GAL, POTABLE<br>WATER, GRAVITY DISCHARGE, STAINLESS<br>STEEL TANK, TANDEM AXLE, AIR SERVICE<br>BRAKES, PARKING BRAKES, 35 FT LONG,<br>FIFTH WHEEL PLATE HEIGHT 52 IN (PLUS<br>OR MINUS 1 IN)<br>MIL-T-62080, SIZE 5, STYLE A  | XVXB               | 67,443           | 68,488                              | 15                    | P                  | S<br>S<br>S<br>S<br>S<br>S                |
| 089100    | SEMITRAILER, TANK, AVGAS 4,000 GAL AND<br>OVER (NONSTANDARD)<br>MIL-S-62317  | XVXB               | 60,000           | 60,930                              | 15                    | Q                  | I<br>I<br>I                               |
| 182001    | TRUCK FORKLIFT, TELESCOPIC HANDLER,<br>10000LB, DED, 48" AND 72" CARRIAGES,<br>W/HYD AND SIDE SHIFT  |                    | 104,505          | 106,125                             | 00                    |                    | A<br>A<br>A                               |
| 212001    | CONCRETE BATCH PLANT, 100 CU YD PER HR,<br>PORTABLE, SEMITRAILER MOUNTED, NLT 20 CU<br>YD COMPARTMENTED AGGREGATE BIN,<br>CONVEYORS, MIXER, WATER SYSTEM WITH<br>PUMP, ELECTRICAL POWER PANEL, REQUIRES<br>460 VOLT, THREE PHASE, THREE-WIRE POWER<br>SUPPLY   | XH6B               | 307,461          | 312,227                             | 10                    | T                  | A<br>A<br>A<br>A<br>A<br>A<br>A           |
| 220002    | CRUSHER, ROCK, PRIMARY, 75 TPH, JAW SIZE<br>NLT 20 IN X 36 IN, SEMITRAILER MOUNTED,<br>WITH DED GENERATOR FOR ELECTRIC POWER<br>SOURCE; CRUSHER IS USED WITH EC 2200-03,<br>ONE EACH AND EC 2610-11, 5 EACH  | XH6B               | 193,120          | 196,113                             | 08                    | T                  | A<br>A<br>A<br>A<br>A                     |
| 220003    | CRUSHER, ROCK, SECONDARY, 75 TPH, CONE<br>TYPE, SEMITRAILER MOUNTED, WITH DED<br>GENERATOR FOR ELECTRIC POWER SOURCE;<br>CRUSHER IS USED WITH EC 2200-02, ONE<br>EACH AND 2610-11, 5 EACH  | XH6B               | 319,027          | 323,972                             | 08                    | T                  | A<br>A<br>A<br>A<br>A                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 220011    | CRUSHER, ROCK, 75 TPH, JAW CRUSHER AND<br>ROLL CRUSHER MOUNTED ON A SINGLE TRAILER<br>OR SEMITRAILER WITH CONVERTOR DOLLY,<br>DED  | XH6B               | 334,652          | 339,839                             | 08                    | T                  | A<br>A<br>A<br>A           |
| 221000    | WASHING AND SCREENING PLANT, AGGREGATE<br>(NONSTANDARD)  | XH6B               | 296,000          | 300,588                             | 06                    | T                  | A<br>A                     |
| 221001    | WASHER AND SCREENER, AGGREGATE, 75 TPH,<br>PORTABLE, SEMITRAILER MOUNTED, DOLLY<br>RECIPROCATING FEEDER, GRIZZLY THREE DECK<br>VUBRATING SCREEN NLT 4 FT X 10 FT,<br>SCRUBBER DRUM NLT 4 FT DIAMETER AND 8 FT<br>LENGTH, WATER SYSTEM, DED   | XH6B               | 223,101          | 226,559                             | 06                    | T                  | A<br>A<br>A<br>A<br>A<br>A |
| 222000    | FEEDER, AGGREGATE, MAY BE EQUIPPED WITH<br>A VIBRATING GRIZZLY, GRIZZLY SCALPER<br>OR WOBBLER FEEDER   | XH6B               | 45,210           | 45,911                              | 06                    | T                  | A<br>A<br>A                |
| 230000    | PAVER, ASPHALT, DED OR GED (NONSTANDARD)   | XH6B               | 139,000          | 141,155                             | 08                    | T                  | A                          |
| 230001    | PAVER, ASPHALT, 10 - 16 FT PAVING WIDTH,<br>NLT 4-1/2 CU YD HOPPER, EXTENDABLE<br>SCREED, TRACK TYPE, DED, HYDROSTAT-<br>ICALLY DRIVEN, 0 - 200 FT PER MINUTE  | XH6B               | 238,545          | 242,242                             | 08                    | T                  | A<br>A<br>A<br>A           |
| 241000    | MIXER, ASPHALT, CONTINUOUS FLOW 100 -<br>300 TPH (NONSTANDARD)   | XH6B               | 1,467,0          | 1,489,810                           | 08                    | T                  | A<br>A                     |
| 241012    | MIXER, ASPHALT, 70 TPH CONTINUOUS<br>PRODUCTION DRUM TYPE WITH RECYCLING<br>CAPABILITY, ASPHALT PIPING SYSTEM, BAG<br>HOUSE, CONTROL HOUSE, BINS, CONVEYORS,<br>HOT ELEVATOR, SURGE SILO, DED GENERATOR<br>POWER SUPPLY, SEMITRAILER MOUNTED | XH6B               | 552,017          | 560,573                             | 08                    | T                  | A<br>A<br>A<br>A<br>A<br>A |
| 241700    | MIXER, ROTARY SOIL STABILIZER,<br>SELF-PROPELLED/TOWED (NONSTANDARD)   | XH6B               | 90,000           | 91,395                              | 08                    | T                  | A<br>A                     |
| 241701    | MIXER, ROTARY, SOIL STABILIZER, SELF<br>PROPELLED, HYDROSTATICALLY DRIVEN,<br>MIXING WIDTH NLT 76 IN, MIXING DEPTH<br>0 TO 10-1/2 IN, DED, ADDITIVE PUMP<br>AND SPRAY BAR  | XH6B               | 83,949           | 85,250                              | 08                    | T                  | A<br>A<br>A<br>A           |
| 242000    | MIXER, CONCRETE, TRUCK MOUNTED<br>(NONSTANDARD)  | XH6B               | 107,911          | 109,584                             | 06                    | S                  | S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 242011    | MIXER, CONCRETE, 6X4, DED, 8 CU YD,<br>TRUCK MOUNTED, NLT 62,000 LB GVW,<br>EQUIPPED WITH CHARGING HOPPER,<br>CHUTE, NLT 200 GAL WATER TANK, WIDE<br>BASE WHEELS AND TIRES<br>MIL-M-911  | XH6B               | 102,210          | 103,794                             | 06                    | S                  | N<br>N<br>N<br>N<br>N<br>N |
| 242500    | MIXER, CONCRETE, MOBILE, TRUCK OR<br>TRAILER MOUNTED (NONSTANDARD)   | XH6B               | 75,000           | 76,163                              | 10                    | S                  | A<br>A                     |
| 242501    | MIXER, CONCRETE, MOBILE, 6 CU METERS<br>(7.8 CU YDS) MATERIAL CAPACITY,<br>SEMITRAILER MOUNTED, DED, SAND BIN,<br>STONE BIN, CEMENT BIN, AND WATER TANK<br>DOD-P-28682   | XH6B               | 78,251           | 79,464                              | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 242504    | MIXER, CONCRETE, MOBILE, 4 CU METERS<br>MATERIAL CAPACITY, VOLUMETIC<br>PROPORTIONING AND CONTINUOUS MIXING,<br>23 CU METERS PER HOUR PRODUCTION RATE,<br>SEMITRAILER MOUNTER, DED, SAND BIN,<br>STONE BIN, CEMENT BIN, AND WATER TANK | XH6B               | 65,829           | 66,849                              | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 243300    | MIXER, CONCRETE, PORTABLE, 11 CU FT, GED<br>(NONSTANDARD)  | XH6B               | 17,000           | 17,264                              | 08                    | S                  | I<br>I                     |
| 243301    | MIXER, CONCRETE, 11 CU FT, PORTABLE<br>WHEEL MOUNTED, DED, END DELIVERY, AIR<br>TRANSPORTABLE<br>MIL-M-686, SIZE 11S, STYLE 2E   | XH6B               | 24,215           | 24,590                              | 08                    | S                  | A<br>A<br>A<br>A           |
| 243400    | MIXER, CONCRETE, PORTABLE, 16 CU FT<br>(NONSTANDARD)   | XH6B               | 23,000           | 23,357                              | 08                    | T                  | I<br>I                     |
| 246202    | SPRAYER, CONCRETE, PORTABLE, 4 CU YD,<br>DED, WHEEL MOUNTED, WITH HOSES AND<br>NOZZLES   | XH6B               | 53,315           | 54,141                              | 06                    | T                  | A<br>A<br>A                |
| 247000    | SAW, CONCRETE, HYDROSTATICALLY DRIVEN,<br>DED OR GED (NONSTANDARD)   | XH6B               | 10,000           | 10,155                              | 04                    | T                  | I<br>I                     |
| 247002    | SAW, CONCRETE, DED, SELF-PROPELLED,<br>ABRASIVE DISC, 24 IN BLADE CAPACITY,<br>COOLANT PUMP, 9 IN CUTTING DEPTH,<br>HYDROSTATICALLY DRIVEN, 0 - 200 FT PER<br>MINUTE   | XH6B               | 10,911           | 11,080                              | 04                    | T                  | A<br>A<br>A<br>A<br>A      |
| 252000    | DISTRIBUTOR, ASPHALT, TRUCK OR TRAILER<br>MOUNTED (NONSTANDARD)  | XG9B               | 81,000           | 82,256                              | 08                    | T                  | A<br>A                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 252011    | DISTRIBUTOR, ASPHALT, 2,000 GAL, 4 FT TO 24 FT SPRAYING WIDTH, TRUCK MOUNTED, 6X4, WIDE BASE WHEELS AND TIRES, DED, HYDROSTATICALLY DRIVEN 375 GPM ASPHALT PUMP CAPABLE OF PUMPING AND DISTRIBUTING ASPHALT, CUTBACK ASPHALT, EMULSIFIED ASPHALT AND TAR MIL-D-575, TYPE I                   | XG9B               | 92,455           | 93,888                              | 08                    | T                  | I<br>I<br>I<br>I<br>I<br>I<br>I      |
| 252012    | DISTRIBUTOR, ASPHALT, 2,000 GAL, 4 FT TO 24 FT SPRAYING WIDTH, TRUCK MOUNTED, 6X6, WIDE BASE WHEELS AND TIRES, DED, HYDROSTATICALLY DRIVEN 375 GPM ASPHALT PUMP CAPABLE OF PUMPING AND DISTRIBUTING ASPHALT, CUT BACK ASPHALT, EMULSFIED ASPHALT AND TAR                                     | XG9B               | 140,902          | 143,086                             | 08                    | T                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 252021    |  | XG9B               | 132,000          | 134,046                             | 08                    | T                  | I                                    |
| 252061    | DISTRIBUTOR, ASPHALT, 2000 GAL, MTRV   | XG9B               | 227,514          | 231,040                             | 08                    | Y                  | A                                    |
| 252105    | DISTRIBUTOR, WATER, 2,000 GAL, TRUCK MOUNTED, 6X6, DED, WIDE BASE WHEELS AND TIRES, COMMERCIAL CHASSIS, HYDROSTATICALLY DRIVEN 465 GPM WATER PUMP, 2 SPRAY HEADS FRONT, 2 SPRAY HEADS REAR, EACH SPRAY HEAD INDIVIDUALLY CONTROLLED, AIR TRANSPORTABLE C-130                                 | XG9B               | 121,927          | 123,817                             | 10                    | T                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 252161    | DISTRIBUTOR, WATER, MTRV   | XG9B               | 227,514          | 231,040                             | 10                    | T                  | A                                    |
| 252200    | DISTRIBUTOR, ASPHALT, TRUCK OR TRAILER MOUNTED (NONSTANDARD)   | XH6B               | 81,000           | 82,256                              | 08                    | T                  | S<br>S                               |
| 252322    | DISTRIBUTOR, WATER, MINIMUM 7,000 GAL, OFF-HIGHWAY, WHEEL MOUNTED, ATTACHED TO 2 WHEEL TRACTOR, DED, HYDRAULICALLY DRIVEN WATER PUMP WITH FLOW RATE OF 1,200/1,800 GPM, 2 SPRAY HEADS ON FRONT OF DISTRIBUTOR, 2 SPRAY HEADS ON REAR OF DISTRIBUTOR, EACH SPRAY HEAD INDIVIDUALLY CONTROLLED | XH6B               | 385,690          | 391,668                             | 10                    | T                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 254001    | SPREADER, CHIP, AGGREGATE, 12 FT SPREADING WIDTH, 1 CU YD HOPPER, TOWED, TRACTION POWERED, TRANSPORT ASSEMBLY  | XH6B               | 12,709           | 12,906                              | 10                    | T                  | A<br>A<br>A                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 261000    | CONVEYER, AGGREGATE, PORTABLE, WITH<br>HOPPER, DED, MAY BE EQUIPPED WITH A<br>GRIZZLY, VIBRATING GRIZZLY, VIBRATING<br>SCREEN OR PLATE FEEDER, BELT WIDTH<br>24 IN - 40 IN, BELT LENGTH 50 FT - 85<br>FT, CAPACITY DEPENDENT ON CONFIGURATION,<br>UP TO 200 TPH | XH6B               | 45,000           | 45,698                              | 10                    | T                  | A<br>A<br>A<br>A<br>A<br>A |
| 261001    | CONVEYOR, BELT, PORTABLE, WHEEL<br>DED, 24 IN X 60 FT, 260 FT PER MINUTE,<br>300 TPH, HYDRAULIC HEIGHT ADJUSTMENT   | XH6B               | 29,238           | 29,691                              | 10                    | T                  | A<br>A<br>A                |
| 261011    | CONVEYOR, BELT, PORTABLE, WHEEL<br>EMD, 230/460 VOLTS, 3 PHASE, 60 HERTZ,<br>24 IN X 60 FT, 260 FT PER MINUTE, 300<br>TPH, HYDRAULIC HEIGHT ADJUSTMENT.<br>CONVEYOR REQUIRED FOR USE WITH EC<br>2200-02, 2200-03  | XH6B               | 22,571           | 22,921                              | 10                    | T                  | A<br>A<br>A<br>A<br>A<br>A |
| 274000    | KETTLE, HEATING BITUMEN SKID/WHEEL<br>MOUNTED (NONSTANDARD)   | XH6B               | 13,000           | 13,202                              | 08                    | T                  | A<br>A                     |
| 274002    | KETTLE, HEATING, BITUMEN, HAND-HELD<br>SPRAY BAR, BOTTOM FIRED, 165 GAL,<br>DED, WHEEL MOUNTED, LIGHT FUEL OIL OR<br>KEROSENE BURNER  | XH6B               | 14,000           | 14,217                              | 08                    | T                  | I<br>I<br>I<br>I           |
| 274003    | KETTLE, HEATING, BITUMEN, ROOFING<br>MATERIAL TUBE-FIRED, 350 GAL, DED,<br>WHEEL MOUNTED 35 GPM SUBMERGED PUMP<br>CAPABLE OF PUMPING MATERIAL TO A HEIGHT<br>OF 75 FT   | XH6B               | 8,797            | 8,933                               | 08                    | T                  | A<br>A<br>A<br>A<br>A      |
| 276011    | KETTLE, HEATING, RUBBERIZED JOINT<br>SEALER, 120 GAL CAPACITY, DED, KEROSENE<br>OR LIGHT OIL USED FOR BURNER FUEL,<br>HEATING RATE OF 60 GPH  | XH6B               | 17,000           | 17,264                              | 06                    | T                  | I<br>I<br>I<br>I           |
| 284000    | GROUTER, MUD JACK, WHEEL MOUNTED, DED,<br>SIZE 1: 45 CU FT PER HOUR,<br>SIZE 2: 220 CU FT PER HOUR  | XH6B               | 41,000           | 41,636                              | 06                    | T                  | I<br>I<br>I<br>I           |
| 311000    | COMPRESSOR, AIR, 125 CFM, SKID MOUNTED,<br>PORTABLE (NONSTANDARD)   | XH6B               | 10,000           | 10,155                              | 06                    | S                  | S<br>S                     |
| 311001    | COMPRESSOR, AIR, 125 CFM AT 100 PSIG,<br>DED, WHEEL MOUNTED, FIXED TONGUE WITH<br>LUNETTE HITCH<br>XX-C-2812, CLASS A, SIZE 125   | XH6B               | 9,789            | 9,941                               | 06                    | S                  | N<br>N<br>N<br>N           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 313500    | COMPRESSOR, AIR, 250 CFM, SKID MOUNTED,<br>PORTABLE (NONSTANDARD)   | XH6B               | 16,000           | 16,248                              | 08                    | S                  | S<br>S                               |
| 313502    | COMPRESSOR, AIR 250 CFM AT 100 PSIG,<br>DED, WHEEL MOUNTED, FIXED TONGUE WITH<br>LUNETTE HITCH<br>XX-C-2812, CLASS A, SIZE 250  | XH6B               | 16,280           | 16,532                              | 08                    | S                  | N<br>N<br>N<br>N                     |
| 315500    | COMPRESSOR, AIR, 365 CFM, SKID MOUNTED,<br>PORTABLE (NONSTANDARD)   | XH6B               | 21,000           | 21,326                              | 08                    | S                  | S<br>S                               |
| 315511    | COMPRESSOR, AIR, 365 CFM AT 100 PSIG,<br>DED, WHEEL MOUNTED, FIXED TONGUE WITH<br>LUNETTE HITCH<br>XX-C-2812, CLASS A, SIZE 365   | XH6B               | 20,483           | 20,800                              | 08                    | S                  | N<br>N<br>N<br>N                     |
| 316500    | COMPRESSOR, AIR, 600 CFM AND OVER,<br>SKID MOUNTED, PORTABLE (NONSTANDARD)  | XH6B               | 29,797           | 30,259                              | 08                    | S                  | S<br>S                               |
| 316502    | COMPRESSOR, AIR, 750 CFM AT 100 PSIG,<br>DED, WHEEL MOUNTED, FIXED TONGUE WITH<br>LUNETTE HITCH<br>XX-C-2812, CLASS A, SIZE 750   | XH6B               | 38,880           | 39,483                              | 08                    | S                  | N<br>N<br>N<br>N                     |
| 316511    | COMPRESSOR, AIR, HIGH PRESSURE, 750 CFM<br>AT 300 PSIG, DED, WHEEL MOUNTED, FIXED<br>TONGUE WITH LUNETTE HITCH, COMPRESSOR<br>REQUIRED TO SUPPORT WATER WELL DRILLS,<br>EC 3720-02 AND 3720-03  | XH6B               | 72,387           | 73,509                              | 08                    | S                  | A<br>A<br>A<br>A<br>A                |
| 353200    | DRILL, ROCK, PNEUMATIC DRIFTER, TRACK<br>MOUNTED, SELF-PROPELLED BY AIR-OPERATED<br>TRAMMING MOTORS, 3-1/2 IN DIAMETER BY<br>30 FT DEPTH DRILLING CAPACITY, WITH DUST<br>SUPPRESSION SYSTEM<br>NOTE: A 750 CFM AT 100 PSIG AIR COM-<br>PRESSOR (EC 3165-02) IS REQUIRED FOR<br>DRILLING AND TRAMMING OPERATIONS     | XH6B               | 75,000           | 76,163                              | 06                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 353201    | DRILL, ROCK, PNEUMATIC DRIFTER, TRACK-<br>MOUNTED, SELF-PROPELLED BY AIR-OPERATED<br>TRAMMING MOTORS, 3 1/2 INCH DIAMETER BY<br>30 FT DEPTH DRILLING CAPACITY, WITH DUST<br>SUPPRESSION SYSTEM<br>NOTE: A 750 CFM AT 100 PSIG AIR COM-<br>PRESSOR (ECC 3165-02) IS REQUIRED FOR<br>DRILLING AND TRAMMING OPERATIONS | XH6B               | 75,000           | 76,163                              | 06                    | S                  | I<br>I<br>I<br>I<br>I<br>I<br>I<br>I |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 353202    | DRILL, ROCK, HYDRAULICALLY ACTIVATED<br>DRIFTER, TRACK MOUNTED, DED, SELF<br>CONTAINED WITH ONBOARD AIR COMPRESSOR,<br>3-1/2 IN DIAMETER X 30 FT DRILLING DEPTH<br>CAPACITY                      | XH6B               | 200,340          | 203,445                             | 06                    | S                  | A<br>A<br>A<br>A<br>A |
| 363000    | HAMMER/EXTRACTOR, PILE, DIESEL/AIR<br>POWERED WITH LEADS (NONSTANDARD)   | XH6B               | 96,000           | 97,488                              | 10                    | T                  | S<br>S                |
| 363011    | HAMMER, PILE, SELF-POWERED, DIESEL,<br>22,400 FT-LBS, WITH BOX LEADS, ADAPTER<br>PLATES, DRIVE CAPS, FILLERS, WITH<br>MECHANICAL BOTTOM-BRACE<br>MIL-H-21103, TYPE I, SIZE C                     | XH6B               | 134,238          | 136,319                             | 10                    | T                  | S<br>S<br>S<br>S<br>S |
| 363012    | HAMMER, PILE, SELF-POWERED, DIESEL,<br>22,400 FT-LBS, WITHOUT LEADS, WITH<br>ADAPTER PLATES, DRIVE CAPS, FILLERS,<br>USED WITH BELL LEADS<br>MIL-H-21103, TYPE I, SIZE C                         | XH6B               | 63,318           | 64,299                              | 10                    | T                  | N<br>N<br>N<br>N<br>N |
| 363032    | HAMMER, PILE, SELF-POWERED, DIESEL,<br>16,000 FT-LBS, BOX LEADS, ADAPTER<br>PLATES, DRIVE CAPS, FILLERS, WITH<br>MECHANICAL BOTTOM BRACE<br>MIL-H-21103, TYPE I, SIZE B                          | XH6B               | 111,217          | 112,941                             | 10                    | T                  | N<br>N<br>N<br>N<br>N |
| 363501    | EXTRACTOR, PILE, PNEUMATICALLY<br>100 TONS LINE PULL CAPACITY, EXTRACTOR<br>REQUIRES EC 3165-02 AIR COMPRESSOR FOR<br>PILE EXTRACTING OPERATIONS<br>MIL-P-29228                                  | XH6B               | 33,163           | 33,677                              | 10                    | T                  | A<br>A<br>A<br>A<br>A |
| 371000    | AUGER, EARTH, SKID, WHEEL, OR TRUCK<br>MOUNTED (NONSTANDARD)   | XG9B               | 141,000          | 143,186                             | 08                    | S                  | I<br>I                |
| 371001    | AUGER, EARTH, TURNTABLE BASE MOUNTED,<br>10 FT DEPTH CAPACITY, DED, WITH 9, 12,<br>16, 24 IN BITS, POLE SETTING ATTACHMENT,<br>WINCH, AND WIRE REEL, DESIGNED FOR<br>MOUNTING ON A TRUCK CHASSIS | XG9B               | 94,000           | 95,457                              | 08                    | S                  | I<br>I<br>I<br>I<br>I |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                          |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--|
| 371002    | AUGER, EARTH, TRUCK MOUNTED WITH<br>TURNABLE BASE, DED, HYDRAULIC,<br>WITH HYDROSTATIC DRIVE, 10 FT DEPTH<br>BORING CAPACITY, WITH ONE EACH 8 IN,<br>12 IN, 18 IN, AND 24 IN AUGER BITS, WITH<br>POLE-SETTING ATTACHMENT, WINCH, AND<br>COLLAPSIBLE WIRE REEL, 4X4, DED WIDE<br>BASE WHEELS AND TIRES  | XG9B               | 146,564          | 148,836                             | 08                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A                |
| 371061    | AUGER, EARTH, TRUCK MOUNTED, MTRV  | XG9B               | 227,514          | 231,040                             | 08                    | S                  | A  |
| 372000    | DRILL, WELL WATER, ROTARY/ PERCUSSION<br>(NONSTANDARD)   | XG9B               | 306,000          | 310,743                             | 07                    | S                  | I<br>I   |
| 372002    | DRILL, WELL, WATER, ROTARY/PERCUSSION,<br>1,500 FT CAPACITY, 6 AND 12 IN ROTARY<br>BITS USED WITH DRILLING MUD, 6 IN<br>PERCUSSION BIT USED WITH DOWNHOLE<br>HAMMER, COLLATERAL EQUIPMENT TO DRILL TO<br>1,500 FT, DED, 4X4, SELF-PROPELLED, LOW<br>SPEED, ISO/AIR TRANSPORTABLE WELL DRILL<br>(ITWD), REQUIRES A HIGH PRESSURE AIR<br>COMPRESSOR EC 3165-11 TO OPERATE DOWN-<br>HOLE HAMMER TO A MAXIMUM DEPTH OF<br>1,500 FT   | XG9B               | 495,701          | 503,384                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 372003    | DRILL, WELL, WATER, ROTARY/PERCUSSION,<br>1,500 FT CAPACITY, 6 AND 12 IN ROTARY<br>BITS USED WITH DRILLING MUD, 6 IN<br>PERCUSSION BIT USED WITH DOWNHOLE<br>HAMMER, COLLATERAL EQUIPMENT TO DRILL<br>TO 1,500 FT, DED, 6X6, TRUCK MOUNTED,<br>LOW PROFILE CAB, CAB FORWARD OF AXLE,<br>AIR TRANSPORTABLE, REQUIRES A HIGH<br>PRESSURE AIR COMPRESSOR EC 3165-11 TO<br>OPERATE DOWNHOLE HAMMER TO A MAXIMUM<br>DEPTH OF 1,500 FT | XG9B               | 398,127          | 404,298                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 372051    | DRILL SUPPORT VEHICLE, 1,000 GAL<br>WATERBED, 200 GAL AUX FUEL TANK<br>W/TRANSFER PUMP, STORAGE CABINETS FOR<br>OXYGEN/ACETYLENE TANKS, TOOL BOXES,<br>WATER PUMP, 225 AMP AC/DC WELDER/<br>GENERATOR 4.5KW, FMTV M1086 CHASSIS,<br>6X6, DED<br>PD 3820-0002   | XG9B               | 164,019          | 166,561                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 372061    | WELL DRILL SUPPORT VEHICLE, MTVR  | XG9B               | 210,000          | 213,255                             | 07                    | S                  | A                                    |
| 372161    | TRUCK, WELL DRILL SUPPORT, MTVR, AIR<br>TRANSPORTABLE   | XG9B               | 215,000          | 218,333                             | 07                    | S                  | A<br>A                               |
| 423000    | CRANE, CRAWLER MOUNTED, DED, 7 - 20 TON<br>(NONSTANDARD)<br>MIL-C-15467, SIZE 1   | XH6C               | 182,000          | 184,821                             | 10                    | S                  | S<br>S<br>S                          |
| 423001    | CRANE, CRAWLER MOUNTED, DED, 17 TON<br>RATED LIFT CAPACITY, 40 FT BOOM,<br>AUXILIARY DRUM FOR PILE DRIVING, PILE<br>DRIVER LEAD ADAPTERS, HOOK BLOCK, SWIVEL<br>AND HOOK, 3/4 YD CLAM BUCKET WITH<br>LAGGING, TAGLINE, 3/4 YD DRAGLINE BUCKET<br>WITH LAGGING AND FAIRLEADS, FLOODLIGHTS<br>MIL-C-15467, SIZE 1 | XH6C               | 177,499          | 180,250                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 424000    | CRANE, CRAWLER MOUNTED, DED, 21 - 30 TON<br>(NONSTANDARD)<br>MIL-C-15467, SIZE 2  | XH6C               | 225,793          | 229,293                             | 10                    | S                  | S<br>S<br>S                          |
| 425000    | CRANE, CRAWLER MOUNTED, DED, 31 - 40 TON<br>(NONSTANDARD)<br>MIL-C-15467, SIZE 3  | XH6C               | 274,275          | 278,526                             | 10                    | S                  | S<br>S<br>S                          |
| 425011    | CRANE, CRAWLER MOUNTED, DED, 40 TON<br>RATED LIFT CAPACITY, 50 FT BOOM, HOOK<br>BLOCK, SWIVEL AND HOOK, PILE DRIVER<br>LEAD ADAPTERS, AUXILIARY DRUM,<br>CLAM BUCKET WITH LAGGING, DRAGLINE<br>BUCKET WITH LAGGING AND FAIRLEADS<br>MIL-C-15467, SIZE 3   | XH6C               | 270,000          | 274,185                             | 10                    | S                  | I<br>I<br>I<br>I<br>I<br>I<br>I      |
| 426000    | CRANE, CRAWLER MOUNTED, DED, 41 - 60 TON<br>(NONSTANDARD)<br>MIL-C-15467, SIZE 4  | XH6C               | 322,126          | 327,119                             | 12                    | S                  | S<br>S<br>S                          |
| 426001    | CRANE, CRAWLER MOUNTED, DED, 60 TON<br>CAPACITY, 70 FT BOOM, AUXILIARY DRUM FOR<br>PILE DRIVING, PILE DRIVER LEAD ADAPTER,<br>DRUM LAGGINGS FOR DRAGLINE OPERATIONS,<br>DRAGLINES FAIRLEADS, HOOK BLOCK, SWIVEL<br>AND HOOK, FLOODLIGHTS  | XH6C               | 282,561          | 286,941                             | 12                    | S                  | A<br>A<br>A<br>A<br>A<br>A           |
| 427000    | CRANE, CRAWLER MOUNTED, DED, 61 - 75 TON<br>(NONSTANDARD)<br>MIL-C-15467, SIZE 5  | XH6C               | 316,000          | 320,898                             | 12                    | S                  | S<br>S<br>S                          |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 431000    | DITCHING, MACHINE, LADDER/WHEEL<br>CRAWLER MOUNTED (NONSTANDARD)<br>MIL-D-633  | XH6A               | 87,842           | 89,204                              | 07                    | S                  | S<br>S<br>S                     |
| 431001    | DITCHING MACHINE, LADDER TYPE, CRAWLER<br>MOUNTED, DED, HYDRAULIC OPERATED DIGGING<br>BOOM BUCKET LINE, SIDE DISCHARGE BELT,<br>CONVEYOR AND POWER PLANT, SELF-CLEAN<br>DESIGN BUCKET WITH TEETH FOR DIGGING IN<br>CORAL, HARD PAN OR FROZEN GROUND<br>MIL-D-633 | XH6A               | 118,442          | 120,278                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 431002    | DITCHING MACHINE, WHEEL TYPE TRENCHER,<br>CRAWLER MOUNTED, DED, 16 - 24 IN<br>ADJUSTABLE TRENCH WIDTH, 6 FT DIGGING<br>DEPTH<br>MIL-D-29227  | XH6A               | 169,811          | 172,443                             | 07                    | S                  | A<br>A<br>A<br>A<br>A           |
| 431011    | DITCHING MACHINE, WHEEL MOUNTED, DED,<br>LADDER TYPE WITH ADJUSTABLE DIGGING<br>WIDTH OF 6 - 16 IN<br>MIL-D-28561, SIZE B  | XH6A               | 27,166           | 27,587                              | 07                    | S                  | N<br>N<br>N<br>N                |
| 433000    | EXCAVATOR, MULTIPURPOSE, TRUCK<br>DED, TELESCOPING BOOM (NONSTANDARD)<br>MIL-E-29249   | XH6A               | 153,000          | 155,372                             | 10                    | S                  | S<br>S<br>S                     |
| 433001    | EXCAVATOR, MULTIPURPOSE, TRUCK<br>DED, 6X6, REMOTE TRUCK CONTROL, 23 FT<br>TELESCOPING BOOM, 6 FT BOOM EXTENSION,<br>21 IN TRENCHING BUCKET, 72 IN DREDGING<br>BUCKET, 8 FT GRADING BLADE, 40 - 48 IN<br>PAVEMENT BUCKET<br>MIL-E-22901, SIZE 2, CLASS C         | XH6A               | 173,000          | 175,682                             | 10                    | S                  | I<br>I<br>I<br>I<br>I<br>I<br>I |
| 433002    | EXCAVATOR, MULTIPURPOSE, TRUCK<br>6X4, DED, 8 FT GRADING BLADE, 21 IN<br>TRENCHING BUCKET, 72 IN DREDGING<br>BUCKET, RIPPER TOOTH<br>MIL-E-22901, SIZE 2, CLASS B  | XH6A               | 147,587          | 149,875                             | 10                    | S                  | S<br>S<br>S<br>S<br>S           |
| 434000    | EXCAVATOR, WHEEL MOUNTED, HYDRAULIC<br>OPERATED (NONSTANDARD)<br>MIL-E-29249   | XH6A               | 128,000          | 129,984                             | 10                    | S                  | I<br>I<br>I                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 434001    | EXCAVATOR, WHEEL MOUNTED, DED,<br>OPERATED, REVOLVING UPPER STRUCTURE,<br>BACKHOE TYPE BOOM, QUICK DISCONNECT, 36<br>AND 48 IN BUCKETS, PAVEMENT BREAKER,<br>VIBRATORY COMPACTOR, DOZER BLADE,<br>OUTRIGGERS, ROAD AND WORK LIGHTS<br>MIL-E-29249                      | XH6A               | 127,166          | 129,137                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 435001    | EXCAVATOR, CRAWLER MOUNTED, DED,<br>HYDRAULIC OPERATED, REVOLVING UPPER-<br>STRUCTURE, BACKHOE TYPE BOOM, 36 AND 48<br>IN GENERAL PURPOSE BUCKETS, QUICK<br>DISCONNECT, PAVEMENT BREAKER, FRONT,<br>REAR, AND BOOM MOUNTED WORK LIGHTS<br>MIL-E-29239, TYPE II, SIZE 3 | XH6A               | 113,748          | 115,511                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 442000    | GRADER, ROAD, MOTORIZED, WHEEL MOUNTED,<br>DED (NONSTANDARD)<br>00-G-630   | XH6A               | 89,050           | 90,430                              | 08                    | S                  | S<br>S<br>S                     |
| 442001    | GRADER, ROAD, MOTORIZED, 6X4, DED,<br>12 FT BLADE, SCARIFIER, FRONT<br>WHEEL STEER, ARTICULATED FRAME<br>00-G-630, TYPE III, SIZE 4  | XH6A               | 97,686           | 99,200                              | 08                    | S                  | N<br>N<br>N<br>N                |
| 442021    | GRADER, ROAD, MOTORIZED, 6X4, DED,<br>12 FT BLADE, SCARIFIER, FRONT<br>WHEEL STEER ARTICULATED FRAME,<br>REMOVABLE OPEN ROPS CANOPY  | XH6A               | 165,037          | 167,595                             | 08                    | S                  | A<br>A<br>A<br>A                |
| 453000    | LOADER, SCOOP, TRACK TYPE, MULTIPURPOSE<br>BUCKET/DOZER (NONSTANDARD)<br>KKK-L-1086  | XH6A               | 82,000           | 83,271                              | 07                    | S                  | S<br>S<br>S<br>S                |
| 453001    | LOADER, SCOOP, TRACK TYPE, DED, 1-3/4<br>CU YD MULTIPURPOSE BUCKET WITH TEETH,<br>HYDRAULIC DRIVE WITH DRAWBAR<br>KKK-L-1086   | XH6A               | 70,501           | 71,594                              | 07                    | S                  | S<br>S<br>S<br>S                |
| 453022    | LOADER, SCOOP, TRACK TYPE, DED, 2-1/2<br>CU YD MULTIPURPOSE BUCKET WITH TEETH,<br>REAR MOUNTED BACKHOE, HYDRAULIC DRIVE,<br>ENCLOSED CAB<br>KKK-L-1086   | XH6A               | 102,933          | 104,528                             | 07                    | S                  | A<br>A<br>A<br>A<br>A           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                     |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---|
| 453031    | LOADER, SCOOP, TRACK TYPE, DED, 2-1/2<br>CU YD MULTIPURPOSE BUCKET WITH TEETH,<br>REAR TOW BAR, HYDRAULIC DRIVE, ENCLOSED<br>CAB, LIFT AND TIEDOWN ATTACHMENTS<br>KKK-L-1086, SIZE L 2-1/2  | XH6A               | 87,053           | 88,402                              | 07                    | S                  | A<br>A<br>A<br>A<br>A                     |
| 453041    | LOADER, SCOOP, TRACK TYPE, DED, 2-1/2<br>CU YD MULTIPURPOSE BUCKET, 140 HP,<br>REAR TOW BAR, HYDRAULIC DRIVE,<br>OPEN ROPS CANOPY   | XH6A               | 195,433          | 198,462                             | 07                    | S                  | A<br>A<br>A<br>A                          |
| 453100    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4<br>ARTICULATED, 2 - 5 CU YD, SPECIFY<br>ACCESSORIES (NONSTANDARD)<br>KKK-L-1542C   | XH6A               | 175,465          | 178,185                             | 07                    | S                  | S<br>S<br>S<br>S                          |
| 453109    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 100 HP MIN,<br>2 CU YD MULTIPURPOSE BUCKET, QUICK<br>DISCONNECT COUPLER, FRONT MOUNTED<br>BACKHOE WITH 18 IN BUCKET AND 12 FT<br>MINIMUM DEPTH, 48 IN/5,000 LB FORK<br>CAPACITY, EXTENDABLE BOOM. ENCLOSED<br>CAB, AIR TRANSPORTABLE C-130<br>KKK-L-1542 | XH6A               | 81,090           | 82,347                              | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453110    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 100 HP MIN,<br>2 CU YD MULTIPURPOSE BUCKET, QUICK<br>DISCONNECT COULPER, FRONT MOUNTED<br>BACKHOE WITH 18 IN BUCKET AND 12 FT<br>MINIMUM DEPTH, 48 IN/5,000 LB FORK<br>CAPACITY, EXTENDABLE BOOM, ROPS CANOPY,<br>AIR TRANSPORTABLE C-130<br>KKK-L-1542  | XH6A               | 165,268          | 167,830                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453115    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 85 HP MIN, 1.5 CU<br>YD GENERAL PURPOSE BUCKET, ENCLOSED<br>(TECH DATA SHEET REQUIRED)<br>KKK-L-1542   | XH6A               | 69,000           | 70,070                              | 07                    | S                  | S<br>S<br>S<br>S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 453120    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 125 HP MIN,<br>2-1/2 CU YD MULTIPURPOSE BUCKET,<br>QUICK DISCONNECT COUPLER,<br>6,000 LB FORK CAPACITY, ROPS CANOPY,<br>LIFT AND TIEDOWN ATTACHMENTS<br>KKK-L-1542C  | XH6A               | 76,031           | 77,209                              | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 453123    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 125 HP MIN,<br>2-1/2 CU YD MULTIPURPOSE BUCKET,<br>QUICK DISCONNECT COUPLER, 6,000 LB<br>FORK CAPACITY, ENCLOSED CAB,<br>LIFT AND TIEDOWN ATTACHMENTS<br>KKK-L-1542C   | XH6A               | 117,021          | 118,835                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A      |
| 453125    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 100 HP MIN, 2.5 CU<br>YD GENERAL PURPOSE BUCKET, ENCLOSED<br>(TECH DATA SHEET REQUIRED)<br>KKK-L-1542  | XH6A               | 89,000           | 90,380                              | 07                    | S                  | S<br>S<br>S<br>S<br>S                |
| 453130    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 125 HP MIN,<br>2-1/2 CU YD MULTIPURPOSE BUCKET, QUICK<br>DISCONNECT COUPLER, 6,000 LB FORK<br>CAPACITY, EXTENDABLE ARM BOOM, FRONT<br>MOUNTED BACKHOE WITH 24 IN BUCKET WITH<br>15 FT MINIMUM DEPTH, ROPS CANOPY, AIR<br>TRANSPORTABLE C-130<br>KKK-L-1542C  | XH6A               | 124,373          | 126,301                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453133    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 125 HP MIN,<br>2-1/2 CU YD MULTIPURPOSE BUCKET, QUICK<br>DISCONNECT COUPLER, 6,000 LB FORK<br>CAPACITY, EXTENDABLE ARM BOOM, FRONT<br>MOUNTED BACKHOE WITH 24 IN BUCKET WITH<br>15 FT MINIMUM DEPTH, ENCLOSED CAB, AIR<br>TRANSPORTABLE C-130<br>KKK-L-1542C | XH6A               | 146,559          | 148,831                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 453140    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 185 HP MIN,<br>4 CU YD GENERAL PURPOSE BUCKET WITH<br>TEETH, FRONT AND REAR WORK LITES,<br>ROPS CANOPY, LIFT AND TIEDOWN<br>ATTACHMENTS<br>KKK-L-1542C  | XH6A               | 153,553          | 155,933                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453142    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 185 HP MIN,<br>4 CU YD GENERAL PURPOSE BUCKET WITH<br>TEETH, FRONT AND REAR WORK LITES,<br>ENCLOSED CAB, LIFT AND TIEDOWN<br>ATTACHMENTS<br>KKK-L-1542C | XH6A               | 121,185          | 123,063                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453145    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 170 HP MIN, 4.0 CU<br>YD GENERAL PURPOSE BUCKET, ENCLOSED<br>(TECH DATA SHEET REQUIRED)<br>KKK-L-1542   | XH6A               | 137,600          | 139,733                             | 07                    | S                  | S<br>S<br>S<br>S<br>S           |
| 453150    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>ARTICULATED STEERING, 230 HP MIN, 5.0 CU<br>YD GENERAL PURPOSE BUCKET, ENCLOSED<br>(TECH DATA SHEET REQUIRED)<br>KKK-L-1542   | XH6A               | 174,000          | 176,697                             | 07                    | S                  | S<br>S<br>S<br>S<br>S           |
| 453152    | LOADER, SCOOP, WHEEL MOUNTED, DED, 4X4,<br>260 HP, ARTICULATED STEERING, 5 CU YD<br>GENERAL PURPOSE BUCKET WITH TEETH,<br>AND REAR WORK LIGHTS, ENCLOSED CAB, LIFT<br>AND TIEDOWN ATTACHMENTS<br>KKK-L-1542C             | XH6A               | 142,622          | 144,833                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 453200    | LOADER, SKID STEER (NONSTANDARD)   | XH6A               | 34,758           | 35,297                              | 07                    | S                  | S                               |
| 453211    | LOADER, SKID STEER, DED, 72HP MIN, 78 IN<br>DIRT BUCKET WITH TEETH, BACKHOE WITH 20<br>IN TRENCHING BUCKET, 48 IN PALLET FORKS,<br>7 FT ANGLE BLADE, TRENCHER, LIFTING AND<br>TIE DOWN DEVICES, AIR TRANSPORTABLE        | XH6A               | 33,500           | 34,019                              | 07                    | S                  | N<br>N<br>N<br>N<br>N           |
| 461500    | ROLLER, MOTORIZED, PRT (NONSTANDARD)<br>MIL-R-22870  | XH6A               | 40,000           | 40,620                              | 07                    | S                  | S<br>S                          |



| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 461501    | ROLLER, MOTORIZED, COMPACTOR, SELF-PROPELLED, NINE-WHEELED PRT, BALLAST CAVITIES<br>MIL-R-22870, TYPE II, CLASS 1   | XH6A               | 63,223           | 64,203                              | 07                    | S                  | N<br>N<br>N<br>N           |
| 462200    | ROLLER, MOTORIZED, DED, GRID/SEGMENTED, EMBANKMENT (NONSTANDARD)<br>MIL-C-28663   | XH6A               | 167,000          | 169,589                             | 12                    | S                  | I<br>I<br>I                |
| 462201    | ROLLER, MOTORIZED, COMPACTOR, DED, SELF-PROPELLED, TAMPING FOOT DRUMS, LEVELING BLADE, ENCLOSED CAB<br>MIL-C-28663, TYPE II   | XH6A               | 178,171          | 180,933                             | 12                    | S                  | A<br>A<br>A<br>A           |
| 462210    | ROLLER, MOTORIZED, COMPACTOR, DED, SELF-PROPELLED, TAMPING FOOT DRUMS, LEVELING BLADE, ROPS CANOPY<br>MIL-C-28663, TYPE II  | XH6A               | 196,113          | 199,153                             | 12                    | S                  | A<br>A<br>A<br>A           |
| 463001    | ROLLER, MOTORIZED, TANDEM, DOUBLE DRUM VIBRATORY, ASPHALT AND SOIL COMPACTION CAPABILITY<br>MIL-T-24005, TYPE II  | XH6A               | 32,972           | 33,483                              | 10                    | S                  | N<br>N<br>N<br>N           |
| 463500    | ROLLER, ROAD, VIBRATORY, SELF-PROPELLED (NONSTANDARD)<br>TYPE I - 2 AXLE WITH RETRACTABLE PNEU-MATIC TIRED WHEELS, 3 - 5 TON<br>TYPE II - 2 AXLE, 5 - 8 TON/8 - 12 TON<br>TYPE III - 3 AXLE, 13 - 18 TON<br>MIL-R-28567 | XH6A               | 58,000           | 58,899                              | 10                    | S                  | S<br>S<br>S<br>S<br>S<br>S |
| 463520    | ROLLER, MOTORIZED, VIBRATORY COMPACTOR, FRONT DRUM DRIVE, REAR WHEEL DRIVE, SMOOTH DRUM AND SHEEPS FOOT DRUM, FRONT AND REAR WORKING LITES, ROPS CANOPY, AIR TRANSPORTABLE C-130<br>MIL-R-28567                         | XH6A               | 103,794          | 105,403                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 463521    | ROLLER, MOTORIZED, SINGLE VIBRATORY DRUM, PRT, ARTICULATED STEERING, SOIL/ASPHALT COMPACTION<br>MIL-R-28567   | XH6A               | 66,644           | 67,677                              | 10                    | S                  | S<br>S<br>S<br>S           |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 463523    | ROLLER, MOTORIZED, VIBRATORY COMPACTOR,<br>FRONT DRUM DRIVE, REAR WHEEL DRIVE,<br>SMOOTH DRUM AND SHEEPS FOOT DRUM,<br>FRONT AND REAR WORKING LIGHTS, ENCLOSED<br>CAB, AIR TRANSPORTABLE C-130<br>MIL-R-28567 | XH6A               | 75,442           | 76,611                              | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A      |
| 463530    | ROLLER, MOTORIZED, ASPHALT, TANDEM DRUM,<br>DED, 8 - 12 TONS, ROPS CANOPY,<br>MIL-R-10550, TYPE II  | XH6A               | 63,167           | 64,146                              | 10                    | S                  | A<br>A<br>A                     |
| 463533    | ROLLER, MOTORIZED, ASPHALT, TANDEM DRUM,<br>DED, 8 - 12 TONS, ENCLOSED CAB<br>MIL-R-10550, TYPE II  | XH6A               | 46,508           | 47,229                              | 10                    | S                  | A<br>A<br>A                     |
| 475000    | SCRAPER, TRACTOR, DED, INTEGRALLY SELF-<br>PROPELLED, 1 - 2 ENGINE, 11 - 24 CU YD<br>(NONSTANDARD)<br>MIL-S-28632   | XH6A               | 270,000          | 274,185                             | 07                    | S                  | I<br>I<br>I<br>I                |
| 475003    | SCRAPER, TRACTOR, EARTHMOVING, DED,<br>4X2, SINGLE ENGINE, 11 CU YD HEAPED<br>CAPACITY, ENCLOSED CAB, LIFT AND<br>TIEDOWN ATTACHMENTS, AIR<br>C-130<br>MIL-S-28632  | XH6A               | 152,803          | 155,171                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A      |
| 475004    | SCRAPER, TRACTOR, EARTHMOVING, DED, 4X2,<br>14 - 20 CU YD MINIMUM STRUCK CAPACITY,<br>ENCLOSED CAB, LIFT AND TIEDOWN<br>ATTACHMENTS<br>MIL-S-28632  | XH6A               | 392,482          | 398,565                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A      |
| 475010    | SCRAPER, TRACTOR, EARTHMOVING, DED,<br>4X2, SINGLE ENGINE, 12 CU YD HEAPED<br>CAPACITY, ROPS CANOPY, LIFT AND<br>TIEDOWN ATTACHMENTS, AIR<br>C-130<br>MIL-S-28632   | XH6A               | 155,820          | 158,235                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 475020    | SCRAPER, TRACTOR, EARTHMOVING, DED, 4X2,<br>14 - 18 CU YD MINIMUM STRUCK CAPACITY,<br>ROPS CANOPY, LIFT AND TIEDOWN<br>ATTACHMENTS<br>MIL-S-28632   | XH6A               | 388,241          | 394,259                             | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A      |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 476000    | TRUCK, DUMP, OFF HIGHWAY, DED,<br>4X2/4X4/6X4, 15 - 50 TON, 9 - 30 CU YD<br>CAPACITY<br>MIL-T-3044   | XH6A               | 150,000          | 152,325                             | 08                    | S                  | I<br>I<br>I<br>I           |
| 476001    | TRUCK, DUMP, OFF HIGHWAY, 4X2, 20 TON<br>MIL-T-3044  | XH6A               | 149,213          | 151,526                             | 08                    | S                  | A<br>A                     |
| 482000    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>35 - 49 HP<br>KKK-T-631  | XH6A               | 41,000           | 41,636                              | 08                    | S                  | I<br>I<br>I                |
| 483000    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>105 HP (NONSTANDARD)<br>KKK-T-631, SIZE T-5  | XH6A               | 75,000           | 76,163                              | 10                    | S                  | S<br>S<br>S                |
| 483006    | TRACTOR, CRAWLER, TRACK TYPE, DED, 105<br>HP, STRAIGHT BLADE, HYDRAULIC OPERATED<br>WITH TILT AND PITCH, FIXED DRAWBAR, REAR<br>MOUNTED WINCH, HYDRAULIC DRIVE,<br>CAB, AIR TRANSPORTABLE C-130<br>KKK-T-631, SIZE T-5         | XH6A               | 105,536          | 107,172                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 483010    | TRACTOR, CRAWLER, TRACK TYPE, DED, 105<br>HP, STRAIGHT BLADE, HYDRAULIC OPERATED<br>WITH TILT AND PITCH, FIXED DRAWBAR, REAR<br>MOUNTED WINCH, HYDRAULIC DRIVE, ROPS<br>CANOPY, AIR TRANSPORTABLE C-130<br>KKK-T-631, SIZE T-5 | XH6A               | 144,830          | 147,075                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 484000    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-7, 140 HP MINIMUM (NONSTANDARD)<br>KKK-T-631, SIZE T-7   | XH6A               | 140,000          | 142,170                             | 10                    | S                  | S<br>S<br>S                |
| 484001    | TRACTOR, CRAWLER, FULL TRACKED, DED,<br>T-7, 140 HP, HYDRAULIC DRIVE, ANGLE<br>DOZER, DRAWBAR, FRONT PULL HOOKS,<br>FRONT AND REAR LIGHTS<br>KKK-T-631, SIZE T-7   | XH6A               | 118,086          | 119,916                             | 10                    | S                  | S<br>S<br>S<br>S<br>S      |
| 485000    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>195 HP MINIMUM (NONSTANDARD)<br>KKK-T-631, SIZE T-9  | XH6A               | 227,509          | 231,035                             | 10                    | S                  | S<br>S<br>S                |
| 485011    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-9, 195 HP, ANGLE BLADE, REAR MOUNTED<br>WINCH, HYDRAULIC DRIVE, REMOVABLE OPEN<br>ROPS CANOPY  | XH6A               | 187,370          | 190,274                             | 10                    | S                  | A<br>A<br>A<br>A           |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 485012    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-9, 195 HP, ANGLE BLADE, REAR MOUNTED<br>WINCH, HYDRAULIC DRIVE, ENCLOSED CAB<br>KKK-T-631, SIZE T-9  | XH6A               | 164,000          | 166,542                             | 10                    | S                  | I<br>I<br>I<br>I           |
| 485021    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-9, 195 HP, SEMI-U DOZER BLADE, REAR<br>MOUNTED RIPPER, HYDRAULIC DRIVE,<br>REMOVABLE OPEN ROPS CANOPY  | XH6A               | 186,035          | 188,919                             | 10                    | S                  | A<br>A<br>A<br>A           |
| 485022    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-9, 195 HP, SEMI-U-DOZER BLADE, REAR<br>MOUNTED RIPPER, ENCLOSED CAB<br>KKK-T-631, SIZE T-9   | XH6A               | 171,360          | 174,016                             | 10                    | S                  | I<br>I<br>I<br>I           |
| 485023    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-9, 195 HP, HYDRAULIC DRIVE,<br>HYDRAULIC TILT STRAIGHT DOZER BLADE<br>WITH BULLDOZING PUSH PAD, 60 IN WATER<br>FORDING CAPABILITY, ENCLOSED CAB<br>KKK-T-631, SIZE T-9 | XH6A               | 329,502          | 334,609                             | 10                    | S                  | A<br>A<br>A<br>A<br>A<br>A |
| 485100    | TRACTOR, CRAWLER, TRACK TYPE, DED,<br>T-11, 300 HP MINIMUM (NONSTANDARD)<br>KKK-T-631, SIZE T-11   | XH6A               | 406,860          | 413,166                             | 10                    | S                  | S<br>S<br>S                |
| 487400    | TRACTOR, WHEELED, INDUSTRIAL, PRT,<br><40 HP (NONSTANDARD)<br>KKK-T-642, SIZE IW 30  | XH6A               | 16,000           | 16,248                              | 06                    | U                  | I<br>I<br>I                |
| 487401    | TRACTOR, WHEELED, INDUSTRIAL, 4X2, DED,<br>30 HP, REAR LIVE PTO, 540 RPM, 3 POINT<br>HITCH, SWINGING DRAWBAR, POWER STEERING<br>KKK-T-642, SIZE IW 30  | XH6A               | 23,255           | 23,615                              | 06                    | U                  | A<br>A<br>A<br>A           |
| 487500    | TRACTOR, WHEELED, INDUSTRIAL, 50 - 70<br>HP (NONSTANDARD)<br>KKK-T-642, SIZE IW 40   | XH6A               | 89,104           | 90,485                              | 06                    | U                  | S<br>S<br>S                |
| 487501    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X2,<br>60 HP, REAR MOUNTED INDEPENDENT PTO,<br>3 POINT HITCH, SWINGING DRAWBAR, POWER<br>STEERING<br>KKK-T-642, SIZE IW 60   | XH6A               | 26,698           | 27,112                              | 06                    | U                  | N<br>N<br>N<br>N<br>N      |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 487502    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X2,<br>60 HP MIN, POWER STEERING, FRONT END<br>LOADER, 3/4 CU YD BUCKET, 3,000 LB MIN<br>LIFT CAPACITY TO FULL HEIGHT, 5,000 LBF<br>MIN BREAKOUT FORCE, 8-1/2 FT DUMP HEIGHT<br>14 FT HYD BACKHOE DIGGING DEPTH, 160<br>DEGREE DIGGING RADIUS, 4,800 LBF MIN<br>DIGGING FORCE<br>KKK-T-642, SIZE IW 60            | XH6A               | 43,218           | 43,888                              | 06                    | U                  | N<br>N<br>N<br>N<br>N<br>N<br>N<br>N |
| 487503    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X2,<br>50 HP, POWER STEERING, FRONT END LOADER,<br>REAR MOUNTED INDEPENDENT PTO, 540 RPM,<br>PINTLE HOOK, R-3 FLOTATION TREAD TIRES,<br>SWEEPER & BOX SCRAPER, ENCLOSED CAB<br>KKK-T-642, SIZE IW 50  | XH6A               | 35,755           | 36,309                              | 06                    | U                  | A<br>A<br>A<br>A<br>A<br>A           |
| 487504    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X2,<br>60 HP MIN, POWER STEERING, FRONT END<br>LOADER, 1 CU YD BUCKET, 5,000 LB MIN<br>LIFT CAPACITY TO FULL HEIGHT, 7,000 LB<br>MIN BREAKOUT FORCE, 8-1/2 FT DUMP HEIGHT<br>18 FT HYD BACKHOE DIGGING DEPTH, 160<br>DEGREE DIGGING RADIUS, 6,000 LBF MIN<br>DIGGING FORCE, ENCLOSED CAB<br>KKK-T-642, SIZE IW 60 | XH6A               | 43,218           | 43,888                              | 06                    | U                  | N<br>N<br>N<br>N<br>N<br>N<br>N<br>N |
| 487510    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X2,<br>60 HP MIN, POWER STEERING, FRONT END<br>LOADER, 1 CU YD BUCKET, 5,000 LB MIN<br>LIFT CAPACITY TO FULL HEIGHT, 7,000 LB<br>MIN BREAKOUT FORCE, 8-1/2 FT DUMP HEIGHT<br>18 FT HYD BACKHOE DIGGING DEPTH, 160<br>DEGREE DIGGING RADIUS, 6,000 LBF MIN<br>DIGGING FORCE, ROPS CANOPY<br>KKK-T-642, SIZE IW 60  | XH6A               | 50,382           | 51,163                              | 06                    | U                  | A<br>A<br>A<br>A<br>A<br>A<br>A<br>A |
| 487700    | TRACTOR, WHEELED, INDUSTRIAL, 90 HP<br>MINIMUM, QUICK DISCONNECT, (SPECIFY<br>ACCESSORIES) (NONSTANDARD)<br>KKK-T-642   | XH6A               | 54,506           | 55,351                              | 06                    | U                  | S<br>S<br>S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 487701    | TRACTOR, WHEELED, INDUSTRIAL, DED, 4X4,<br>90 HP MIN, POWER STEERING, FRONT END<br>LOADER, 1-1/2 CU YD MULTIPURPOSE BUCKET,<br>6,000 LB MIN LIFT CAPACITY TO FULL<br>HEIGHT, 13,000 LBF MIN BREAKOUT FORCE,<br>8-1/2 FT DUMP HEIGHT, 18 FT HYD BACKHOE<br>DIGGING DEPTH, 24 IN BUCKET, 180 DEGREE<br>RADIUS, 11,000 LBF MIN DIGGING FORCE<br>KKK-T-642, SIZE IW 90 | XH6A               | 56,114           | 56,984                              | 06                    | U                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 489100    | TRACTOR, WHEELED, INDUSTRIAL 7800 -<br>14000 LB DBP (NONSTANDARD)<br>KKK-T-640   | XH6A               | 80,000           | 81,240                              | 07                    | S                  | I<br>I<br>I                          |
| 489300    | TRACTOR, WHEELED, INDUSTRIAL, 20001 -<br>27000 LB DBP (NONSTANDARD)<br>KKK-T-640   | XH6A               | 87,000           | 88,349                              | 07                    | S                  | I<br>I<br>I                          |
| 489400    | TRACTOR, WHEELED, INDUSTRIAL, DED,<br>34000 LB DBP (NONSTANDARD)<br>KKK-T-640  | XH6A               | 110,000          | 111,705                             | 07                    | Q                  | I<br>I<br>I                          |
| 511000    | FLOODLIGHT SET, TRAILER MOUNTED<br>(NONSTANDARD)   | XH6B               | 9,000            | 9,140                               | 08                    | T                  | S<br>S                               |
| 511022    | FLOODLIGHT SET, TRAILER MOUNTED, DED,<br>5 KW WITH FOUR 1 KW LUMINARIES<br>MIL-C-29161   | XH6B               | 10,550           | 10,714                              | 08                    | T                  | N<br>N<br>N                          |
| 512000    | GENERATOR SET, SKID/TRUCK/TRAILER<br>MOUNTED, GED/DED, 5 - 9 KW<br>(NONSTANDARD)<br>MIL-STD 633  | XH6B               | 15,000           | 15,233                              | 08                    | T                  | I<br>I<br>I<br>I                     |
| 512005    | GENERATOR SET, TACTICAL QUIET, SKID<br>MOUNTED, DED, 5 KW, MEP 802A<br>MIL-STD 633E  | XH6B               | 10,548           | 10,711                              | 08                    | T                  | A<br>A<br>A<br>A                     |
| 512021    | GENERATOR SET, SKID MOUNTED, DED,<br>5 KW MEP 002A<br>MIL-STD 633  | XH6B               | 14,000           | 14,217                              | 08                    | T                  | I<br>I<br>I                          |
| 512100    | GENERATOR SET, SKID/TRAILER MTD,<br>GED/DED, 10 - 15 KW (NONSTANDARD)<br>MIL-STD 633   | XH6B               | 14,000           | 14,217                              | 08                    | T                  | I<br>I<br>I<br>I                     |
| 512102    | GENERATOR SET, SKID MOUNTED, DED, 15 KW<br>60 HZ, COMMERCIAL   | XH6B               | 8,900            | 9,038                               | 08                    | T                  | S<br>S                               |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 512110    | GENERATOR SET, TACTICAL QUIET, SKID<br>MOUNTED, DED, 10 KW, MEP 803A<br>MIL-STD 633E               | XH6B               | 12,712           | 12,909                              | 08                    | T                  | A<br>A<br>A           |
| 512111    | GENERATOR SET, SKID MOUNTED, DED, 15 KW<br>MEP 004A<br>MIL-STD 633                                 | XH6B               | 15,000           | 15,233                              | 08                    | T                  | I<br>I<br>I           |
| 512112    | GENERATOR SET, SKID MOUNTED, DED,<br>15 KW, AC, 120/208V, 3 PHASE, 4<br>WIRE, 60 HZ<br>MIL-G-26727 | XH6B               | 9,484            | 9,631                               | 12                    | T                  | A<br>A<br>A<br>A      |
| 512115    | GENERATOR SET, TACTICAL QUIET, SKID<br>MOUNTED, DED, 15 KW, MEP 804A<br>MIL-STD-633E               | XH6B               | 12,287           | 12,477                              | 08                    | T                  | A<br>A<br>A           |
| 512121    | GENERATOR SET, SKID MOUNTED, DED, 10 KW,<br>MEP 003A<br>MIL-STD 633                                | XH6B               | 11,000           | 11,171                              | 08                    | T                  | I<br>I<br>I           |
| 512200    | GENERATOR SET, SKID/TRAILER MOUNTED,<br>GED/DED, 16 - 59 KW (NONSTANDARD)                          | XH6B               | 15,407           | 15,646                              | 10                    | T                  | S<br>S                |
| 512202    | GENERATOR SET, SKID MOUNTED, DED, 30 KW<br>60 HZ, COMMERCIAL                                       | XH6B               | 15,162           | 15,397                              | 10                    | T                  | S<br>S                |
| 512211    | GENERATOR SET, SKID MOUNTED, DED, 30 KW<br>MEP 005A<br>MIL-STD 633                                 | XH6B               | 15,000           | 15,233                              | 10                    | T                  | I<br>I<br>I           |
| 512230    | GENERATOR SET, QUIET TACTICAL, SKID<br>MOUNTED, DED, 30 KW, MEP 805A<br>MIL-STD 633E               | XH6B               | 22,343           | 22,689                              | 10                    | T                  | A<br>A<br>A           |
| 512400    | GENERATOR SET, SKID/TRAILER MOUNTED,<br>GED/DED, 60 - 100 KW (NONSTANDARD)                         | XH6B               | 33,000           | 33,512                              | 10                    | T                  | S<br>S                |
| 512402    | GENERATOR SET, SKID MOUNTED, DED, 60 KW<br>60 HZ, COMMERCIAL                                       | XH6B               | 16,065           | 16,314                              | 10                    | T                  | S<br>S                |
| 512411    | GENERATOR SET, SKID MOUNTED, DED, 60 KW<br>MEP 006A<br>MIL-STD 633                                 | XH6B               | 16,000           | 16,248                              | 10                    | T                  | I<br>I<br>I           |
| 512421    | GENERATOR SET, SKID MOUNTED, DED,<br>100 KW, MEP 007B<br>MIL-STD 633                               | XH6B               | 17,109           | 17,374                              | 10                    | T                  | A<br>A<br>A           |
| 512460    | GENERATOR SET, TACTICAL QUIET, SKID<br>MOUNTED, DED, 60 KW, MEP 806A<br>MIL-STD 633E               | XH6B               | 25,454           | 25,849                              | 10                    | T                  | A<br>A<br>A           |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 512500    | GENERATOR SET, SKID/TRAILER MOUNTED,<br>GED/DED, 100 - 150 KW (NONSTANDARD)  | XH6B               | 59,000           | 59,915                              | 10                    | T                  | S<br>S                |
| 512502    | GENERATOR SET, SKID MOUNTED, DED, 100 KW<br>60 HZ, COMMERCIAL  | XH6B               | 17,550           | 17,822                              | 10                    | T                  | S<br>S                |
| 512800    | GENERATOR SET, SKID/TRAILER, GED/DED,<br>151 - 250 KW (NONSTANDARD)  | XH6B               | 59,000           | 59,915                              | 10                    | T                  | S<br>S                |
| 512801    | GENERATOR SET, SKID MOUNTED, DED,<br>200 KW, MEP 009B<br>MIL-STD 633   | XH6B               | 47,044           | 47,773                              | 10                    | T                  | A<br>A<br>A           |
| 512802    | GENERATOR SET, SKID MOUNTED, DED, 200 KW<br>60 HZ, COMMERCIAL  | XH6B               | 23,000           | 23,357                              | 10                    | T                  | S<br>S                |
| 516001    | LUBRICATING AND SERVICING UNIT, FUEL<br>DRUMS, DED, AIR COMPRESSOR, SKID<br>MOUNTED, 5 HOSE REELS, LUBRICANT PUMPS<br>FOR THREE 55 GAL DRUMS, ONE 120 LB DRUM            | XH6B               | 23,182           | 23,541                              | 06                    | Z                  | A<br>A<br>A<br>A      |
| 517000    | WELDER, ELECTRIC ARC, SKID, TRAILER OR<br>TRUCK MOUNTED, GED OR DED<br>(NONSTANDARD)   | XH6B               | 21,701           | 22,037                              | 06                    | S                  | S<br>S<br>S           |
| 517001    | WELDER, ELECTRIC ARC, DED, 300 AMP,<br>PORTABLE, WHEEL-MOUNTED, DC, DUAL<br>CURRENT CONTROL AND 110 VOLT, AC OR DC<br>AUXILIARY POWER<br>MIL-W-80037, TYPE III, SIZE 300 | XH6B               | 10,287           | 10,446                              | 06                    | S                  | S<br>S<br>S<br>S<br>S |
| 517061    | WELDER, ELECTRIC, ARC, DED, PORTABLE,<br>WHEEL-MOUNTED, 350/400 AMP, GENERATOR<br>TYPE<br>MIL-W-80037, TYPE III, SIZE 400  | XH6B               | 13,849           | 14,064                              | 06                    | S                  | A<br>A<br>A<br>A      |
| 517071    | WELDER, ELECTRIC, ARC, AC/DC, DED, 300<br>AMP, TIG, PORTABLE, WHEEL-MOUNTED<br>MIL-W-80080, TYPE III, SIZE 300   | XH6B               | 17,684           | 17,958                              | 06                    | S                  | A<br>A<br>A           |
| 521011    | PUMP, DIAPHRAGM, RECIPROCATING, DEWATER-<br>ING/TRASH WITH HOSE AND FITTINGS,<br>PORTABLE, WHEEL-MOUNTED<br>MIL-P-509, CLASS 1, SIZE B                                   | XH6B               | 6,144            | 6,239                               | 06                    | T                  | A<br>A<br>A<br>A      |
| 522000    | PUMP, CENTRIFUGAL, PORTABLE, GED OR DED,<br>4 IN MINIMUM (NONSTANDARD)   | XH6B               | 8,000            | 8,124                               | 06                    | T                  | I<br>I                |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 522009    | PUMP, CENTRIFUGAL, DEWATERING/TRASH,<br>PORTABLE, 12 IN AGC, MODEL 8-M, SINGLE<br>STAGE, SELF-PRIMING, 135 GPM AT 20 FT<br>TDH 28 GPM AT 80 FT TDH, DED, SKID<br>MOUNTED<br>MIL-P-17861, TYPE I, SIZE 8M, MATERIAL A<br>CLASS 3, STYLE B | XH6B               | 2,031            | 2,062                               | 06                    | T                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 522019    | PUMP, CENTRIFUGAL, SALT WATER, 500 GPM<br>AT 231 FT TDH, DED, SKID MOUNTED<br>MIL-P-17551, STYLE A, SIZE 4   | XH6B               | 12,943           | 13,144                              | 06                    | T                  | A<br>A<br>A                     |
| 522021    | PUMP, CENTRIFUGAL, DEWATERING/TRASH, 400<br>GPM, 5 FT LIFT, 110 FT TDH, 4X4, DED,<br>PORTABLE, WHEEL-MOUNTED, WITH HOSE AND<br>FITTINGS<br>MIL-P-17861, TYPE III, SIZE 33MT,<br>MATERIAL A, CLASS 2A, STYLE B                            | XH6B               | 9,445            | 9,591                               | 06                    | T                  | A<br>A<br>A<br>A<br>A<br>A      |
| 522031    | PUMP, CENTRIFUGAL, DEWATERING/TRASH,<br>1,000 GPM, 10 FT LIFT, 60 FT TDH, 6X6,<br>PORTABLE, WHEEL-MOUNTED<br>MIL-P-17861, TYPE III, SIZE 70MT,<br>MATERIAL A, CLASS 2A, STYLE B  | XH6B               | 18,629           | 18,918                              | 06                    | T                  | A<br>A<br>A<br>A<br>A           |
| 522041    | PUMP, CENTRIFUGAL, DEWATERING/TRASH,<br>600 GPM, 5 FT LIFT, 110 FT TDH, 4X4,<br>WHEEL-MOUNTED<br>MIL-P-28589, TYPE III, SIZE 35MT,<br>MATERIAL A, CLASS 2A, STYLE B  | XH6B               | 9,006            | 9,146                               | 06                    | T                  | A<br>A<br>A<br>A<br>A           |
| 522056    | PUMPING ASSEMBLY, CENTRIFUGAL,<br>LIQUID, BULK TRANSFER, DED, 900 GPM,<br>300 TDH, SKID MOUNTED, JP-5<br>MIL-P-28520, CLASS III  | XH6B               | 22,520           | 22,869                              | 06                    | T                  | A<br>A<br>A<br>A                |
| 522057    | PUMPING ASSEMBLY, CENTRIFUGAL, LIQUID,<br>BULK TRANSFER, DED, 350 GPM, 275 HEAD,<br>WHEEL-MOUNTED<br>MIL-P-52144, TYPE I, STYLE A  | XH6B               | 22,790           | 23,143                              | 06                    | T                  | A<br>A<br>A<br>A                |
| 522058    | PUMP, CENTRIFUGAL, FUEL, 350 GPM, 290<br>TDH, DED, SKID MOUNTED, 6 IN INTAKE,<br>4 IN DISCHARGE<br>MIL-P-17574   | XH6B               | 23,189           | 23,548                              | 06                    | T                  | A<br>A<br>A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 525010    | SIXCON FUEL PUMP MODULE, 125 GPM, DED,<br>FILTER SEPARATOR, MONITOR, METER, STATIC<br>DISCHARGE REEL, HOSE REEL, HOSES,<br>COUPLINGS, FITTINGS<br>MIL-M-29417 |                    | 35,393           | 35,942                              | 00                    | T                  | A<br>A<br>A<br>A<br>A |
| 525011    | SIXCON FUEL TANK MODULE, 900 GAL,<br>USE WITH EC 525010<br>MIL-M-29416  |                    | 10,000           | 10,155                              | 00                    | T                  | A<br>A<br>A           |
| 525020    | SIXCON WATER PUMP MODULE, 100 GPM,<br>2-INCH ADAPTER, FITTINGS, HOSE<br>ASSEMBLIES, WYE ASSEMBLIES, ADAPTER,<br>NOZZLES, COUPLINGS<br>MIL-M-29460             |                    | 9,087            | 9,228                               | 00                    | T                  | A<br>A<br>A<br>A<br>A |
| 525021    | SIXCON WATER TANK MODULE, 900 GAL,<br>USE WITH EC 525020<br>MIL-M-29414   |                    | 7,000            | 7,109                               | 00                    | T                  | A<br>A<br>A           |
| 540800    | CLEANER, VACUUM, SELF-PROPELLED,<br>AIRFIELD (NONSTANDARD)<br>MIL-C-29195   | XH6B               | 90,000           | 91,395                              | 06                    | Q                  | S<br>S<br>S           |
| 540802    | CLEANER, VACUUM, AIRFIELD RUNWAY, 4X2,<br>DED, SELF-PROPELLED, HIGH SPEED, BLOWER<br>FAN AND SUCTION HOOD, W/MAGNET   | XH6B               | 105,653          | 107,291                             | 06                    | Q                  | S<br>S<br>S           |
| 540900    | CLEANER, BASIN/MANHOLE, VAC/HYD, TRUCK<br>MOUNTED (NONSTANDARD)<br>KKK-T-2819   | XH6B               | 177,824          | 180,580                             | 06                    | S                  | S<br>S<br>S           |
| 541012    | CLEANER, HIGH PRESSURE, 1,000 PSI AT 7<br>TO 8 GPM AT 180 DEGREES WATER<br>TEMPERATURE THROUGH THE COIL   | XH6B               | 2,795            | 2,838                               | 04                    | Z                  | A<br>A<br>A           |
| 541200    | CLEANER, PIPE/SEWER, AUGER, POWER<br>OPERATED, TRAILER MOUNTED<br>(NONSTANDARD)   | XH6B               | 13,000           | 13,202                              | 06                    | S                  | I<br>I<br>I           |
| 541400    | CLEANER, SEPTIC, TANK/CESSPOOL, TRUCK<br>MOUNTED (NONSTANDARD)<br>MIL-T-23435   | XH6B               | 69,247           | 70,320                              | 06                    | S                  | S<br>S<br>S           |
| 541401    | CLEANER, SEPTIC TANK/WASTE COLLECTION,<br>VACUUM, TRUCK MOUNTED, DED, 4X2, 1300<br>GAL CAPACITY<br>MIL-T-23435  | XH6B               | 58,144           | 59,045                              | 06                    | S                  | S<br>S<br>S<br>S      |
| 541501    | CLEANER, BOMB, STEAM, PRESSURE JET,<br>180 GPH, TRAILER MOUNTED, DED  | XH6B               | 9,153            | 9,295                               | 04                    | Z                  | A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 541600    | CLEANER, PIPE/SEWER, WATER JET, TRUCK/<br>TRAILER MOUNTED (NONSTANDARD)<br>MIL-T-62021  | XH6B               | 92,852           | 94,291                              | 06                    | S                  | S<br>S<br>S           |
| 541821    | CLEANER, HIGH PRESSURE WATER BLAST<br>WITH SAND INJECTION, ADJUSTABLE<br>PRESSURE FROM 0 TO 10,000 PSI, DED,<br>WITH RUST AND CORROSION PASSIVATION<br>CAPABILITY | XH6B               | 30,357           | 30,828                              | 06                    | T                  | A<br>A<br>A<br>A<br>A |
| 542000    | SPRAYER, DECONTAMINATING, SKID, TRUCK<br>OR TRAILER MOUNTED (NONSTANDARD)   | XH6B               | 32,000           | 32,496                              | 08                    | Z                  | A<br>A                |
| 542001    | DECONTAMINATING APPARATUS, 50 GPM,<br>500 GAL, MULTIPURPOSE, WITH SHOWER,<br>SKID MOUNTED, DED, M-SERIES  | XH6B               | 34,691           | 35,229                              | 08                    | Z                  | A<br>A<br>A           |
| 542100    | SPRAYER, PESTICIDE, INSECT, PORTABLE,<br>GED (NONSTANDARD)  | XH6B               | 18,000           | 18,279                              | 05                    | Z                  | I<br>I                |
| 542800    | WASHER, POWER LINE, INSULATOR, TRUCK OR<br>TRAILER MOUNTED (NONSTANDARD)  |                    | 0                | 0                                   | 00                    | S                  | I<br>I                |
| 545011    | DISTILLATION UNIT, WATER,<br>THERMOCOMPRESSION, 200 GPH, DED, SKID<br>MOUNTED   |                    | 125,166          | 127,106                             | 08                    | Z                  | A<br>A<br>A           |
| 545200    | WATER PURIFICATION UNIT, REVERSE OSMOSIS<br>ROWPU (NONSTANDARD)   |                    | 164,000          | 166,542                             | 08                    | Z                  | I<br>I                |
| 545201    | WATER PURIFICATION UNIT, REVERSE<br>OSMOSIS, 600 GPH, SKID MOUNTED,<br>ELECTRIC   |                    | 87,771           | 89,131                              | 08                    | Z                  | A<br>A<br>A           |
| 545202    | WATER PURIFICATION UNIT, REVERSE<br>OSMOSIS, 600 GPH, SKID MOUNTED,<br>TYPE III, WITHOUT GENERATOR  |                    | 74,537           | 75,692                              | 08                    | Z                  | A<br>A<br>A           |
| 545203    | WATER PURIFICATION UNIT, REVERSE<br>OSMOSIS, 600 GPH, FRAME MOUNTED,<br>MIL-W-52960   |                    | 60,855           | 61,798                              | 08                    | Z                  | I<br>I<br>I           |
| 545500    | PURIFICATION UNIT, WATER, SKID, TRUCK OR<br>TRAILER MOUNTED (NONSTANDARD)   |                    | 95,000           | 96,473                              | 08                    | Z                  | A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 545501    | WATER PURIFICATION UNIT, DIATOMACEOUS<br>EARTH, SKID MOUNTED, DIESEL ENGINE<br>DRIVEN, UNIT FRAME MOUNTED, PUMP AND<br>ENGINE REMOVABLE FROM FRAME MOUNTING<br>USEABLE AS SEPARATE UNIT, COMPLETE WITH<br>CHEMICALS FOR PRODUCING 10,000 GAL<br>TREATED WATER, ALL COMPONENTSON ONE<br>FRAME, 3,000 GPH |                    | 41,866           | 42,515                              | 08                    | Z                  | A<br>A<br>A<br>A<br>A<br>A<br>A |
| 545511    | WATER PURIFICATION UNIT, BASE MOUNTED,<br>3,000 GPH, WITH CHEMICAL FEED   |                    | 27,210           | 27,632                              | 08                    | Z                  | A<br>A                          |
| 546000    | PLATFORM, MAINTENANCE, GED/DED/ELEC,<br>TELESCOPING BOOM, SELF PROPELLED, 40,<br>06, 80, OR 110 FT BOOM (NONSTANDARD)<br>MIL-T-29218  | XH6B               | 98,191           | 99,713                              | 10                    | Z                  | S<br>S<br>S<br>S                |
| 546040    | PLATFORM, MAINTENANCE, TELESCOPING<br>SELF PROPELLED, 40 FT PLATFORM HEIGHT,<br>360 DEGREE ROTATION, TILT ALARM, 500 LB<br>PLATFORM CAPACITY, (TECH DATA SHEET<br>REQUIRED FOR ADDITIONAL OPTIONS)<br>MIL-T-29218   | XH6B               | 53,000           | 53,822                              | 10                    | Z                  | S<br>S<br>S<br>S<br>S<br>S      |
| 546060    | PLATFORM, MAINTENANCE, TELESCOPING<br>SELF PROPELLED, 60 FT PLATFORM HEIGHT,<br>360 DEGREE ROTATION, TILT ALARM, 500 LB<br>PLATFORM CAPACITY, (TECH DATA SHEET<br>REQUIRED FOR ADDITIONAL OPTIONS)<br>MIL-T-29218   | XH6B               | 66,000           | 67,023                              | 10                    | Z                  | S<br>S<br>S<br>S<br>S           |
| 546080    | PLATFORM, MAINTENANCE, TELESCOPING<br>SELP PROPELLED, 80 FT PLATFORM HEIGHT,<br>360 DEGREE ROTATION, TILT ALARM, 500 LB<br>PLATFORM CAPACITY, (TECH DATA SHEET<br>REQUIRED FOR ADDITIONAL OPTIONS)<br>MIL-T-29218   | XH6B               | 101,000          | 102,566                             | 10                    | Z                  | S<br>S<br>S<br>S<br>S           |
| 546090    | PLATFORM, MAINTENANCE, TELESCOPING<br>SELF PROPELLED, 90 FT PLATFORM HEIGHT,<br>360 DEGREE ROTATION, TILT ALARM, 500 LB<br>PLATFORM CAPACITY, (TECH DATA SHEET<br>REQUIRED FOR ADDITIONAL OPTIONS)<br>MIL-T-29218   | XH6B               | 139,000          | 141,155                             | 10                    | Z                  | S<br>S<br>S<br>S<br>S           |
| 549000    | REFRIGERATOR CONTAINER<br>(NONSTANDARD)   |                    | 40,000           | 40,620                              | 00                    | Z                  | A<br>A                          |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 549001    |   |                    | 42,337           | 42,993                              | 00                    | Z                  | A                          |
| 549002    |   |                    | 19,000           | 19,295                              | 00                    | Z                  | A                          |
| 549600    | KITCHEN, FIELD, TRAILER MOUNTED,<br>EXPANDABLE, SELF-CONTAINED  |                    | 65,000           | 66,008                              | 10                    | Z                  | A<br>A                     |
| 549800    | LAUNDRY UNIT, TRAILER OR SKID MOUNTED<br>(NONSTANDARD)  |                    | 64,438           | 65,437                              | 06                    | Z                  | A<br>A                     |
| 549803    | LAUNDRY UNIT, FIELD, 7 FT X 9 FT,<br>SKID MOUNTED, MINIMUM CAPACITY OF 100<br>LBS DRY WEIGHT OF LAUNDRY PER HOUR  |                    | 48,136           | 48,882                              | 06                    | Z                  | A<br>A<br>A                |
| 549811    |   |                    | 59,000           | 59,915                              | 06                    | Z                  | I                          |
| 550001    | FUEL SERVICING UNIT, AIRCRAFT, TRAILER<br>MOUNTED, 600 GPM, WITH FILTERS AND<br>METERS, DED, PRESSURIZED, AIR<br>TRANSPORTABLE C-130  | XH6B               | 131,366          | 133,402                             | 08                    | Q                  | A<br>A<br>A<br>A           |
| 551500    | PIPE TONGS POWER OPERATED, WHEEL OR<br>MOUNTED (NONSTANDARD)  |                    | 103,000          | 104,597                             | 08                    | T                  | I<br>I                     |
| 551501    | TONG SET, POWERED, PIPELINE,<br>CONSTRUCTION, SKID MOUNTED, PNEUMATIC<br>DRIVEN, REVERSIBLE, WITH PIPE LAUNCH<br>PLATFORM CONNECTIONS   |                    | 120,000          | 121,860                             | 08                    | T                  | I<br>I<br>I<br>I           |
| 552500    | REEL AMPHIBIOUS FUELING HOSE<br>(NONSTANDARD)   |                    | 79,000           | 80,225                              | 08                    | Z                  | A<br>A                     |
| 552501    | REEL, AMPHIBIOUS FUEL SERVICE, DED,<br>WITH ROOM FOR 5,000 FT OF 6 IN HOSE  |                    | 87,000           | 88,349                              | 08                    | Z                  | A<br>A                     |
| 564201    | SHREDDER/CHIPPER, GENERAL PUROSE<br>DISPOSAL UNIT, TRAILER MOUNTED, DED, MIN<br>6 IN DIAMETER CAPACITY. (ABILITY TO<br>SHRED MATERIALS OTHER THAN VEGETATION,<br>I.E. PLASTICS). LIFTING AND TIE DOWN<br>DEVICES, AIR TRANSPORTABLE | XH6B               | 13,500           | 13,709                              | 08                    | T                  | A<br>A<br>A<br>A<br>A<br>A |
| 570000    | SWEEPER OR SCRUBBER, INDUSTRIAL,<br>THAN 42 IN SWATH (NONSTANDARD)  | XH6B               | 27,000           | 27,419                              | 06                    | S                  | I<br>I                     |
| 570002    | SWEEPER, ROTARY, INDUSTRIAL, GED,<br>SELF-PROPELLED, 12 CU FT, VACUUM DUST<br>CONTROL, RIGHT SIDE BRUSH, 53 IN SWATH  | XH6B               | 19,000           | 19,295                              | 06                    | S                  | A<br>A<br>A                |
| 571021    | SWEEPER, MAGNETIC, ROAD, WHEEL MOUNTED,<br>TOWED, 96 IN, PERMANENT MAGNET<br>MIL-M-29174  | XH6B               | 4,402            | 4,470                               | 07                    | S                  | A<br>A<br>A                |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 572000    | SWEeper, ROTARY, SELF-PROPELLED, PICKUP<br>(NONSTANDARD)   | XH6B               | 96,075           | 97,564                              | 07                    | S                  | S<br>S                          |
| 572002    | SWEeper, STREET, VACUUM, TRUCK<br>DED, 4 CU YD MINIMUM CAPACITY, GUTTER<br>BROOMS, WATER DUST SPRAY SYSTEM,<br>6 IN DIAMETER WANDERING SUCTION HOSE,<br>8 FT SWATH<br>00-S-2762  | XH6B               | 84,950           | 86,267                              | 07                    | S                  | S<br>S<br>S<br>S<br>S<br>S      |
| 574001    | SWEeper, ROTARY, TOWED, 8 FT SWATH,<br>WATER SPRAY, HYDRAULIC LIFT, MINIMUM<br>3 WHEEL, DED, EQUIPPED WITH STRAINER<br>IN WATERLINE INSTALLED AT WATER PUMP<br>INLET<br>MIL-S-18141  | XH6B               | 11,967           | 12,152                              | 07                    | S                  | A<br>A<br>A<br>A<br>A<br>A      |
| 574500    | SWEeper, SNOW, ROTARY TOWED, AIRBLAST,<br>AIRFIELD (NONSTANDARD)<br>MIL-S-28566  | XH6B               | 100,088          | 101,639                             | 10                    | T                  | S<br>S<br>S                     |
| 574501    | SWEeper, TOWED, ROTARY, SNOW, DED,<br>3 WHEEL, 36 IN DIAMETER BRUSH, 12 FT<br>SWATH AT 30 DEGREE ANGLE, MINIMUM 6,000<br>CFM BLOWER (AIRFIELD USE ONLY)<br>MIL-S-28566   | XH6B               | 85,001           | 86,319                              | 10                    | T                  | S<br>S<br>S<br>S<br>S           |
| 575000    | SNOWPLOW, ROTARY, SELF-CONTAINED UNIT,<br>TRUCK MOUNTED (NONSTANDARD)<br>00-S-2779   | XH6B               | 179,624          | 182,408                             | 10                    | T                  | S<br>S<br>S                     |
| 575003    | SNOW REMOVAL UNIT, HIGH SPEED ROTARY,<br>SELF-PROPELLED, 4X4, DED, FULL POWER<br>SHIFT TRANSMISSION AND TORQUE<br>TRUCK LOADING AND CASTING CHUTE,<br>OF CLEARING A 102 IN SWATH AT A RATE OF<br>40 TONS PER MINUTE<br>00-S-2779 | XH6B               | 245,329          | 249,132                             | 10                    | T                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 575700    | SNOWPLOW, ROLLOVER, TRUCK MOUNTED<br>(NONSTANDARD)<br>MIL-S-17794, TYPE IV   | XH6B               | 166,000          | 168,573                             | 10                    | T                  | S<br>S<br>S                     |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>      |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|----------------------------|
| 575702    | SNOWPLOW, ROLLOVER, TRUCK MOUNTED, 4X4, DED, RIGHT AND LEFT-HAND LEVELING WINGS, 10 FT PLOWING WIDTH, FULL POWER SHIFT TRANSMISSION AND TORQUE CONVERTER, 5 CU YD DUMP BODY, 54,000 GVW (AIRFIELD USE ONLY)<br>KKK-S-2777, TYPE III, CLASS A, STYLE 3            | XH6B               | 180,988          | 183,793                             | 10                    | T                  | S<br>S<br>S<br>S<br>S<br>S |
| 576000    | TRUCK, SNOW REMOVAL UNIT, MULTIPURPOSE, SELF-PROPELLED, 4X4, DED, 3000 TON PER HOUR, QUICK COUPLER DEVISE, SNOW BLOWER, REVERSIBLE PLOW BLADE, (AIRFIELD USE ONLY)   | XH6B               | 268,040          | 272,195                             | 10                    | T                  | S<br>S<br>S<br>S<br>S      |
| 579000    | SANDER, SELF-CONTAINED, STREET, TRUCK MOUNTED (NONSTANDARD)<br>MIL-S-29208, TYPE I   | XH6B               | 45,809           | 46,519                              | 10                    | T                  | S<br>S<br>S                |
| 579500    | SANDER, STREET, TRUCK MOUNTED/TOWED (NONSTANDARD)  | XH6B               | 9,000            | 9,140                               | 08                    | T                  | I<br>I                     |
| 582000    | TRUCK, REFUSE COLLECTION, COMPACTION TYPE, 16 CU YD (NONSTANDARD)  | XVXB               | 89,754           | 91,145                              | 08                    | S                  | S<br>S                     |
| 582001    | TRUCK, REFUSE COLLECTION, 6X4, DED, AUTOMATIC TRANSMISSION, COMPACTION SIDE HOPPER LOADING, 25 CU YD CAPACITY<br>MIL-T-18479   | XVXB               | 146,046          | 148,310                             | 08                    | S                  | S<br>S<br>S<br>S           |
| 582002    | TRUCK, REFUSE COLLECTION, 6X4, DED, AUTOMATIC TRANSMISSION, COMPACTION REAR HOPPER LOADING, 25 CU YD CAPACITY<br>MIL-T-2452, CLASS D   | XVXB               | 101,505          | 103,078                             | 08                    | S                  | S<br>S<br>S<br>S           |
| 583000    | TRUCK, MATERIAL HANDLING, CHAIN HOIST/HAUL (NONSTANDARD)<br>MIL-T-11663, TYPE I, CLASS C, SIZE 3   | XVXB               | 90,754           | 92,161                              | 08                    | S                  | S<br>S<br>S                |
| 583300    | TRUCK, MATERIAL HANDLING HOIST/HAUL TO 45 CU YD (NONSTANDARD)  | XVXB               | 130,000          | 132,015                             | 07                    | S                  | S<br>S                     |
| 583301    | TRUCK, CONTAINER HANDLING, 6X4, DED, AUTOMATIC TRANSMISSION, TILT CAB, TILT FRAME TYPE WITH SPRING LOADED BAIL (NO CABLE), CONTAINER HOISTING AND HAULING, 20 - 45 CU YD CONTAINERS, (TRUCK ONLY - NO "E BODY" CONTROLS OR BODY)<br>MIL-T-46701, TYPE A, SIZE 40 | XVXB               | 124,863          | 126,798                             | 07                    | S                  | S<br>S<br>S<br>S<br>S<br>S |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>           |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|---------------------------------|
| 583500    | TRUCK, REFUSE COLLECT, COMPACT WITH<br>HOIST (NONSTANDARD)  | XVXB               | 140,000          | 142,170                             | 08                    | S                  | S<br>S                          |
| 583501    | TRUCK, REFUSE COLLECTION, 6X4, DED,<br>AUTOMATIC TRANSMISSION, TILT CAB, COM-<br>PACTION TYPE (WITH FORKS), 35 CU YD,<br>8,000 LB CAPACITY CONTAINER HOISTING<br>DEVICE AT FRONT OF TRUCK FOR USE WITH<br>TILT OVER TYPE CONTAINERS THROUGH 8 CU<br>YD SIZE<br>MIL-T-46748, TYPE U, CLASS D | XVXB               | 161,599          | 164,104                             | 08                    | S                  | S<br>S<br>S<br>S<br>S<br>S<br>S |
| 584000    | SEMITRAILER/TRAILER, REFUSE COLLECTION<br>(NONSTANDARD)<br>MIL-S-28611, TYPE III  | XVXB               | 35,411           | 35,960                              | 12                    | T                  | S<br>S<br>S                     |
| 584200    | SEMITRAILER, REFUSE COLLECTION, COMPAC-<br>TION (NONSTANDARD)<br>MIL-S-45154  | XVXB               | 67,279           | 68,322                              | 12                    | T                  | S<br>S<br>S                     |
| 584201    | SEMITRAILER, REFUSE COLLECTION, COMPAC-<br>TION TYPE, 65 CU YD CAPACITY, TANDEM<br>AXLE, AIR SERVICE BRAKES, PARKING<br>BRAKES, FIFTH WHEEL PLATE HEIGHT 52<br>IN (PLUS OR MINUS 1 IN)<br>MIL-S-45154, TYPE IV  | XVXB               | 63,275           | 64,256                              | 12                    | T                  | S<br>S<br>S<br>S<br>S<br>S      |
| 590000    | SAW, WOODWORKING, RADIAL OVERARM SAW<br>(NONSTANDARD)   | XH6B               | 22,000           | 22,341                              | 15                    | T                  | A<br>A                          |
| 590001    | SAW, WOODWORKING, RADIAL OVERARM SAW,<br>16 IN, WITH DIESEL-ELECTRIC GENERATOR,<br>PORTABLE WHEEL-MOUNTED   | XH6B               | 16,758           | 17,018                              | 15                    | T                  | A<br>A<br>A                     |
| 591000    | SHOP, MACHINE, MOBILE, SEMITRAILER<br>MOUNTED (NONSTANDARD)   | XH6B               | 260,000          | 264,030                             | 15                    | T                  | A<br>A                          |
| 591011    | SHOP, MACHINE, GENERAL PURPOSE REPAIR,<br>SEMITRAILER MOUNTED   | XH6B               | 233,197          | 236,812                             | 15                    | T                  | A<br>A                          |
| 592003    | ULTIMATE BUILDING MACHINE, DED,<br>TRAILER MOUNTED, MIC INDUSTRIES,<br>MODEL MIC-240 UBM  |                    | 254,000          | 257,937                             | 00                    | Z                  | A<br>A<br>A                     |
| 593000    | CELLULOSE INSULATION MACHINE (CIM),<br>TRAILER MOUNTED, 10KW DED GENERATOR<br>POWERED, FOR INSULATING K-SPAN<br>STRUCTURES  |                    | 30,000           | 30,465                              | 00                    | Z                  | A<br>A<br>A<br>A                |
| 610000    | CAR, RAILWAY, MISCELLANEOUS SERVICE<br>(NONSTANDARD)  | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                          |



| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 611000    | CAR, RAILWAY, BOX<br>(NONSTANDARD)                             | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 612000    | CAR, RAILWAY, FLAT STANDARD<br>(NONSTANDARD)                   | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 613000    | CAR, RAILWAY, GONDOLA SOLID BOTTOM<br>(NONSTANDARD)            | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 614000    | CAR, RAILWAY, HOPPER SIDE/BOTTOM DUMP<br>(NONSTANDARD)         | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 615000    | CAR, RAILWAY, DUMP, AIR OR MANUALLY<br>OPERATE (NONSTANDARD)   | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 616000    | CAR, RAILWAY, FLAT, DEPRESSED CENTER<br>(NONSTANDARD)          | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 621000    | CAR, RAILWAY, MOTOR MAINTENANCE-OF-WAY<br>(NONSTANDARD)        | XH6B               | 10,605           | 10,769                              | 15                    | W                  | S<br>S                |
| 622000    | CAR, RAILWAY, INSPECTION AND MAINTENANCE<br>(NONSTANDARD)      | XH6B               | 51,306           | 52,101                              | 15                    | W                  | S<br>S                |
| 622200    | TAMPER, SELF-PROPELLED RAILROAD<br>TIE/BALLAST (NONSTANDARD)   | XH6B               | 151,694          | 154,045                             | 12                    | W                  | S<br>S                |
| 623000    | CAR, RAILWAY, MOTOR MAINTENANCE-SECTION<br>GANG (NONSTANDARD)  | XH6B               | 49,013           | 49,773                              | 15                    | W                  | S<br>S                |
| 624000    | CAR, SPOTTER, ROAD-RAILER PRT SELF-<br>PROPELLED (NONSTANDARD) | XH6B               | 108,780          | 110,466                             | 15                    | W                  | S<br>S                |
| 625000    | CAR, RAILWAY, AUTORAILER (NONSTANDARD)                         | XH6B               | 50,000           | 50,775                              | 12                    | W                  | S                     |
| 634000    | CAR, RAILWAY, CABOOSE<br>(NONSTANDARD)                         | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 637000    | CAR, RAILWAY, COACH<br>(NONSTANDARD)                           | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 640000    | CAR, RAILWAY, TANK, GENERAL PURPOSE<br>(NONSTANDARD)           | 031A               | 0                | 0                                   | 00                    | V                  | S<br>S                |
| 653000    | LOCOMOTIVE, RAILWAY, 40 - 59 TON CLASS<br>(NONSTANDARD)        | 031C               | 0                | 0                                   | 00                    | W                  | S<br>S                |
| 654000    | LOCOMOTIVE, RAILWAY, 60 - 69 TON CLASS<br>(NONSTANDARD)        | 031C               | 0                | 0                                   | 00                    | W                  | S<br>S                |
| 654500    | LOCOMOTIVE, RAILWAY, 70 - 80 TON CLASS<br>(NONSTANDARD)        | 031C               | 0                | 0                                   | 00                    | W                  | S<br>S                |
| 655000    | LOCOMOTIVE, RAILWAY, 81 - 100 TON CLASS<br>(NONSTANDARD)       | 031C               | 0                | 0                                   | 00                    | W                  | S<br>S                |



[illegible]

[illegible]





| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i>                |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|--------------------------------------|
| 734101    | TRUCK, FIREFIGHTING, BRUSH/GRASS/<br>STRUCTURAL, 4X4, 500 GPM, 600 GAL WATER<br>TANK, WITH FOAM SYSTEM, 22,000 GVW<br>MIL-T-19233  | XJ7B               | 143,021          | 145,238                             | 12                    | X                  | A<br>A<br>A<br>A                     |
| 734102    | TRUCK, FIREFIGHTING, BRUSH/GRASS, 250<br>GPM, 500 GAL TANK, 4X4, DED, WITH PUMP<br>AND ROLL CAPABILITY, 18,000 GVW.<br>THE TRUCK IS USED FOR COMBATING OFF-<br>ROAD BRUSH/GRASS FIRES AND IS EQUIPPED<br>WITH A CONVENTIONAL CAB, AN ON-BOARD 500<br>GAL WATER TANK AND A PTO-DRIVEN PUMP<br>WITH A RATED CAPACITY OF 250 GPM<br>MIL-T-29185 | XJ7B               | 123,730          | 125,648                             | 12                    | X                  | S<br>S<br>S<br>S<br>S<br>S<br>S<br>S |
| 734103    | TRUCK, FIREFIGHTING, BRUSH/GRASS, 50<br>GPM, 200 GAL TANK, 4X4, DED, WITH PUMP<br>AND ROLL CAPABILITY, 13,000 GVW.<br>THE TRUCK IS USED FOR COMBATING OFF-<br>ROAD BRUSH/GRASS FIRES AND IS EQUIPPED<br>WITH A CONVENTIONAL CAB, A SKID-MOUNTED<br>PUMP AND 200 GAL WATER TANK.  | XJ7B               | 63,990           | 64,982                              | 12                    | X                  | S<br>S<br>S<br>S<br>S<br>S           |
| 735100    | TRUCK, FIREFIGHTING, STRUCTURAL, PUMPER,<br>TELESCOPING BOOM (NONSTANDARD)   | XJ7B               | 275,000          | 279,263                             | 12                    | X                  | S<br>S                               |







| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 750000    | TRAILER, FOAM GENERATOR, SELF-POWERED<br>(NONSTANDARD)  | XJ7A               | 50,000           | 50,775                              | 10                    | X                  | I<br>I                |
| 816011    | CRANE, STRADDLE CARRY, DED, 150 TON<br>CAPACITY, 4 DUAL PRT   | XH6C               | 512,739          | 520,686                             | 08                    | Y                  | A<br>A                |
| 820000    | CRANE, TRUCK CHASSIS MOUNTED, 2 ENGINE,<br>PRT, 5 - 14 TON CAPACITY (NONSTANDARD)   | XH6C               | 100,000          | 101,550                             | 08                    | Y                  | N<br>N                |
| 821500    | CRANE, TRUCK MOUNTED, 2 ENGINE, PRT,<br>31 - 40 TON CAPACITY (NONSTANDARD)<br>MIL-C-22972   | XH6C               | 468,791          | 476,057                             | 10                    | Y                  | S<br>S<br>S           |
| 821501    | CRANE, TRUCK MOUNTED, 2 ENGINE, LATTICE<br>BOOM, 35 TON CAPACITY, MINIMUM 60 FT<br>BOOM AND 20 FT JIB (WEIGHT HANDLING<br>ONLY)<br>MIL-C-22972        | XH6C               | 471,782          | 479,095                             | 10                    | Y                  | A<br>A<br>A<br>A<br>A |
| 821800    | CRANE, TRUCK MOUNTED, 2 ENGINE, PRT,<br>41 - 50 TON CAPACITY (NONSTANDARD)<br>MIL-C-22972   | XH6C               | 366,319          | 371,997                             | 10                    | Y                  | S<br>S<br>S           |
| 821801    | CRANE, TRUCK MOUNTED, DED, 2 ENGINE,<br>LATTICE BOOM, 50 TON CAPACITY, MINIMUM<br>100 FT BOOM AND 20 FT JIB (WEIGHT<br>HANDLING ONLY)<br>MIL-C-22972  | XH6C               | 484,695          | 492,208                             | 10                    | Y                  | A<br>A<br>A<br>A<br>A |
| 821900    | CRANE, TRUCK MOUNTED, 2 ENGINE, PRT,<br>51 TON AND UP CAPACITY (NONSTANDARD)<br>MIL-C-22972   | XH6C               | 971,190          | 986,243                             | 10                    | Y                  | S<br>S<br>S           |
| 821901    | CRANE, TRUCK MOUNTED, DED, 2 ENGINE,<br>LATTICE BOOM, 140 TON CAPACITY,<br>MINIMUM 200 FT BOOM AND 30 FT JIB<br>(WEIGHT HANDLING ONLY)<br>MIL-C-22972 | XH6C               | 1,858,6          | 1,887,490                           | 10                    | Y                  | N<br>N<br>N<br>N<br>N |
| 821905    | CRANE, TRUCK MOUNTED, DED, 2 ENGINE,<br>LATTICE BOOM, 70-80 TON CAPACITY, (CRANE<br>DATA SHEET REQUIRED)<br>OO-C-2821                                 | XH6C               | 750,000          | 761,625                             | 10                    | Y                  | S<br>S<br>S<br>S      |
| 821910    | CRANE, TRUCK MOUNTED, DED, 2 ENGINE,<br>LATTICE BOOM, 100 TON CAPACITY, (CRANE<br>DATA SHEET REQUIRED)<br>OO-C-2821                                   | XH6C               | 800,000          | 812,400                             | 10                    | Y                  | S<br>S<br>S<br>S      |

| <i>EC</i> | <i>DESCRIPTION</i>  | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|---|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 821920    | CRANE, TRUCK MOUNTED, DED, 2 ENGINE,<br>LATTICE BOOM, 200 TON CAPACITY, (CRANE<br>DATA SHEET REQUIRED)<br>OO-C-2821 | XH6C               | 1,500,0          | 1,523,250                           | 10                    | Y                  | S<br>S<br>S<br>S      |
| 822000    | CRANE, CRUISER MOUNTED, 1 OR 2 ENGINES,<br>PRT 5 - 100 TON CAPACITY (NONSTANDARD)                                   | XH6C               | 300,000          | 304,650                             | 10                    | Y                  | I<br>I                |
| 824600    | CRANE, TRUCK MOUNTED, HYDRAULIC, DED,<br>20 - 50 TON CAPACITY (NONSTANDARD)<br>MIL-C-28564                          | XH6C               | 511,224          | 519,148                             | 10                    | Y                  | N<br>N<br>N           |
| 824601    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>20 - 30 TON CAPACITY, MINIMUM 70 FT<br>BOOM AND 20 FT JIB<br>MIL-C-28564   | XH6C               | 248,579          | 252,432                             | 10                    | Y                  | A<br>A<br>A<br>A      |
| 824602    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>35 TON CAPACITY, MINIMUM 80 FT BOOM AND<br>20 FT JIB<br>MIL-C-28564        | XH6C               | 350,000          | 355,425                             | 10                    | Y                  | I<br>I<br>I<br>I      |
| 824611    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>25 TON CAPACITY, MINIMUM 70 FT BOOM<br>AND 20 FT JIB                       | XH6C               | 195,450          | 198,479                             | 10                    | Y                  | A<br>A<br>A           |
| 824900    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>51 TON AND UP CAPACITY (NONSTANDARD)<br>MIL-C-28564                        | XH6C               | 897,195          | 911,102                             | 10                    | Y                  | S<br>S<br>S           |
| 824901    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>55 TON CAPACITY, MINIMUM 80 FT BOOM<br>AND 25 FT JIB                       | XH6C               | 413,112          | 419,515                             | 10                    | Y                  | A<br>A<br>A           |
| 824903    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>60 TON CAPACITY, (CRANE DATA SHEET<br>REQUIRED)<br>OO-C-2763               | XH6C               | 421,583          | 428,118                             | 10                    | Y                  | S<br>S<br>S<br>S      |
| 824905    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>75 TON CAPACITY, (CRANE DATA SHEET<br>REQUIRED)<br>OO-C-2763               | XH6C               | 450,000          | 456,975                             | 10                    | Y                  | S<br>S<br>S<br>S      |
| 824910    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>100 TON CAPACITY, (CRANE DATA SHEET<br>REQUIRED)<br>OO-C-2763              | XH6C               | 546,129          | 554,594                             | 10                    | Y                  | S<br>S<br>S<br>S      |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 824915    | CRANE, TRUCK MOUNTED, DED, HYDRAULIC,<br>150 TON CAPACITY, (CRANE DATA SHEET<br>REQUIRED)<br>OO-C-2763   | XH6C               | 975,000          | 990,113                             | 10                    | Y                  | S<br>S<br>S           |
| 825300    | CRANE, WHEEL MOUNTED, SWING CAB, 4X4,<br>15 TON AND UP CAPACITY (NONSTANDARD)<br>MIL-C-28614   | XH6C               | 319,228          | 324,176                             | 10                    | Y                  | S<br>S<br>S           |
| 825302    | CRANE, WHEEL MOUNTED, 4X4, DED, ROUGH<br>TERRAIN, SWING CAB, HYDRAULIC, 30 TON<br>CAPACITY, MINIMUM 80 FT BOOM AND 20 FT<br>JIB<br>MIL-C-28614 | XH6C               | 297,667          | 302,281                             | 10                    | Y                  | N<br>N<br>N<br>N      |
| 825303    | CRANE, WHEEL MOUNTED, ROUGH TERRAIN,<br>SWING CAB, DED, HYDRAULIC, 65 TON<br>CAPACITY, MINIMUM 110 FT BOOM AND<br>25 FT JIB                    | XH6C               | 542,115          | 550,518                             | 10                    | Y                  | N<br>N<br>N<br>N      |
| 825305    | CRANE, WHEEL MOUNTED, ROUGH TERRAIN,<br>4X4, DED, HYDRAULIC, 90 TON CAPACITY,<br>114 FT BOOM, REVOLVING SUPERSTRUCTURE,<br>HIGH FLOATING TIRE  | XH6C               | 772,877          | 784,857                             | 10                    | Y                  | N<br>N<br>N<br>N      |
| 825320    | CRANE, WHEEL MOUNTED, SWING CAB, 4X4,<br>ROUGH TERRAIN, HYDRAULIC, 20 TON<br>CAPACITY, (CRANE DATA SHEET REQUIRED)<br>OO-C-2774                | XH6C               | 200,000          | 203,100                             | 10                    | Y                  | S<br>S<br>S<br>S      |
| 825400    | CRANE, WHEEL MOUNTED, 4X4, CAB FORWARD,<br>HYDRAULIC BOOM, 12 - 35 TON CAPACITY<br>(NONSTANDARD)<br>MIL-C-28614                                | XH6C               | 217,743          | 221,118                             | 10                    | Y                  | S<br>S<br>S<br>S      |
| 825402    | CRANE, WHEEL MOUNTED, ROUGH TERRAIN,<br>CAB FORWARD, DED, HYDRAULIC, 10 - 14<br>TON CAPACITY, MINIMUM 21 FT BOOM AND<br>12 FT JIB              | XH6C               | 163,099          | 165,627                             | 10                    | Y                  | A<br>A<br>A<br>A      |
| 825411    |  | XH6C               | 200,000          | 203,100                             | 10                    | Y                  | I                     |
| 825425    | CRANE, WHEEL MOUNTED, 4X4, DED, 12-1/2<br>TON, CONTAINER HANDLING  | XH6C               | 214,670          | 217,997                             | 10                    | Y                  | A<br>A                |
| 841000    | CRANE, RAILWAY, LOCOMOTIVE, 15 - 30 TON<br>CAPACITY (NONSTANDARD)  | XH6C               | 500,000          | 507,750                             | 25                    | Y                  | I<br>I                |
| 842000    | CRANE, RAILWAY, LOCOMOTIVE, 31 - 50 TON<br>CAPACITY (NONSTANDARD)  | XH6C               | 500,000          | 507,750                             | 25                    | Y                  | I<br>I                |

| <i>EC</i> | <i>DESCRIPTION</i>   | <i>BUDGET LIRN</i> | <i>UNIT COST</i> | <i>FY03 ESCALATED<br/>UNIT COST</i> | <i>SHORE<br/>LIFE</i> | <i>DOD<br/>GRP</i> | <i>ALL<br/>FAMILY</i> |
|-----------|--|--------------------|------------------|-------------------------------------|-----------------------|--------------------|-----------------------|
| 843000    | CRANE, RAILWAY, LOCOMOTIVE, (WRECKING),<br>51 - 200 TON CAPACITY (NONSTANDARD) | XH6C               | 600,000          | 609,300                             | 25                    | Y                  | I<br>I                |
| 870000    | WINCH, DRUM, POWER OPERATED, GED/DED<br>(NONSTANDARD)                          |                    | 113,000          | 114,752                             | 10                    | Z                  | I<br>I                |
| 870001    |  |                    | 75,000           | 76,163                              | 10                    | Z                  | I                     |
| 870002    |  |                    | 93,000           | 94,442                              | 10                    | Z                  | I                     |
| 875000    | JACK, HYDRAULIC, SYSTEM-ELEVATED<br>CAUSEWAY (NONSTANDARD)                     |                    | 0                | 0                                   | 10                    |                    | A<br>A                |
| 880000    | PROPELLING OR PROPULSION UNIT MARINE<br>(NONSTANDARD)                          |                    | 12,000           | 12,186                              | 07                    | Z                  | I<br>I                |
| 880001    | PROPELLING UNIT, OUTBOARD, DED,<br>7,500 LB, TST                               |                    | 110,000          | 111,705                             | 07                    | Z                  | I<br>I                |
| 880011    |  |                    | 156,000          | 158,418                             | 07                    | Z                  | I                     |
| 880021    |  |                    | 62,000           | 62,961                              | 07                    | Z                  | I                     |